



ISO 4762 - Hexagon socket head cap screws

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 1.4571 M 6X16 - Hexagon socket head cap s..	476245716 16	200	0,57 kg	6 mm	16 mm	10	6	5.72 mm	16 mm
ISO 4762 1.4571 M 6X30 - Hexagon socket head cap s..	476245716 30	200	0,83 kg	6 mm	30 mm	10	6	5.72 mm	30 mm
ISO 4762 1.4571 M 8X20 - Hexagon socket head cap s..	476245718 20	200	1,34 kg	8 mm	20 mm	13	8	6.86 mm	20 mm
ISO 4762 1.4828 M 10X25 - Hexagon socket head cap ..	4762482810 25	100	2,54 kg	10 mm	25 mm	16	10	9.15 mm	25 mm
ISO 4762 A2 M 1,6X10 - Hexagon socket head cap scr..	47622016 10	500	0,02 kg	1.6 mm	10 mm	3	1.6		10 mm
ISO 4762 A2 M 1,6X12 - Hexagon socket head cap scr..	47622016 12	500	0,02 kg	1.6 mm	12 mm	3	1.6		12 mm
ISO 4762 A2 M 1,6X14 - Hexagon socket head cap scr..	47622016 14	500	0,02 kg	1.6 mm	14 mm	3	1.6		14 mm
ISO 4762 A2 M 1,6X16 - Hexagon socket head cap scr..	47622016 16	500	0,02 kg	1.6 mm	16 mm	3	1.6		16 mm
ISO 4762 A2 M 1,6X18 - Hexagon socket head cap scr..	47622016 18	500	0,02 kg	1.6 mm	18 mm	3	1.6	1.73 mm	15 mm
ISO 4762 A2 M 1,6X20 - Hexagon socket head cap scr..	47622016 20	500	0,03 kg	1.6 mm	20 mm	3	1.6	1.73 mm	15 mm
ISO 4762 A2 M 1,6X20/20 - Hexagon socket head cap ..	47622016 20/20	500	0,03 kg	1.6 mm	20 mm	3	1.6		20 mm
ISO 4762 A2 M 1,6X3 - Hexagon socket head cap screws	47622016 3	500	0,01 kg	1.6 mm	3 mm	3	1.6		3 mm
ISO 4762 A2 M 1,6X4 - Hexagon socket head cap screws	47622016 4	500	0,01 kg	1.6 mm	4 mm	3	1.6		4 mm
ISO 4762 A2 M 1,6X5 - Hexagon socket head cap screws	47622016 5	500	0,01 kg	1.6 mm	5 mm	3	1.6		5 mm
ISO 4762 A2 M 1,6X6 - Hexagon socket head cap screws	47622016 6	500	0,01 kg	1.6 mm	6 mm	3	1.6		6 mm
ISO 4762 A2 M 1,6X8 - Hexagon socket head cap screws	47622016 8	500	0,01 kg	1.6 mm	8 mm	3	1.6		8 mm
ISO 4762 A2 M 2,5X10 - Hexagon socket head cap scr..	4762225 10	500	0,05 kg	2.5 mm	10 mm	4.5	2.5		10 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2 M 2,5X12 - Hexagon socket head cap scr..	4762225 12	500	0,06 kg	2.5 mm	12 mm	4.5	2.5		12 mm
ISO 4762 A2 M 2,5X14 - Hexagon socket head cap scr..	4762225 14	500	0,06 kg	2.5 mm	14 mm	4.5	2.5		14 mm
ISO 4762 A2 M 2,5X16 - Hexagon socket head cap scr..	4762225 16	500	0,07 kg	2.5 mm	16 mm	4.5	2.5		16 mm
ISO 4762 A2 M 2,5X18 - Hexagon socket head cap scr..	4762225 18	500	0,08 kg	2.5 mm	18 mm	4.5	2.5		18 mm
ISO 4762 A2 M 2,5X20 - Hexagon socket head cap scr..	4762225 20	500	0,08 kg	2.5 mm	20 mm	4.5	2.5		20 mm
ISO 4762 A2 M 2,5X22 - Hexagon socket head cap scr..	4762225 22	500	0,09 kg	2.5 mm	22 mm	4.5	2.5		22 mm
ISO 4762 A2 M 2,5X25 - Hexagon socket head cap scr..	4762225 25	500	0,10 kg	2.5 mm	25 mm	4.5	2.5		25 mm
ISO 4762 A2 M 2,5X3 - Hexagon socket head cap screws	4762225 3	500	0,03 kg	2.5 mm	3 mm	4.5	2.5		3 mm
ISO 4762 A2 M 2,5X30 - Hexagon socket head cap scr..	4762225 30	500	0,11 kg	2.5 mm	30 mm	4.5	2.5	2.3 mm	17 mm
ISO 4762 A2 M 2,5X30/30 - Hexagon socket head cap ..	4762225 30/30	500	0,11 kg	2.5 mm	30 mm	4.5	2.5		30 mm
ISO 4762 A2 M 2,5X35 - Hexagon socket head cap scr..	4762225 35	1000	0,13 kg	2.5 mm	35 mm	4.5	2.5	2.3 mm	17 mm
ISO 4762 A2 M 2,5X35/35 - Hexagon socket head cap ..	4762225 35/35	500	0,13 kg	2.5 mm	35 mm	4.5	2.5		35 mm
ISO 4762 A2 M 2,5X4 - Hexagon socket head cap screws	4762225 4	500	0,04 kg	2.5 mm	4 mm	4.5	2.5		4 mm
ISO 4762 A2 M 2,5X40 - Hexagon socket head cap scr..	4762225 40	1000	0,14 kg	2.5 mm	40 mm	4.5	2.5	2.3 mm	17 mm
ISO 4762 A2 M 2,5X40/40 - Hexagon socket head cap ..	4762225 40/40	500	0,14 kg	2.5 mm	40 mm	4.5	2.5		40 mm
ISO 4762 A2 M 2,5X5 - Hexagon socket head cap screws	4762225 5	500	0,04 kg	2.5 mm	5 mm	4.5	2.5		5 mm
ISO 4762 A2 M 2,5X6 - Hexagon socket head cap screws	4762225 6	500	0,04 kg	2.5 mm	6 mm	4.5	2.5		6 mm
ISO 4762 A2 M 2,5X8 - Hexagon socket head cap screws	4762225 8	1000	0,05 kg	2.5 mm	8 mm	4.5	2.5		8 mm
ISO 4762 A2 M 2X10 - Hexagon socket head cap screws	476222 10	500	0,03 kg	2 mm	10 mm	3.8	2		10 mm
ISO 4762 A2 M 2X12 - Hexagon socket head cap screws	476222 12	500	0,04 kg	2 mm	12 mm	3.8	2		12 mm
ISO 4762 A2 M 2X14 - Hexagon socket head cap screws	476222 14	500	0,04 kg	2 mm	14 mm	3.8	2		14 mm
ISO 4762 A2 M 2X16 - Hexagon socket head cap screws	476222 16	500	0,04 kg	2 mm	16 mm	3.8	2		16 mm
ISO 4762 A2 M 2X18 - Hexagon socket head cap screws	476222 18	500	0,05 kg	2 mm	18 mm	3.8	2		18 mm
ISO 4762 A2 M 2X20 - Hexagon socket head cap screws	476222 20	500	0,05 kg	2 mm	20 mm	3.8	2		20 mm
ISO 4762 A2 M 2X22 - Hexagon socket head cap screws	476222 22	500	0,05 kg	2 mm	22 mm	3.8	2	1.73 mm	16 mm
ISO 4762 A2 M 2X25 - Hexagon socket head cap screws	476222 25	500	0,06 kg	2 mm	25 mm	3.8	2	1.73 mm	16 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2 M 2X25/25 - Hexagon socket head cap sc..	476222 25/25	500	0,06 kg	2 mm	25 mm	3.8	2		25 mm
ISO 4762 A2 M 2X3 - Hexagon socket head cap screws	476222 3	500	0,02 kg	2 mm	3 mm	3.8	2		3 mm
ISO 4762 A2 M 2X30 - Hexagon socket head cap screws	476222 30	500	0,07 kg	2 mm	30 mm	3.8	2	1.73 mm	16 mm
ISO 4762 A2 M 2X30/30 - Hexagon socket head cap sc..	476222 30/30	500	0,07 kg	2 mm	30 mm	3.8	2		30 mm
ISO 4762 A2 M 2X4 - Hexagon socket head cap screws	476222 4	1000	0,02 kg	2 mm	4 mm	3.8	2		4 mm
ISO 4762 A2 M 2X5 - Hexagon socket head cap screws	476222 5	500	0,02 kg	2 mm	5 mm	3.8	2		5 mm
ISO 4762 A2 M 2X6 - Hexagon socket head cap screws	476222 6	500	0,02 kg	2 mm	6 mm	3.8	2		6 mm
ISO 4762 A2 M 2X8 - Hexagon socket head cap screws	476222 8	1000	0,03 kg	2 mm	8 mm	3.8	2		8 mm
ISO 4762 A2 M 3X10 - Hexagon socket head cap screws	476223 10	1000	0,09 kg	3 mm	10 mm	5.5	3		10 mm
ISO 4762 A2 M 3X12 - Hexagon socket head cap screws	476223 12	1000	0,10 kg	3 mm	12 mm	5.5	3		12 mm
ISO 4762 A2 M 3X14 - Hexagon socket head cap screws	476223 14	1000	0,10 kg	3 mm	14 mm	5.5	3		14 mm
ISO 4762 A2 M 3X16 - Hexagon socket head cap screws	476223 16	1000	0,11 kg	3 mm	16 mm	5.5	3		16 mm
ISO 4762 A2 M 3X18 - Hexagon socket head cap screws	476223 18	1000	0,12 kg	3 mm	18 mm	5.5	3		18 mm
ISO 4762 A2 M 3X20 - Hexagon socket head cap screws	476223 20	1000	0,14 kg	3 mm	20 mm	5.5	3		20 mm
ISO 4762 A2 M 3X22 - Hexagon socket head cap screws	476223 22	1000	0,15 kg	3 mm	22 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X25 - Hexagon socket head cap screws	476223 25	1000	0,16 kg	3 mm	25 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X25/25 - Hexagon socket head cap sc..	476223 25/25	1000	0,16 kg	3 mm	25 mm	5.5	3		25 mm
ISO 4762 A2 M 3X3 - Hexagon socket head cap screws	476223 3	1000	0,06 kg	3 mm	3 mm	5.5	3		3 mm
ISO 4762 A2 M 3X30 - Hexagon socket head cap screws	476223 30	1000	0,19 kg	3 mm	30 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X30/30 - Hexagon socket head cap sc..	476223 30/30	1000	0,19 kg	3 mm	30 mm	5.5	3		30 mm
ISO 4762 A2 M 3X35 - Hexagon socket head cap screws	476223 35	500	0,21 kg	3 mm	35 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X35/35 - Hexagon socket head cap sc..	476223 35/35	500	0,21 kg	3 mm	35 mm	5.5	3		35 mm
ISO 4762 A2 M 3X4 - Hexagon socket head cap screws	476223 4	1000	0,06 kg	3 mm	4 mm	5.5	3		4 mm
ISO 4762 A2 M 3X40 - Hexagon socket head cap screws	476223 40	500	0,24 kg	3 mm	40 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X40/40 - Hexagon socket head cap sc..	476223 40/40	500	0,24 kg	3 mm	40 mm	5.5	3		40 mm
ISO 4762 A2 M 3X45 - Hexagon socket head cap screws	476223 45	500	0,26 kg	3 mm	45 mm	5.5	3	0.51 mm	18 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2 M 3X5 - Hexagon socket head cap screws	476223 5	1000	0,07 kg	3 mm	5 mm	5.5	3		5 mm
ISO 4762 A2 M 3X50 - Hexagon socket head cap screws	476223 50	200	0,29 kg	3 mm	50 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X55 - Hexagon socket head cap screws	476223 55	200	0,30 kg	3 mm	55 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X6 - Hexagon socket head cap screws	476223 6	1000	0,07 kg	3 mm	6 mm	5.5	3		6 mm
ISO 4762 A2 M 3X60 - Hexagon socket head cap screws	476223 60	200	0,31 kg	3 mm	60 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X65 - Hexagon socket head cap screws	476223 65	200	0,32 kg	3 mm	65 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X70 - Hexagon socket head cap screws	476223 70	200	0,34 kg	3 mm	70 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A2 M 3X8 - Hexagon socket head cap screws	476223 8	1000	0,08 kg	3 mm	8 mm	5.5	3		8 mm
ISO 4762 A2 M 4X10 - Hexagon socket head cap screws	476224 10	1000	0,18 kg	4 mm	10 mm	7	4		10 mm
ISO 4762 A2 M 4X100 - Hexagon socket head cap screws	476224 100	100	1,07 kg	4 mm	100 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X12 - Hexagon socket head cap screws	476224 12	1000	0,20 kg	4 mm	12 mm	7	4		12 mm
ISO 4762 A2 M 4X14 - Hexagon socket head cap screws	476224 14	1000	0,21 kg	4 mm	14 mm	7	4		14 mm
ISO 4762 A2 M 4X16 - Hexagon socket head cap screws	476224 16	1000	0,23 kg	4 mm	16 mm	7	4		16 mm
ISO 4762 A2 M 4X18 - Hexagon socket head cap screws	476224 18	1000	0,25 kg	4 mm	18 mm	7	4		18 mm
ISO 4762 A2 M 4X20 - Hexagon socket head cap screws	476224 20	500	0,27 kg	4 mm	20 mm	7	4		20 mm
ISO 4762 A2 M 4X22 - Hexagon socket head cap screws	476224 22	500	0,29 kg	4 mm	22 mm	7	4		22 mm
ISO 4762 A2 M 4X25 - Hexagon socket head cap screws	476224 25	500	0,32 kg	4 mm	25 mm	7	4		25 mm
ISO 4762 A2 M 4X30 - Hexagon socket head cap screws	476224 30	500	0,37 kg	4 mm	30 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X30/30 - Hexagon socket head cap sc..	476224 30/30	500	0,37 kg	4 mm	30 mm	7	4		30 mm
ISO 4762 A2 M 4X35 - Hexagon socket head cap screws	476224 35	200	0,42 kg	4 mm	35 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X35/35 - Hexagon socket head cap sc..	476224 35/35	200	0,42 kg	4 mm	35 mm	7	4		35 mm
ISO 4762 A2 M 4X4 - Hexagon socket head cap screws	476224 4	1000	0,13 kg	4 mm	4 mm	7	4		4 mm
ISO 4762 A2 M 4X40 - Hexagon socket head cap screws	476224 40	200	0,47 kg	4 mm	40 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X40/40 - Hexagon socket head cap sc..	476224 40/40	200	0,47 kg	4 mm	40 mm	7	4		40 mm
ISO 4762 A2 M 4X45 - Hexagon socket head cap screws	476224 45	200	0,52 kg	4 mm	45 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X45/45 - Hexagon socket head cap sc..	476224 45/45	200	0,52 kg	4 mm	45 mm	7	4		45 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2 M 4X5 - Hexagon socket head cap screws	476224 5	1000	0,15 kg	4 mm	5 mm	7	4		5 mm
ISO 4762 A2 M 4X50 - Hexagon socket head cap screws	476224 50	200	0,57 kg	4 mm	50 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X50/50 - Hexagon socket head cap sc..	476224 50/50	200	0,57 kg	4 mm	50 mm	7	4		50 mm
ISO 4762 A2 M 4X55 - Hexagon socket head cap screws	476224 55	200	0,62 kg	4 mm	55 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X6 - Hexagon socket head cap screws	476224 6	1000	0,14 kg	4 mm	6 mm	7	4		6 mm
ISO 4762 A2 M 4X60 - Hexagon socket head cap screws	476224 60	100	0,67 kg	4 mm	60 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X65 - Hexagon socket head cap screws	476224 65	100	0,72 kg	4 mm	65 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X70 - Hexagon socket head cap screws	476224 70	100	0,77 kg	4 mm	70 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X75 - Hexagon socket head cap screws	476224 75	100	0,82 kg	4 mm	75 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X8 - Hexagon socket head cap screws	476224 8	1000	0,16 kg	4 mm	8 mm	7	4		8 mm
ISO 4762 A2 M 4X80 - Hexagon socket head cap screws	476224 80	100	0,87 kg	4 mm	80 mm	7	4	3.44 mm	20 mm
ISO 4762 A2 M 4X90 - Hexagon socket head cap screws	476224 90	100	0,97 kg	4 mm	90 mm	7	4	3.44 mm	20 mm
ISO 4762 A2-70 M 10X100 - Hexagon socket head cap ..	4762210 100	50	7,12 kg	10 mm	100 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X100/100 - Hexagon socket head ..	4762210 100/100	50	7,12 kg	10 mm	100 mm	16	10		100 mm
ISO 4762 A2-70 M 10X110 - Hexagon socket head cap ..	4762210 110	50	7,77 kg	10 mm	110 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X12 - Hexagon socket head cap s..	4762210 12	100	2,00 kg	10 mm	12 mm	16	10		12 mm
ISO 4762 A2-70 M 10X120 - Hexagon socket head cap ..	4762210 120	50	8,41 kg	10 mm	120 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X130 - Hexagon socket head cap ..	4762210 130	50	9,05 kg	10 mm	130 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X14 - Hexagon socket head cap s..	4762210 14	100	2,04 kg	10 mm	14 mm	16	10		14 mm
ISO 4762 A2-70 M 10X140 - Hexagon socket head cap ..	4762210 140	50	9,69 kg	10 mm	140 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X150 - Hexagon socket head cap ..	4762210 150	50	10,33 kg	10 mm	150 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X16 - Hexagon socket head cap s..	4762210 16	100	2,09 kg	10 mm	16 mm	16	10		16 mm
ISO 4762 A2-70 M 10X160 - Hexagon socket head cap ..	4762210 160	50	10,97 kg	10 mm	160 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X170 - Hexagon socket head cap ..	4762210 170	25	11,61 kg	10 mm	170 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X18 - Hexagon socket head cap s..	4762210 18	100	2,19 kg	10 mm	18 mm	16	10		18 mm
ISO 4762 A2-70 M 10X180 - Hexagon socket head cap ..	4762210 180	25	12,25 kg	10 mm	180 mm	16	10	9.15 mm	32 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 10X190 - Hexagon socket head cap ..	4762210 190	25	12,89 kg	10 mm	190 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X20 - Hexagon socket head cap s..	4762210 20	100	2,29 kg	10 mm	20 mm	16	10		20 mm
ISO 4762 A2-70 M 10X20/20 - Hexagon socket head ca..	47622010 20	100	2,29 kg	10 mm	20 mm	16	10	9.15 mm	20 mm
ISO 4762 A2-70 M 10X200 - Hexagon socket head cap ..	4762210 200	25	13,53 kg	10 mm	200 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X210 - Hexagon socket head cap ..	4762210 210	25	14,17 kg	10 mm	210 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X22 - Hexagon socket head cap s..	4762210 22	100	2,39 kg	10 mm	22 mm	16	10		22 mm
ISO 4762 A2-70 M 10X220 - Hexagon socket head cap ..	4762210 220	25	14,81 kg	10 mm	220 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X230 - Hexagon socket head cap ..	4762210 230	25	15,45 kg	10 mm	230 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X240 - Hexagon socket head cap ..	4762210 240	25	16,09 kg	10 mm	240 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X25 - Hexagon socket head cap s..	4762210 25	100	2,54 kg	10 mm	25 mm	16	10		25 mm
ISO 4762 A2-70 M 10X250 - Hexagon socket head cap ..	4762210 250	25	16,73 kg	10 mm	250 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X260 - Hexagon socket head cap ..	4762210 260	25	17,37 kg	10 mm	260 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X270 - Hexagon socket head cap ..	4762210 270	25	18,01 kg	10 mm	270 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X280 - Hexagon socket head cap ..	4762210 280	25	18,65 kg	10 mm	280 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X290 - Hexagon socket head cap ..	4762210 290	25	19,29 kg	10 mm	290 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X30 - Hexagon socket head cap s..	4762210 30	100	2,79 kg	10 mm	30 mm	16	10		30 mm
ISO 4762 A2-70 M 10X300 - Hexagon socket head cap ..	4762210 300	25	19,93 kg	10 mm	300 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X35 - Hexagon socket head cap s..	4762210 35	100	3,04 kg	10 mm	35 mm	16	10		35 mm
ISO 4762 A2-70 M 10X40 - Hexagon socket head cap s..	4762210 40	100	3,29 kg	10 mm	40 mm	16	10		40 mm
ISO 4762 A2-70 M 10X45 - Hexagon socket head cap s..	4762210 45	100	3,61 kg	10 mm	45 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X45/45 - Hexagon socket head ca..	4762210 45/45	100	3,61 kg	10 mm	45 mm	16	10		45 mm
ISO 4762 A2-70 M 10X50 - Hexagon socket head cap s..	4762210 50	50	3,93 kg	10 mm	50 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X50/50 - Hexagon socket head ca..	4762210 50/50	50	3,93 kg	10 mm	50 mm	16	10		50 mm
ISO 4762 A2-70 M 10X55 - Hexagon socket head cap s..	4762210 55	50	4,25 kg	10 mm	55 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X55/55 - Hexagon socket head ca..	4762210 55/55	50	4,25 kg	10 mm	55 mm	16	10		55 mm
ISO 4762 A2-70 M 10X60 - Hexagon socket head cap s..	4762210 60	50	4,57 kg	10 mm	60 mm	16	10	9.15 mm	32 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 10X60/60 - Hexagon socket head ca..	4762210 60/60	50	4,57 kg	10 mm	60 mm	16	10		60 mm
ISO 4762 A2-70 M 10X65 - Hexagon socket head cap s..	4762210 65	50	4,89 kg	10 mm	65 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X70 - Hexagon socket head cap s..	4762210 70	50	5,21 kg	10 mm	70 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X70/70 - Hexagon socket head ca..	4762210 70/70	50	5,21 kg	10 mm	70 mm	16	10		70 mm
ISO 4762 A2-70 M 10X75 - Hexagon socket head cap s..	4762210 75	50	5,53 kg	10 mm	75 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X80 - Hexagon socket head cap s..	4762210 80	50	5,85 kg	10 mm	80 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X80/80 - Hexagon socket head ca..	4762210 80/80	50	5,85 kg	10 mm	80 mm	16	10		80 mm
ISO 4762 A2-70 M 10X85 - Hexagon socket head cap s..	4762210 85	50	6,17 kg	10 mm	85 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X90 - Hexagon socket head cap s..	4762210 90	50	6,49 kg	10 mm	90 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 10X90/90 - Hexagon socket head ca..	4762210 90/90	50	6,49 kg	10 mm	90 mm	16	10		90 mm
ISO 4762 A2-70 M 10X95 - Hexagon socket head cap s..	4762210 95	50	6,81 kg	10 mm	95 mm	16	10	9.15 mm	32 mm
ISO 4762 A2-70 M 12X100 - Hexagon socket head cap ..	4762212 100	25	9,80 kg	12 mm	100 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X100/100 - Hexagon socket head ..	4762212 100/100	25	9,80 kg	12 mm	100 mm	18	12		100 mm
ISO 4762 A2-70 M 12X110 - Hexagon socket head cap ..	4762212 110	25	10,70 kg	12 mm	110 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X120 - Hexagon socket head cap ..	4762212 120	25	11,60 kg	12 mm	120 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X130 - Hexagon socket head cap ..	4762212 130	25	12,50 kg	12 mm	130 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X140 - Hexagon socket head cap ..	4762212 140	25	13,40 kg	12 mm	140 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X150 - Hexagon socket head cap ..	4762212 150	25	14,30 kg	12 mm	150 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X16 - Hexagon socket head cap s..	4762212 16	50	2,93 kg	12 mm	16 mm	18	12		16 mm
ISO 4762 A2-70 M 12X160 - Hexagon socket head cap ..	4762212 160	25	15,20 kg	12 mm	160 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X170 - Hexagon socket head cap ..	4762212 170	25	16,10 kg	12 mm	170 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X18 - Hexagon socket head cap s..	4762212 18	50	3,07 kg	12 mm	18 mm	18	12		18 mm
ISO 4762 A2-70 M 12X180 - Hexagon socket head cap ..	4762212 180	10	17,00 kg	12 mm	180 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X190 - Hexagon socket head cap ..	4762212 190	25	17,90 kg	12 mm	190 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X20 - Hexagon socket head cap s..	4762212 20	50	3,21 kg	12 mm	20 mm	18	12		20 mm
ISO 4762 A2-70 M 12X200 - Hexagon socket head cap ..	4762212 200	25	18,80 kg	12 mm	200 mm	18	12	11.43 mm	36 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 12X210 - Hexagon socket head cap ..	4762212 210	25	19,70 kg	12 mm	210 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X22 - Hexagon socket head cap s..	4762212 22	50	3,35 kg	12 mm	22 mm	18	12		22 mm
ISO 4762 A2-70 M 12X220 - Hexagon socket head cap ..	4762212 220	25	20,60 kg	12 mm	220 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X230 - Hexagon socket head cap ..	4762212 230	25	21,50 kg	12 mm	230 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X240 - Hexagon socket head cap ..	4762212 240	25	22,40 kg	12 mm	240 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X25 - Hexagon socket head cap s..	4762212 25	50	3,57 kg	12 mm	25 mm	18	12		25 mm
ISO 4762 A2-70 M 12X250 - Hexagon socket head cap ..	4762212 250	25	23,30 kg	12 mm	250 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X260 - Hexagon socket head cap ..	4762212 260	25	24,20 kg	12 mm	260 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X270 - Hexagon socket head cap ..	4762212 270	25	25,10 kg	12 mm	270 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X280 - Hexagon socket head cap ..	4762212 280	25	26,00 kg	12 mm	280 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X290 - Hexagon socket head cap ..	4762212 290	25	26,99 kg	12 mm	290 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X30 - Hexagon socket head cap s..	4762212 30	50	3,93 kg	12 mm	30 mm	18	12		30 mm
ISO 4762 A2-70 M 12X300 - Hexagon socket head cap ..	4762212 300	25	27,90 kg	12 mm	300 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X35 - Hexagon socket head cap s..	4762212 35	50	4,29 kg	12 mm	35 mm	18	12		35 mm
ISO 4762 A2-70 M 12X40 - Hexagon socket head cap s..	4762212 40	50	4,65 kg	12 mm	40 mm	18	12		40 mm
ISO 4762 A2-70 M 12X45 - Hexagon socket head cap s..	4762212 45	50	5,01 kg	12 mm	45 mm	18	12		45 mm
ISO 4762 A2-70 M 12X50 - Hexagon socket head cap s..	4762212 50	50	5,45 kg	12 mm	50 mm	18	12		50 mm
ISO 4762 A2-70 M 12X55 - Hexagon socket head cap s..	4762212 55	50	5,89 kg	12 mm	55 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X55/55 - Hexagon socket head ca..	4762212 55/55	50	5,89 kg	12 mm	55 mm	18	12		55 mm
ISO 4762 A2-70 M 12X60 - Hexagon socket head cap s..	4762212 60	50	6,34 kg	12 mm	60 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X60/60 - Hexagon socket head ca..	4762212 60/60	50	6,34 kg	12 mm	60 mm	18	12		60 mm
ISO 4762 A2-70 M 12X65 - Hexagon socket head cap s..	4762212 65	50	6,78 kg	12 mm	65 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X70 - Hexagon socket head cap s..	4762212 70	50	7,13 kg	12 mm	70 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X70/70 - Hexagon socket head ca..	4762212 70/70	50	7,13 kg	12 mm	70 mm	18	12		70 mm
ISO 4762 A2-70 M 12X75 - Hexagon socket head cap s..	4762212 75	25	7,58 kg	12 mm	75 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X80 - Hexagon socket head cap s..	4762212 80	25	8,02 kg	12 mm	80 mm	18	12	11.43 mm	36 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 12X80/80 - Hexagon socket head ca..	4762212 80/80	25	8,02 kg	12 mm	80 mm	18	12		80 mm
ISO 4762 A2-70 M 12X85 - Hexagon socket head cap s..	4762212 85	25	8,47 kg	12 mm	85 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X90 - Hexagon socket head cap s..	4762212 90	25	8,91 kg	12 mm	90 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 12X90/90 - Hexagon socket head ca..	4762212 90/90	25	8,91 kg	12 mm	90 mm	18	12		90 mm
ISO 4762 A2-70 M 12X95 - Hexagon socket head cap s..	4762212 95	25	9,36 kg	12 mm	95 mm	18	12	11.43 mm	36 mm
ISO 4762 A2-70 M 14X100 - Hexagon socket head cap ..	4762214 100	25	13,20 kg	14 mm	100 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X110 - Hexagon socket head cap ..	4762214 110	25	14,40 kg	14 mm	110 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X120 - Hexagon socket head cap ..	4762214 120	25	15,60 kg	14 mm	120 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X130 - Hexagon socket head cap ..	4762214 130	25	16,80 kg	14 mm	130 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X140 - Hexagon socket head cap ..	4762214 140	25	18,00 kg	14 mm	140 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X150 - Hexagon socket head cap ..	4762214 150	25	19,20 kg	14 mm	150 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X160 - Hexagon socket head cap ..	4762214 160	25	20,47 kg	14 mm	160 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X170 - Hexagon socket head cap ..	4762214 170	25	21,82 kg	14 mm	170 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X180 - Hexagon socket head cap ..	4762214 180	25	23,26 kg	14 mm	180 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X190 - Hexagon socket head cap ..	4762214 190	25	24,80 kg	14 mm	190 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X20 - Hexagon socket head cap s..	4762214 20	50	4,30 kg	14 mm	20 mm	21	14		20 mm
ISO 4762 A2-70 M 14X200 - Hexagon socket head cap ..	4762214 200	25	26,44 kg	14 mm	200 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X25 - Hexagon socket head cap s..	4762214 25	50	4,80 kg	14 mm	25 mm	21	14		25 mm
ISO 4762 A2-70 M 14X30 - Hexagon socket head cap s..	4762214 30	50	5,30 kg	14 mm	30 mm	21	14		30 mm
ISO 4762 A2-70 M 14X35 - Hexagon socket head cap s..	4762214 35	50	5,80 kg	14 mm	35 mm	21	14		35 mm
ISO 4762 A2-70 M 14X40 - Hexagon socket head cap s..	4762214 40	50	6,30 kg	14 mm	40 mm	21	14		40 mm
ISO 4762 A2-70 M 14X45 - Hexagon socket head cap s..	4762214 45	50	6,80 kg	14 mm	45 mm	21	14		45 mm
ISO 4762 A2-70 M 14X50 - Hexagon socket head cap s..	4762214 50	50	7,30 kg	14 mm	50 mm	21	14		50 mm
ISO 4762 A2-70 M 14X55 - Hexagon socket head cap s..	4762214 55	50	7,80 kg	14 mm	55 mm	21	14		55 mm
ISO 4762 A2-70 M 14X60 - Hexagon socket head cap s..	4762214 60	50	8,40 kg	14 mm	60 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X65 - Hexagon socket head cap s..	4762214 65	50	9,00 kg	14 mm	65 mm	21	14	13.72 mm	40 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 14X70 - Hexagon socket head cap s..	4762214 70	50	9,60 kg	14 mm	70 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X75 - Hexagon socket head cap s..	4762214 75	50	10,20 kg	14 mm	75 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X80 - Hexagon socket head cap s..	4762214 80	50	10,80 kg	14 mm	80 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X85 - Hexagon socket head cap s..	4762214 85	50	11,40 kg	14 mm	85 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X90 - Hexagon socket head cap s..	4762214 90	25	12,00 kg	14 mm	90 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 14X95 - Hexagon socket head cap s..	4762214 95	50	12,60 kg	14 mm	95 mm	21	14	13.72 mm	40 mm
ISO 4762 A2-70 M 16X100 - Hexagon socket head cap ..	4762216 100	25	18,60 kg	16 mm	100 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X110 - Hexagon socket head cap ..	4762216 110	25	20,20 kg	16 mm	110 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X120 - Hexagon socket head cap ..	4762216 120	25	21,80 kg	16 mm	120 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X130 - Hexagon socket head cap ..	4762216 130	25	23,40 kg	16 mm	130 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X140 - Hexagon socket head cap ..	4762216 140	25	25,00 kg	16 mm	140 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X150 - Hexagon socket head cap ..	4762216 150	25	26,60 kg	16 mm	150 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X160 - Hexagon socket head cap ..	4762216 160	25	28,20 kg	16 mm	160 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X170 - Hexagon socket head cap ..	4762216 170	25	29,80 kg	16 mm	170 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X180 - Hexagon socket head cap ..	4762216 180	25	31,40 kg	16 mm	180 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X190 - Hexagon socket head cap ..	4762216 190	25	33,00 kg	16 mm	190 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X20 - Hexagon socket head cap s..	4762216 20	25	6,48 kg	16 mm	20 mm	24	16		20 mm
ISO 4762 A2-70 M 16X200 - Hexagon socket head cap ..	4762216 200	25	34,60 kg	16 mm	200 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X210 - Hexagon socket head cap ..	4762216 210	25	36,20 kg	16 mm	210 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X220 - Hexagon socket head cap ..	4762216 220	25	37,80 kg	16 mm	220 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X230 - Hexagon socket head cap ..	4762216 230	25	39,40 kg	16 mm	230 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X240 - Hexagon socket head cap ..	4762216 240	25	41,00 kg	16 mm	240 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X25 - Hexagon socket head cap s..	4762216 25	25	7,13 kg	16 mm	25 mm	24	16		25 mm
ISO 4762 A2-70 M 16X250 - Hexagon socket head cap ..	4762216 250	25	42,60 kg	16 mm	250 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X260 - Hexagon socket head cap ..	4762216 260	25	44,20 kg	16 mm	260 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X270 - Hexagon socket head cap ..	4762216 270	25	45,80 kg	16 mm	270 mm	24	16	16 mm	44 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 16X280 - Hexagon socket head cap ..	4762216 280	25	47,40 kg	16 mm	280 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X290 - Hexagon socket head cap ..	4762216 290	25	49,00 kg	16 mm	290 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X30 - Hexagon socket head cap s..	4762216 30	25	7,78 kg	16 mm	30 mm	24	16		30 mm
ISO 4762 A2-70 M 16X300 - Hexagon socket head cap ..	4762216 300	25	50,60 kg	16 mm	300 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X35 - Hexagon socket head cap s..	4762216 35	25	8,44 kg	16 mm	35 mm	24	16		35 mm
ISO 4762 A2-70 M 16X40 - Hexagon socket head cap s..	4762216 40	25	9,10 kg	16 mm	40 mm	24	16		40 mm
ISO 4762 A2-70 M 16X45 - Hexagon socket head cap s..	4762216 45	25	9,76 kg	16 mm	45 mm	24	16		45 mm
ISO 4762 A2-70 M 16X50 - Hexagon socket head cap s..	4762216 50	25	10,60 kg	16 mm	50 mm	24	16		50 mm
ISO 4762 A2-70 M 16X55 - Hexagon socket head cap s..	4762216 55	25	11,40 kg	16 mm	55 mm	24	16		55 mm
ISO 4762 A2-70 M 16X60 - Hexagon socket head cap s..	4762216 60	25	12,20 kg	16 mm	60 mm	24	16		60 mm
ISO 4762 A2-70 M 16X65 - Hexagon socket head cap s..	4762216 65	25	13,00 kg	16 mm	65 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X70 - Hexagon socket head cap s..	4762216 70	25	13,80 kg	16 mm	70 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X75 - Hexagon socket head cap s..	4762216 75	25	14,60 kg	16 mm	75 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X80 - Hexagon socket head cap s..	4762216 80	25	15,40 kg	16 mm	80 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X85 - Hexagon socket head cap s..	4762216 85	25	16,20 kg	16 mm	85 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X90 - Hexagon socket head cap s..	4762216 90	25	17,00 kg	16 mm	90 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 16X95 - Hexagon socket head cap s..	4762216 95	25	17,80 kg	16 mm	95 mm	24	16	16 mm	44 mm
ISO 4762 A2-70 M 18X100 - Hexagon socket head cap ..	4762218 100	25	24,30 kg	18 mm	100 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X110 - Hexagon socket head cap ..	4762218 110	25	26,30 kg	18 mm	110 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X120 - Hexagon socket head cap ..	4762218 120	25	28,30 kg	18 mm	120 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X130 - Hexagon socket head cap ..	4762218 130	25	30,30 kg	18 mm	130 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X140 - Hexagon socket head cap ..	4762218 140	25	32,30 kg	18 mm	140 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X150 - Hexagon socket head cap ..	4762218 150	25	34,30 kg	18 mm	150 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X160 - Hexagon socket head cap ..	4762218 160	25	36,36 kg	18 mm	160 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X170 - Hexagon socket head cap ..	4762218 170	25	38,30 kg	18 mm	170 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X180 - Hexagon socket head cap ..	4762218 180	25	40,85 kg	18 mm	180 mm	27	18	16 mm	48 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 18X190 - Hexagon socket head cap ..	4762218 190	25	42,30 kg	18 mm	190 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X200 - Hexagon socket head cap ..	4762218 200	25	44,30 kg	18 mm	200 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X30 - Hexagon socket head cap s..	4762218 30	25	11,10 kg	18 mm	30 mm	27	18		30 mm
ISO 4762 A2-70 M 18X35 - Hexagon socket head cap s..	4762218 35	25	12,00 kg	18 mm	35 mm	27	18		35 mm
ISO 4762 A2-70 M 18X40 - Hexagon socket head cap s..	4762218 40	25	12,90 kg	18 mm	40 mm	27	18		40 mm
ISO 4762 A2-70 M 18X45 - Hexagon socket head cap s..	4762218 45	25	13,80 kg	18 mm	45 mm	27	18		45 mm
ISO 4762 A2-70 M 18X50 - Hexagon socket head cap s..	4762218 50	25	14,70 kg	18 mm	50 mm	27	18		50 mm
ISO 4762 A2-70 M 18X55 - Hexagon socket head cap s..	4762218 55	25	15,60 kg	18 mm	55 mm	27	18		55 mm
ISO 4762 A2-70 M 18X60 - Hexagon socket head cap s..	4762218 60	25	16,50 kg	18 mm	60 mm	27	18		60 mm
ISO 4762 A2-70 M 18X65 - Hexagon socket head cap s..	4762218 65	25	17,40 kg	18 mm	65 mm	27	18		65 mm
ISO 4762 A2-70 M 18X70 - Hexagon socket head cap s..	4762218 70	25	18,30 kg	18 mm	70 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X75 - Hexagon socket head cap s..	4762218 75	25	19,30 kg	18 mm	75 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X80 - Hexagon socket head cap s..	4762218 80	25	20,30 kg	18 mm	80 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X85 - Hexagon socket head cap s..	4762218 85	25	21,30 kg	18 mm	85 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X90 - Hexagon socket head cap s..	4762218 90	25	22,30 kg	18 mm	90 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 18X95 - Hexagon socket head cap s..	4762218 95	25	23,30 kg	18 mm	95 mm	27	18	16 mm	48 mm
ISO 4762 A2-70 M 20X100 - Hexagon socket head cap ..	4762220 100	25	29,10 kg	20 mm	100 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X110 - Hexagon socket head cap ..	4762220 110	25	31,60 kg	20 mm	110 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X120 - Hexagon socket head cap ..	4762220 120	25	34,10 kg	20 mm	120 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X130 - Hexagon socket head cap ..	4762220 130	25	36,60 kg	20 mm	130 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X140 - Hexagon socket head cap ..	4762220 140	25	39,10 kg	20 mm	140 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X150 - Hexagon socket head cap ..	4762220 150	25	41,60 kg	20 mm	150 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X160 - Hexagon socket head cap ..	4762220 160	25	44,10 kg	20 mm	160 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X170 - Hexagon socket head cap ..	4762220 170	25	46,60 kg	20 mm	170 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X180 - Hexagon socket head cap ..	4762220 180	25	49,10 kg	20 mm	180 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X190 - Hexagon socket head cap ..	4762220 190	25	51,50 kg	20 mm	190 mm	30	20	19.44 mm	52 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 20X200 - Hexagon socket head cap ..	4762220 200	25	54,10 kg	20 mm	200 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X210 - Hexagon socket head cap ..	4762220 210	25	55,70 kg	20 mm	210 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X220 - Hexagon socket head cap ..	4762220 220	25	57,80 kg	20 mm	220 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X230 - Hexagon socket head cap ..	4762220 230	25	59,90 kg	20 mm	230 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X240 - Hexagon socket head cap ..	4762220 240	25	62,00 kg	20 mm	240 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X250 - Hexagon socket head cap ..	4762220 250	25	64,10 kg	20 mm	250 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X260 - Hexagon socket head cap ..	4762220 260	25	66,20 kg	20 mm	260 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X270 - Hexagon socket head cap ..	4762220 270	25	68,30 kg	20 mm	270 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X280 - Hexagon socket head cap ..	4762220 280	25	70,40 kg	20 mm	280 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X290 - Hexagon socket head cap ..	4762220 290	25	72,50 kg	20 mm	290 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X30 - Hexagon socket head cap s..	4762220 30	25	12,80 kg	20 mm	30 mm	30	20		30 mm
ISO 4762 A2-70 M 20X300 - Hexagon socket head cap ..	4762220 300	25	74,60 kg	20 mm	300 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X35 - Hexagon socket head cap s..	4762220 35	25	13,90 kg	20 mm	35 mm	30	20		35 mm
ISO 4762 A2-70 M 20X40 - Hexagon socket head cap s..	4762220 40	25	15,00 kg	20 mm	40 mm	30	20		40 mm
ISO 4762 A2-70 M 20X45 - Hexagon socket head cap s..	4762220 45	25	16,10 kg	20 mm	45 mm	30	20		45 mm
ISO 4762 A2-70 M 20X50 - Hexagon socket head cap s..	4762220 50	25	17,20 kg	20 mm	50 mm	30	20		50 mm
ISO 4762 A2-70 M 20X55 - Hexagon socket head cap s..	4762220 55	25	18,30 kg	20 mm	55 mm	30	20		55 mm
ISO 4762 A2-70 M 20X60 - Hexagon socket head cap s..	4762220 60	25	19,40 kg	20 mm	60 mm	30	20		60 mm
ISO 4762 A2-70 M 20X65 - Hexagon socket head cap s..	4762220 65	25	20,50 kg	20 mm	65 mm	30	20		65 mm
ISO 4762 A2-70 M 20X70 - Hexagon socket head cap s..	4762220 70	25	21,60 kg	20 mm	70 mm	30	20		70 mm
ISO 4762 A2-70 M 20X75 - Hexagon socket head cap s..	4762220 75	25	22,90 kg	20 mm	75 mm	30	20		75 mm
ISO 4762 A2-70 M 20X80 - Hexagon socket head cap s..	4762220 80	25	24,10 kg	20 mm	80 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X85 - Hexagon socket head cap s..	4762220 85	25	25,40 kg	20 mm	85 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X90 - Hexagon socket head cap s..	4762220 90	25	26,60 kg	20 mm	90 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 20X95 - Hexagon socket head cap s..	4762220 95	25	27,80 kg	20 mm	95 mm	30	20	19.44 mm	52 mm
ISO 4762 A2-70 M 22X100 - Hexagon socket head cap ..	4762222 100	25	39,60 kg	22 mm	100 mm	33	22	19.44 mm	56 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 22X110 - Hexagon socket head cap ..	4762222 110	25	42,60 kg	22 mm	110 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X120 - Hexagon socket head cap ..	4762222 120	25	45,60 kg	22 mm	120 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X130 - Hexagon socket head cap ..	4762222 130	25	48,60 kg	22 mm	130 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X140 - Hexagon socket head cap ..	4762222 140	25	51,60 kg	22 mm	140 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X150 - Hexagon socket head cap ..	4762222 150	10	54,60 kg	22 mm	150 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X160 - Hexagon socket head cap ..	4762222 160	10	57,60 kg	22 mm	160 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X170 - Hexagon socket head cap ..	4762222 170	10	60,60 kg	22 mm	170 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X180 - Hexagon socket head cap ..	4762222 180	10	63,60 kg	22 mm	180 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X190 - Hexagon socket head cap ..	4762222 190	10	66,60 kg	22 mm	190 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X200 - Hexagon socket head cap ..	4762222 200	10	69,60 kg	22 mm	200 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X40 - Hexagon socket head cap s..	4762222 40	25	22,40 kg	22 mm	40 mm	33	22		40 mm
ISO 4762 A2-70 M 22X45 - Hexagon socket head cap s..	4762222 45	25	23,70 kg	22 mm	45 mm	33	22		45 mm
ISO 4762 A2-70 M 22X50 - Hexagon socket head cap s..	4762222 50	25	25,00 kg	22 mm	50 mm	33	22		50 mm
ISO 4762 A2-70 M 22X55 - Hexagon socket head cap s..	4762222 55	25	26,30 kg	22 mm	55 mm	33	22		55 mm
ISO 4762 A2-70 M 22X60 - Hexagon socket head cap s..	4762222 60	25	27,60 kg	22 mm	60 mm	33	22		60 mm
ISO 4762 A2-70 M 22X65 - Hexagon socket head cap s..	4762222 65	25	29,10 kg	22 mm	65 mm	33	22		65 mm
ISO 4762 A2-70 M 22X70 - Hexagon socket head cap s..	4762222 70	25	30,60 kg	22 mm	70 mm	33	22		70 mm
ISO 4762 A2-70 M 22X75 - Hexagon socket head cap s..	4762222 75	25	32,10 kg	22 mm	75 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X80 - Hexagon socket head cap s..	4762222 80	25	33,60 kg	22 mm	80 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X85 - Hexagon socket head cap s..	4762222 85	25	35,10 kg	22 mm	85 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X90 - Hexagon socket head cap s..	4762222 90	25	36,60 kg	22 mm	90 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 22X95 - Hexagon socket head cap s..	4762222 95	25	38,10 kg	22 mm	95 mm	33	22	19.44 mm	56 mm
ISO 4762 A2-70 M 24X100 - Hexagon socket head cap ..	4762224 100	10	47,10 kg	24 mm	100 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X110 - Hexagon socket head cap ..	4762224 110	10	50,70 kg	24 mm	110 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X120 - Hexagon socket head cap ..	4762224 120	10	54,30 kg	24 mm	120 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X130 - Hexagon socket head cap ..	4762224 130	10	57,90 kg	24 mm	130 mm	36	24	21.73 mm	60 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 24X140 - Hexagon socket head cap ..	4762224 140	10	61,50 kg	24 mm	140 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X150 - Hexagon socket head cap ..	4762224 150	10	65,10 kg	24 mm	150 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X160 - Hexagon socket head cap ..	4762224 160	10	68,70 kg	24 mm	160 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X170 - Hexagon socket head cap ..	4762224 170	10	72,30 kg	24 mm	170 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X180 - Hexagon socket head cap ..	4762224 180	10	75,90 kg	24 mm	180 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X190 - Hexagon socket head cap ..	4762224 190	10	79,50 kg	24 mm	190 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X200 - Hexagon socket head cap ..	4762224 200	10	83,10 kg	24 mm	200 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X210 - Hexagon socket head cap ..	4762224 210	10	86,70 kg	24 mm	210 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X220 - Hexagon socket head cap ..	4762224 220	10	90,30 kg	24 mm	220 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X230 - Hexagon socket head cap ..	4762224 230	10	93,90 kg	24 mm	230 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X240 - Hexagon socket head cap ..	4762224 240	10	97,50 kg	24 mm	240 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X250 - Hexagon socket head cap ..	4762224 250	10	101,10 kg	24 mm	250 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X260 - Hexagon socket head cap ..	4762224 260	10	104,70 kg	24 mm	260 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X270 - Hexagon socket head cap ..	4762224 270	10	108,30 kg	24 mm	270 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X280 - Hexagon socket head cap ..	4762224 280	10	111,90 kg	24 mm	280 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X290 - Hexagon socket head cap ..	4762224 290	10	115,50 kg	24 mm	290 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X300 - Hexagon socket head cap ..	4762224 300	10	119,10 kg	24 mm	300 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X40 - Hexagon socket head cap s..	4762224 40	10	27,00 kg	24 mm	40 mm	36	24		40 mm
ISO 4762 A2-70 M 24X45 - Hexagon socket head cap s..	4762224 45	10	28,50 kg	24 mm	45 mm	36	24		45 mm
ISO 4762 A2-70 M 24X50 - Hexagon socket head cap s..	4762224 50	10	30,00 kg	24 mm	50 mm	36	24		50 mm
ISO 4762 A2-70 M 24X55 - Hexagon socket head cap s..	4762224 55	10	31,60 kg	24 mm	55 mm	36	24		55 mm
ISO 4762 A2-70 M 24X60 - Hexagon socket head cap s..	4762224 60	10	33,00 kg	24 mm	60 mm	36	24		60 mm
ISO 4762 A2-70 M 24X65 - Hexagon socket head cap s..	4762224 65	10	34,50 kg	24 mm	65 mm	36	24		65 mm
ISO 4762 A2-70 M 24X70 - Hexagon socket head cap s..	4762224 70	10	36,30 kg	24 mm	70 mm	36	24		70 mm
ISO 4762 A2-70 M 24X75 - Hexagon socket head cap s..	4762224 75	10	38,10 kg	24 mm	75 mm	36	24		60 mm
ISO 4762 A2-70 M 24X80 - Hexagon socket head cap s..	4762224 80	10	39,90 kg	24 mm	80 mm	36	24		80 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 24X85 - Hexagon socket head cap s..	4762224 85	10	41,70 kg	24 mm	85 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X90 - Hexagon socket head cap s..	4762224 90	10	43,50 kg	24 mm	90 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 24X95 - Hexagon socket head cap s..	4762224 95	10	45,30 kg	24 mm	95 mm	36	24	21.73 mm	60 mm
ISO 4762 A2-70 M 27X100 - Hexagon socket head cap ..	4762227 100	10	57,40 kg	27 mm	100 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X110 - Hexagon socket head cap ..	4762227 110	10	61,90 kg	27 mm	110 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X120 - Hexagon socket head cap ..	4762227 120	10	66,40 kg	27 mm	120 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X130 - Hexagon socket head cap ..	4762227 130	10	70,90 kg	27 mm	130 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X140 - Hexagon socket head cap ..	4762227 140	10	75,40 kg	27 mm	140 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X150 - Hexagon socket head cap ..	4762227 150	10	79,90 kg	27 mm	150 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X160 - Hexagon socket head cap ..	4762227 160	10	84,40 kg	27 mm	160 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X170 - Hexagon socket head cap ..	4762227 170	10	88,90 kg	27 mm	170 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X180 - Hexagon socket head cap ..	4762227 180	10	93,40 kg	27 mm	180 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X190 - Hexagon socket head cap ..	4762227 190	10	97,70 kg	27 mm	190 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X200 - Hexagon socket head cap ..	4762227 200	10	102,00 kg	27 mm	200 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X220 - Hexagon socket head cap ..	4762227 220	10	111,00 kg	27 mm	220 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X240 - Hexagon socket head cap ..	4762227 240	10	123,00 kg	27 mm	240 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X260 - Hexagon socket head cap ..	4762227 260	10	134,00 kg	27 mm	260 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X280 - Hexagon socket head cap ..	4762227 280	10	145,00 kg	27 mm	280 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X300 - Hexagon socket head cap ..	4762227 300	10	156,00 kg	27 mm	300 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 27X50 - Hexagon socket head cap s..	4762227 50	10	35,20 kg	27 mm	50 mm	40	27		50 mm
ISO 4762 A2-70 M 27X55 - Hexagon socket head cap s..	4762227 55	10	37,40 kg	27 mm	55 mm	40	27		55 mm
ISO 4762 A2-70 M 27X60 - Hexagon socket head cap s..	4762227 60	10	39,60 kg	27 mm	60 mm	40	27		60 mm
ISO 4762 A2-70 M 27X65 - Hexagon socket head cap s..	4762227 65	10	41,80 kg	27 mm	65 mm	40	27		65 mm
ISO 4762 A2-70 M 27X70 - Hexagon socket head cap s..	4762227 70	10	44,00 kg	27 mm	70 mm	40	27		70 mm
ISO 4762 A2-70 M 27X75 - Hexagon socket head cap s..	4762227 75	10	46,40 kg	27 mm	75 mm	40	27		75 mm
ISO 4762 A2-70 M 27X80 - Hexagon socket head cap s..	4762227 80	10	48,40 kg	27 mm	80 mm	40	27		80 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 27X85 - Hexagon socket head cap s..	4762227 85	10	50,70 kg	27 mm	85 mm	40	27		85 mm
ISO 4762 A2-70 M 27X90 - Hexagon socket head cap s..	4762227 90	10	52,90 kg	27 mm	90 mm	40	27		90 mm
ISO 4762 A2-70 M 27X95 - Hexagon socket head cap s..	4762227 95	10	55,10 kg	27 mm	95 mm	40	27	21.73 mm	66 mm
ISO 4762 A2-70 M 30X100 - Hexagon socket head cap ..	4762230 100	10	80,00 kg	30 mm	100 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X110 - Hexagon socket head cap ..	4762230 110	10	85,50 kg	30 mm	110 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X120 - Hexagon socket head cap ..	4762230 120	10	91,00 kg	30 mm	120 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X130 - Hexagon socket head cap ..	4762230 130	10	96,50 kg	30 mm	130 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X140 - Hexagon socket head cap ..	4762230 140	10	102,00 kg	30 mm	140 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X150 - Hexagon socket head cap ..	4762230 150	10	108,00 kg	30 mm	150 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X160 - Hexagon socket head cap ..	4762230 160	10	113,00 kg	30 mm	160 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X170 - Hexagon socket head cap ..	4762230 170	10	119,00 kg	30 mm	170 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X180 - Hexagon socket head cap ..	4762230 180	10	124,00 kg	30 mm	180 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X190 - Hexagon socket head cap ..	4762230 190	10	131,00 kg	30 mm	190 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X200 - Hexagon socket head cap ..	4762230 200	10	135,00 kg	30 mm	200 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X220 - Hexagon socket head cap ..	4762230 220	10	146,00 kg	30 mm	220 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X240 - Hexagon socket head cap ..	4762230 240	10	157,00 kg	30 mm	240 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X260 - Hexagon socket head cap ..	4762230 260	10	168,00 kg	30 mm	260 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X280 - Hexagon socket head cap ..	4762230 280	10	179,00 kg	30 mm	280 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X300 - Hexagon socket head cap ..	4762230 300	10	190,00 kg	30 mm	300 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X320 - Hexagon socket head cap ..	4762230 320	10	195,00 kg	30 mm	320 mm	45	30	25.15 mm	72 mm
ISO 4762 A2-70 M 30X50 - Hexagon socket head cap s..	4762230 50	10	52,70 kg	30 mm	50 mm	45	30		50 mm
ISO 4762 A2-70 M 30X55 - Hexagon socket head cap s..	4762230 55	10	55,40 kg	30 mm	55 mm	45	30		55 mm
ISO 4762 A2-70 M 30X60 - Hexagon socket head cap s..	4762230 60	10	58,10 kg	30 mm	60 mm	45	30		60 mm
ISO 4762 A2-70 M 30X65 - Hexagon socket head cap s..	4762230 65	10	60,80 kg	30 mm	65 mm	45	30		65 mm
ISO 4762 A2-70 M 30X70 - Hexagon socket head cap s..	4762230 70	10	63,50 kg	30 mm	70 mm	45	30		70 mm
ISO 4762 A2-70 M 30X75 - Hexagon socket head cap s..	4762230 75	10	66,30 kg	30 mm	75 mm	45	30		75 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 30X80 - Hexagon socket head cap s..	4762230 80	10	69,00 kg	30 mm	80 mm	45	30		80 mm
ISO 4762 A2-70 M 30X85 - Hexagon socket head cap s..	4762230 85	10	71,80 kg	30 mm	85 mm	45	30		85 mm
ISO 4762 A2-70 M 30X90 - Hexagon socket head cap s..	4762230 90	10	74,50 kg	30 mm	90 mm	45	30		90 mm
ISO 4762 A2-70 M 30X95 - Hexagon socket head cap s..	4762230 95	10	77,30 kg	30 mm	95 mm	45	30		95 mm
ISO 4762 A2-70 M 5X10 - Hexagon socket head cap sc..	476225 10	500	0,27 kg	5 mm	10 mm	8.5	5		10 mm
ISO 4762 A2-70 M 5X100 - Hexagon socket head cap s..	476225 100	100	1,56 kg	5 mm	100 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X110 - Hexagon socket head cap s..	476225 110	100	1,70 kg	5 mm	110 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X12 - Hexagon socket head cap sc..	476225 12	500	0,30 kg	5 mm	12 mm	8.5	5		12 mm
ISO 4762 A2-70 M 5X120 - Hexagon socket head cap s..	476225 120	100	1,84 kg	5 mm	120 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X130 - Hexagon socket head cap s..	476225 130	100	1,98 kg	5 mm	130 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X14 - Hexagon socket head cap sc..	476225 14	500	0,32 kg	5 mm	14 mm	8.5	5		14 mm
ISO 4762 A2-70 M 5X140 - Hexagon socket head cap s..	476225 140	100	2,12 kg	5 mm	140 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X16 - Hexagon socket head cap sc..	476225 16	500	0,34 kg	5 mm	16 mm	8.5	5		16 mm
ISO 4762 A2-70 M 5X18 - Hexagon socket head cap sc..	476225 18	500	0,37 kg	5 mm	18 mm	8.5	5		18 mm
ISO 4762 A2-70 M 5X20 - Hexagon socket head cap sc..	476225 20	500	0,40 kg	5 mm	20 mm	8.5	5		20 mm
ISO 4762 A2-70 M 5X22 - Hexagon socket head cap sc..	476225 22	500	0,43 kg	5 mm	22 mm	8.5	5		22 mm
ISO 4762 A2-70 M 5X25 - Hexagon socket head cap sc..	476225 25	200	0,48 kg	5 mm	25 mm	8.5	5		25 mm
ISO 4762 A2-70 M 5X30 - Hexagon socket head cap sc..	476225 30	200	0,56 kg	5 mm	30 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X30/30 - Hexagon socket head cap..	476225 30/30	200	0,56 kg	5 mm	30 mm	8.5	5		30 mm
ISO 4762 A2-70 M 5X35 - Hexagon socket head cap sc..	476225 35	200	0,63 kg	5 mm	35 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X35/35 - Hexagon socket head cap..	476225 35/35	200	0,63 kg	5 mm	35 mm	8.5	5		35 mm
ISO 4762 A2-70 M 5X40 - Hexagon socket head cap sc..	476225 40	200	0,70 kg	5 mm	40 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X40/40 - Hexagon socket head cap..	476225 40/40	200	0,70 kg	5 mm	40 mm	8.5	5		40 mm
ISO 4762 A2-70 M 5X45 - Hexagon socket head cap sc..	476225 45	200	0,79 kg	5 mm	45 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X45/45 - Hexagon socket head cap..	476225 45/45	200	0,79 kg	5 mm	45 mm	8.5	5		45 mm
ISO 4762 A2-70 M 5X5 - Hexagon socket head cap scr..	476225 5	500	0,19 kg	5 mm	5 mm	8.5	5		5 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 5X50 - Hexagon socket head cap sc..	476225 50	200	0,86 kg	5 mm	50 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X50/50 - Hexagon socket head cap..	476225 50/50	200	0,86 kg	5 mm	50 mm	8.5	5		50 mm
ISO 4762 A2-70 M 5X55 - Hexagon socket head cap sc..	476225 55	200	0,93 kg	5 mm	55 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X6 - Hexagon socket head cap scr..	476225 6	500	0,21 kg	5 mm	6 mm	8.5	5		6 mm
ISO 4762 A2-70 M 5X60 - Hexagon socket head cap sc..	476225 60	200	1,00 kg	5 mm	60 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X60/60 - Hexagon socket head cap..	476225 60/60	100	1,00 kg	5 mm	60 mm	8.5	5		60 mm
ISO 4762 A2-70 M 5X65 - Hexagon socket head cap sc..	476225 65	100	1,07 kg	5 mm	65 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X65/65 - Hexagon socket head cap..	476225 65/65	100	1,07 kg	5 mm	65 mm	8.5	5		65 mm
ISO 4762 A2-70 M 5X70 - Hexagon socket head cap sc..	476225 70	100	1,14 kg	5 mm	70 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X70/70 - Hexagon socket head cap..	476225 70/70	100	1,14 kg	5 mm	70 mm	8.5	5		70 mm
ISO 4762 A2-70 M 5X75 - Hexagon socket head cap sc..	476225 75	100	1,21 kg	5 mm	75 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X8 - Hexagon socket head cap scr..	476225 8	500	0,24 kg	5 mm	8 mm	8.5	5		8 mm
ISO 4762 A2-70 M 5X80 - Hexagon socket head cap sc..	476225 80	100	1,28 kg	5 mm	80 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X80/80 - Hexagon socket head cap..	476225 80/80	100	1,28 kg	5 mm	80 mm	8.5	5		80 mm
ISO 4762 A2-70 M 5X85 - Hexagon socket head cap sc..	476225 85	100	1,35 kg	5 mm	85 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X90 - Hexagon socket head cap sc..	476225 90	100	1,42 kg	5 mm	90 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 5X95 - Hexagon socket head cap sc..	476225 95	100	1,49 kg	5 mm	95 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A2-70 M 6X10 - Hexagon socket head cap sc..	476226 10	500	0,47 kg	6 mm	10 mm	10	6		10 mm
ISO 4762 A2-70 M 6X100 - Hexagon socket head cap s..	476226 100	100	2,42 kg	6 mm	100 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X100/100 - Hexagon socket head c..	476226 100/100	100	2,42 kg	6 mm	100 mm	10	6		100 mm
ISO 4762 A2-70 M 6X110 - Hexagon socket head cap s..	476226 110	100	2,64 kg	6 mm	110 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X12 - Hexagon socket head cap sc..	476226 12	500	0,50 kg	6 mm	12 mm	10	6		12 mm
ISO 4762 A2-70 M 6X120 - Hexagon socket head cap s..	476226 120	100	2,86 kg	6 mm	120 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X130 - Hexagon socket head cap s..	476226 130	100	3,08 kg	6 mm	130 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X14 - Hexagon socket head cap sc..	476226 14	200	0,54 kg	6 mm	14 mm	10	6		14 mm
ISO 4762 A2-70 M 6X140 - Hexagon socket head cap s..	476226 140	100	3,30 kg	6 mm	140 mm	10	6	5.72 mm	24 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 6X150 - Hexagon socket head cap s..	476226 150	100	3,52 kg	6 mm	150 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X16 - Hexagon socket head cap sc..	476226 16	200	0,57 kg	6 mm	16 mm	10	6		16 mm
ISO 4762 A2-70 M 6X160 - Hexagon socket head cap s..	476226 160	100	3,74 kg	6 mm	160 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X170 - Hexagon socket head cap s..	476226 170	100	3,96 kg	6 mm	170 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X18 - Hexagon socket head cap sc..	476226 18	200	0,61 kg	6 mm	18 mm	10	6		18 mm
ISO 4762 A2-70 M 6X180 - Hexagon socket head cap s..	476226 180	100	4,18 kg	6 mm	180 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X190 - Hexagon socket head cap s..	476226 190	100	4,40 kg	6 mm	190 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X20 - Hexagon socket head cap sc..	476226 20	200	0,65 kg	6 mm	20 mm	10	6		20 mm
ISO 4762 A2-70 M 6X200 - Hexagon socket head cap s..	476226 200	100	4,62 kg	6 mm	200 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X22 - Hexagon socket head cap sc..	476226 22	200	0,71 kg	6 mm	22 mm	10	6		22 mm
ISO 4762 A2-70 M 6X220 - Hexagon socket head cap s..	476226 220	100	5,06 kg	6 mm	220 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X25 - Hexagon socket head cap sc..	476226 25	200	0,76 kg	6 mm	25 mm	10	6		25 mm
ISO 4762 A2-70 M 6X30 - Hexagon socket head cap sc..	476226 30	200	0,87 kg	6 mm	30 mm	10	6		30 mm
ISO 4762 A2-70 M 6X35 - Hexagon socket head cap sc..	476226 35	200	0,99 kg	6 mm	35 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X35/35 - Hexagon socket head cap..	476226 35/35	200	0,99 kg	6 mm	35 mm	10	6		35 mm
ISO 4762 A2-70 M 6X40 - Hexagon socket head cap sc..	476226 40	200	1,10 kg	6 mm	40 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X40/40 - Hexagon socket head cap..	476226 40/40	200	1,10 kg	6 mm	40 mm	10	6		40 mm
ISO 4762 A2-70 M 6X45 - Hexagon socket head cap sc..	476226 45	100	1,21 kg	6 mm	45 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X45/45 - Hexagon socket head cap..	476226 45/45	100	1,21 kg	6 mm	45 mm	10	6		45 mm
ISO 4762 A2-70 M 6X50 - Hexagon socket head cap sc..	476226 50	100	1,32 kg	6 mm	50 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X50/50 - Hexagon socket head cap..	476226 50/50	100	1,32 kg	6 mm	50 mm	10	6		50 mm
ISO 4762 A2-70 M 6X55 - Hexagon socket head cap sc..	476226 55	100	1,43 kg	6 mm	55 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X55/55 - Hexagon socket head cap..	476226 55/55	100	1,43 kg	6 mm	55 mm	10	6		55 mm
ISO 4762 A2-70 M 6X6 - Hexagon socket head cap scr..	476226 6	500	0,41 kg	6 mm	6 mm	10	6		6 mm
ISO 4762 A2-70 M 6X60 - Hexagon socket head cap sc..	476226 60	100	1,54 kg	6 mm	60 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X60/60 - Hexagon socket head cap..	476226 60/60	100	1,54 kg	6 mm	60 mm	10	6		60 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 6X65 - Hexagon socket head cap sc..	476226 65	100	1,65 kg	6 mm	65 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X70 - Hexagon socket head cap sc..	476226 70	100	1,76 kg	6 mm	70 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X70/70 - Hexagon socket head cap..	476226 70/70	100	1,76 kg	6 mm	70 mm	10	6		70 mm
ISO 4762 A2-70 M 6X75 - Hexagon socket head cap sc..	476226 75	100	1,87 kg	6 mm	75 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X8 - Hexagon socket head cap scr..	476226 8	500	0,44 kg	6 mm	8 mm	10	6		8 mm
ISO 4762 A2-70 M 6X80 - Hexagon socket head cap sc..	476226 80	100	1,98 kg	6 mm	80 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X80/80 - Hexagon socket head cap..	476226 80/80	100	1,98 kg	6 mm	80 mm	10	6		80 mm
ISO 4762 A2-70 M 6X85 - Hexagon socket head cap sc..	476226 85	100	2,09 kg	6 mm	85 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X90 - Hexagon socket head cap sc..	476226 90	100	2,20 kg	6 mm	90 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 6X90/90 - Hexagon socket head cap..	476226 90/90	100	2,20 kg	6 mm	90 mm	10	6		90 mm
ISO 4762 A2-70 M 6X95 - Hexagon socket head cap sc..	476226 95	100	2,31 kg	6 mm	95 mm	10	6	5.72 mm	24 mm
ISO 4762 A2-70 M 8X10 - Hexagon socket head cap sc..	476228 10	500	1,03 kg	8 mm	10 mm	13	8		10 mm
ISO 4762 A2-70 M 8X100 - Hexagon socket head cap s..	476228 100	50	4,50 kg	8 mm	100 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X100/100 - Hexagon socket head c..	476228 100/100	50	4,51 kg	8 mm	100 mm	13	8		100 mm
ISO 4762 A2-70 M 8X110 - Hexagon socket head cap s..	476228 110	50	4,90 kg	8 mm	110 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X12 - Hexagon socket head cap sc..	476228 12	500	1,09 kg	8 mm	12 mm	13	8		12 mm
ISO 4762 A2-70 M 8X12/12 - Hexagon socket head cap..	4762208 12	500	1,09 kg	8 mm	12 mm	13	8	6.86 mm	12 mm
ISO 4762 A2-70 M 8X120 - Hexagon socket head cap s..	476228 120	50	5,30 kg	8 mm	120 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X120/120 - Hexagon socket head c..	476228 120/120	50	5,30 kg	8 mm	120 mm	13	8		120 mm
ISO 4762 A2-70 M 8X130 - Hexagon socket head cap s..	476228 130	50	5,70 kg	8 mm	130 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X14 - Hexagon socket head cap sc..	476228 14	200	1,15 kg	8 mm	14 mm	13	8		14 mm
ISO 4762 A2-70 M 8X14/14 - Hexagon socket head cap..	4762208 14	200	1,15 kg	8 mm	14 mm	13	8	6.86 mm	14 mm
ISO 4762 A2-70 M 8X140 - Hexagon socket head cap s..	476228 140	50	6,10 kg	8 mm	140 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X150 - Hexagon socket head cap s..	476228 150	50	6,50 kg	8 mm	150 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X16 - Hexagon socket head cap sc..	476228 16	200	1,21 kg	8 mm	16 mm	13	8		16 mm
ISO 4762 A2-70 M 8X16/16 - Hexagon socket head cap..	4762208 16	200	1,21 kg	8 mm	16 mm	13	8	6.86 mm	16 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 8X160 - Hexagon socket head cap s..	476228 160	50	6,90 kg	8 mm	160 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X170 - Hexagon socket head cap s..	476228 170	25	7,30 kg	8 mm	170 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X18 - Hexagon socket head cap sc..	476228 18	200	1,28 kg	8 mm	18 mm	13	8		18 mm
ISO 4762 A2-70 M 8X180 - Hexagon socket head cap s..	476228 180	25	7,70 kg	8 mm	180 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X190 - Hexagon socket head cap s..	476228 190	25	8,10 kg	8 mm	190 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X20 - Hexagon socket head cap sc..	476228 20	200	1,34 kg	8 mm	20 mm	13	8		20 mm
ISO 4762 A2-70 M 8X20/20 - Hexagon socket head cap..	4762208 20	200	1,34 kg	8 mm	20 mm	13	8	6.86 mm	20 mm
ISO 4762 A2-70 M 8X20/20 Gleit - Hexagon socket he..	4762208 20G625	200	1,34 kg	8 mm	20 mm	13	8	6.86 mm	20 mm
ISO 4762 A2-70 M 8X200 - Hexagon socket head cap s..	476228 200	25	8,50 kg	8 mm	200 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X210 - Hexagon socket head cap s..	476228 210	25	8,90 kg	8 mm	210 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X22 - Hexagon socket head cap sc..	476228 22	200	1,42 kg	8 mm	22 mm	13	8		22 mm
ISO 4762 A2-70 M 8X22/22 - Hexagon socket head cap..	4762208 22	200	1,42 kg	8 mm	22 mm	13	8	6.86 mm	22 mm
ISO 4762 A2-70 M 8X220 - Hexagon socket head cap s..	476228 220	25	9,30 kg	8 mm	220 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X230 - Hexagon socket head cap s..	476228 230	25	9,70 kg	8 mm	230 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X240 - Hexagon socket head cap s..	476228 240	25	10,10 kg	8 mm	240 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X25 - Hexagon socket head cap sc..	476228 25	100	1,50 kg	8 mm	25 mm	13	8		25 mm
ISO 4762 A2-70 M 8X25/25 - Hexagon socket head cap..	4762208 25	200	1,50 kg	8 mm	25 mm	13	8	6.86 mm	25 mm
ISO 4762 A2-70 M 8X25/25 Gleit - Hexagon socket he..	4762208 25G625	200	1,50 kg	8 mm	25 mm	13	8	6.86 mm	25 mm
ISO 4762 A2-70 M 8X250 - Hexagon socket head cap s..	476228 250	25	10,50 kg	8 mm	250 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X260 - Hexagon socket head cap s..	476228 260	25	10,90 kg	8 mm	260 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X270 - Hexagon socket head cap s..	476228 270	25	11,30 kg	8 mm	270 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X28/28 - Hexagon socket head cap..	4762208 28	200	1,65 kg	8 mm	28 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X280 - Hexagon socket head cap s..	476228 280	25	11,70 kg	8 mm	280 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X290 - Hexagon socket head cap s..	476228 290	25	12,10 kg	8 mm	290 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X30 - Hexagon socket head cap sc..	476228 30	100	1,69 kg	8 mm	30 mm	13	8		30 mm
ISO 4762 A2-70 M 8X30/30 - Hexagon socket head cap..	4762208 30	200	1,69 kg	8 mm	30 mm	13	8	6.86 mm	30 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 8X30/30 Gleit - Hexagon socket he..	4762208 30G625	200	1,69 kg	8 mm	30 mm	13	8	6.86 mm	30 mm
ISO 4762 A2-70 M 8X300 - Hexagon socket head cap s..	476228 300	25	12,50 kg	8 mm	300 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X32/32 - Hexagon socket head cap..	4762208 32	200	1,77 kg	8 mm	32 mm	13	8	6.86 mm	32 mm
ISO 4762 A2-70 M 8X35 - Hexagon socket head cap sc..	476228 35	100	1,89 kg	8 mm	35 mm	13	8		35 mm
ISO 4762 A2-70 M 8X35/35 - Hexagon socket head cap..	4762208 35	200	1,89 kg	8 mm	35 mm	13	8	6.86 mm	35 mm
ISO 4762 A2-70 M 8X35/35 Gleit - Hexagon socket he..	4762208 35G625	200	1,89 kg	8 mm	35 mm	13	8	6.86 mm	35 mm
ISO 4762 A2-70 M 8X40 - Hexagon socket head cap sc..	476228 40	100	2,09 kg	8 mm	40 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X40/40 - Hexagon socket head cap..	476228 40/40	100	2,09 kg	8 mm	40 mm	13	8		40 mm
ISO 4762 A2-70 M 8X40/40 - Hexagon socket head cap..	4762208 40/40	200	2,09 kg	8 mm	40 mm	13	8	6.86 mm	40 mm
ISO 4762 A2-70 M 8X45 - Hexagon socket head cap sc..	476228 45	100	2,29 kg	8 mm	45 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X45/45 - Hexagon socket head cap..	476228 45/45	100	2,29 kg	8 mm	45 mm	13	8		45 mm
ISO 4762 A2-70 M 8X45/45 - Hexagon socket head cap..	4762208 45/45	200	2,29 kg	8 mm	45 mm	13	8	6.86 mm	45 mm
ISO 4762 A2-70 M 8X50 - Hexagon socket head cap sc..	476228 50	100	2,49 kg	8 mm	50 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X50 - Hexagon socket head cap sc..	4762208 50	200	2,49 kg	8 mm	50 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X50/50 - Hexagon socket head cap..	476228 50/50	100	2,49 kg	8 mm	50 mm	13	8		50 mm
ISO 4762 A2-70 M 8X50/50 - Hexagon socket head cap..	4762208 50/50	200	2,49 kg	8 mm	50 mm	13	8	6.86 mm	50 mm
ISO 4762 A2-70 M 8X55 - Hexagon socket head cap sc..	476228 55	100	2,69 kg	8 mm	55 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X55/55 - Hexagon socket head cap..	476228 55/55	100	2,69 kg	8 mm	55 mm	13	8		55 mm
ISO 4762 A2-70 M 8X55/55 - Hexagon socket head cap..	4762208 55/55	100	2,69 kg	8 mm	55 mm	13	8	6.86 mm	55 mm
ISO 4762 A2-70 M 8X60 - Hexagon socket head cap sc..	476228 60	100	2,89 kg	8 mm	60 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X60/60 - Hexagon socket head cap..	476228 60/60	100	2,89 kg	8 mm	60 mm	13	8		60 mm
ISO 4762 A2-70 M 8X60/60 - Hexagon socket head cap..	4762208 60/60	100	2,89 kg	8 mm	60 mm	13	8	6.86 mm	60 mm
ISO 4762 A2-70 M 8X65 - Hexagon socket head cap sc..	476228 65	100	3,10 kg	8 mm	65 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X65/65 - Hexagon socket head cap..	4762208 65/65	100	3,09 kg	8 mm	65 mm	13	8		65 mm
ISO 4762 A2-70 M 8X70 - Hexagon socket head cap sc..	476228 70	100	3,30 kg	8 mm	70 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X70/70 - Hexagon socket head cap..	476228 70/70	100	3,30 kg	8 mm	70 mm	13	8		70 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A2-70 M 8X75 - Hexagon socket head cap sc..	476228 75	100	3,50 kg	8 mm	75 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X8 - Hexagon socket head cap scr..	476228 8	500	0,97 kg	8 mm	8 mm	13	8		8 mm
ISO 4762 A2-70 M 8X80 - Hexagon socket head cap sc..	476228 80	100	3,70 kg	8 mm	80 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X80/80 - Hexagon socket head cap..	476228 80/80	100	3,70 kg	8 mm	80 mm	13	8		80 mm
ISO 4762 A2-70 M 8X85 - Hexagon socket head cap sc..	476228 85	100	3,90 kg	8 mm	85 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X90 - Hexagon socket head cap sc..	476228 90	100	4,10 kg	8 mm	90 mm	13	8	6.86 mm	28 mm
ISO 4762 A2-70 M 8X90/90 - Hexagon socket head cap..	476228 90/90	100	4,10 kg	8 mm	90 mm	13	8		90 mm
ISO 4762 A2-70 M 8X95 - Hexagon socket head cap sc..	476228 95	50	4,30 kg	8 mm	95 mm	13	8	6.86 mm	28 mm
ISO 4762 A4 M 1,6X10 - Hexagon socket head cap scr..	47624016 10	500	0,02 kg	1.6 mm	10 mm	3	1.6		10 mm
ISO 4762 A4 M 1,6X12 - Hexagon socket head cap scr..	47624016 12	500	0,02 kg	1.6 mm	12 mm	3	1.6		12 mm
ISO 4762 A4 M 1,6X14 - Hexagon socket head cap scr..	47624016 14	500	0,02 kg	1.6 mm	14 mm	3	1.6		14 mm
ISO 4762 A4 M 1,6X16 - Hexagon socket head cap scr..	47624016 16	500	0,02 kg	1.6 mm	16 mm	3	1.6		16 mm
ISO 4762 A4 M 1,6X18 - Hexagon socket head cap scr..	47624016 18	500	0,02 kg	1.6 mm	18 mm	3	1.6	1.73 mm	15 mm
ISO 4762 A4 M 1,6X20 - Hexagon socket head cap scr..	47624016 20	500	0,03 kg	1.6 mm	20 mm	3	1.6	1.73 mm	15 mm
ISO 4762 A4 M 1,6X20/20 - Hexagon socket head cap ..	47624016 20/20	500	0,03 kg	1.6 mm	20 mm	3	1.6		20 mm
ISO 4762 A4 M 1,6X3 - Hexagon socket head cap screws	47624016 3	500	0,01 kg	1.6 mm	3 mm	3	1.6		3 mm
ISO 4762 A4 M 1,6X4 - Hexagon socket head cap screws	47624016 4	500	0,01 kg	1.6 mm	4 mm	3	1.6		4 mm
ISO 4762 A4 M 1,6X5 - Hexagon socket head cap screws	47624016 5	500	0,01 kg	1.6 mm	5 mm	3	1.6		5 mm
ISO 4762 A4 M 1,6X6 - Hexagon socket head cap screws	47624016 6	500	0,01 kg	1.6 mm	6 mm	3	1.6		6 mm
ISO 4762 A4 M 1,6X8 - Hexagon socket head cap screws	47624016 8	500	0,01 kg	1.6 mm	8 mm	3	1.6		8 mm
ISO 4762 A4 M 2,5X10 - Hexagon socket head cap scr..	4762425 10	500	0,05 kg	2.5 mm	10 mm	4.5	2.5		10 mm
ISO 4762 A4 M 2,5X12 - Hexagon socket head cap scr..	4762425 12	500	0,06 kg	2.5 mm	12 mm	4.5	2.5		12 mm
ISO 4762 A4 M 2,5X14 - Hexagon socket head cap scr..	4762425 14	500	0,06 kg	2.5 mm	14 mm	4.5	2.5		14 mm
ISO 4762 A4 M 2,5X16 - Hexagon socket head cap scr..	4762425 16	500	0,07 kg	2.5 mm	16 mm	4.5	2.5		16 mm
ISO 4762 A4 M 2,5X18 - Hexagon socket head cap scr..	4762425 18	500	0,08 kg	2.5 mm	18 mm	4.5	2.5		18 mm
ISO 4762 A4 M 2,5X20 - Hexagon socket head cap scr..	4762425 20	1000	0,08 kg	2.5 mm	20 mm	4.5	2.5		20 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4 M 2,5X22 - Hexagon socket head cap scr..	4762425 22	500	0,09 kg	2.5 mm	22 mm	4.5	2.5		22 mm
ISO 4762 A4 M 2,5X25 - Hexagon socket head cap scr..	4762425 25	500	0,10 kg	2.5 mm	25 mm	4.5	2.5		25 mm
ISO 4762 A4 M 2,5X3 - Hexagon socket head cap screws	4762425 3	500	0,03 kg	2.5 mm	3 mm	4.5	2.5		3 mm
ISO 4762 A4 M 2,5X30 - Hexagon socket head cap scr..	4762425 30	500	0,11 kg	2.5 mm	30 mm	4.5	2.5	2.3 mm	17 mm
ISO 4762 A4 M 2,5X30/30 - Hexagon socket head cap ..	4762425 30/30	500	0,11 kg	2.5 mm	30 mm	4.5	2.5		30 mm
ISO 4762 A4 M 2,5X35 - Hexagon socket head cap scr..	4762425 35	500	0,13 kg	2.5 mm	35 mm	4.5	2.5	2.3 mm	17 mm
ISO 4762 A4 M 2,5X35/35 - Hexagon socket head cap ..	4762425 35/35	500	0,13 kg	2.5 mm	35 mm	4.5	2.5		35 mm
ISO 4762 A4 M 2,5X4 - Hexagon socket head cap screws	4762425 4	500	0,04 kg	2.5 mm	4 mm	4.5	2.5		4 mm
ISO 4762 A4 M 2,5X40 - Hexagon socket head cap scr..	4762425 40	500	0,14 kg	2.5 mm	40 mm	4.5	2.5	2.3 mm	17 mm
ISO 4762 A4 M 2,5X40/40 - Hexagon socket head cap ..	4762425 40/40	500	0,14 kg	2.5 mm	40 mm	4.5	2.5		40 mm
ISO 4762 A4 M 2,5X5 - Hexagon socket head cap screws	4762425 5	500	0,04 kg	2.5 mm	5 mm	4.5	2.5		5 mm
ISO 4762 A4 M 2,5X6 - Hexagon socket head cap screws	4762425 6	1000	0,04 kg	2.5 mm	6 mm	4.5	2.5		6 mm
ISO 4762 A4 M 2,5X8 - Hexagon socket head cap screws	4762425 8	1000	0,05 kg	2.5 mm	8 mm	4.5	2.5		8 mm
ISO 4762 A4 M 2X10 - Hexagon socket head cap screws	476242 10	500	0,03 kg	2 mm	10 mm	3.8	2		10 mm
ISO 4762 A4 M 2X12 - Hexagon socket head cap screws	476242 12	500	0,04 kg	2 mm	12 mm	3.8	2		12 mm
ISO 4762 A4 M 2X14 - Hexagon socket head cap screws	476242 14	500	0,04 kg	2 mm	14 mm	3.8	2		14 mm
ISO 4762 A4 M 2X16 - Hexagon socket head cap screws	476242 16	500	0,04 kg	2 mm	16 mm	3.8	2		16 mm
ISO 4762 A4 M 2X18 - Hexagon socket head cap screws	476242 18	500	0,05 kg	2 mm	18 mm	3.8	2		18 mm
ISO 4762 A4 M 2X20 - Hexagon socket head cap screws	476242 20	500	0,05 kg	2 mm	20 mm	3.8	2		20 mm
ISO 4762 A4 M 2X22 - Hexagon socket head cap screws	476242 22	500	0,05 kg	2 mm	22 mm	3.8	2	1.73 mm	16 mm
ISO 4762 A4 M 2X25 - Hexagon socket head cap screws	476242 25	500	0,06 kg	2 mm	25 mm	3.8	2	1.73 mm	16 mm
ISO 4762 A4 M 2X25/25 - Hexagon socket head cap sc..	476242 25/25	500	0,06 kg	2 mm	25 mm	3.8	2		25 mm
ISO 4762 A4 M 2X3 - Hexagon socket head cap screws	476242 3	500	0,02 kg	2 mm	3 mm	3.8	2		3 mm
ISO 4762 A4 M 2X30 - Hexagon socket head cap screws	476242 30	500	0,07 kg	2 mm	30 mm	3.8	2	1.73 mm	16 mm
ISO 4762 A4 M 2X30/30 - Hexagon socket head cap sc..	476242 30/30	500	0,07 kg	2 mm	30 mm	3.8	2		30 mm
ISO 4762 A4 M 2X4 - Hexagon socket head cap screws	476242 4	1000	0,02 kg	2 mm	4 mm	3.8	2		4 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4 M 2X5 - Hexagon socket head cap screws	476242 5	500	0,02 kg	2 mm	5 mm	3.8	2		5 mm
ISO 4762 A4 M 2X6 - Hexagon socket head cap screws	476242 6	1000	0,02 kg	2 mm	6 mm	3.8	2		6 mm
ISO 4762 A4 M 2X8 - Hexagon socket head cap screws	476242 8	1000	0,03 kg	2 mm	8 mm	3.8	2		8 mm
ISO 4762 A4 M 3X10 - Hexagon socket head cap screws	476243 10	1000	0,09 kg	3 mm	10 mm	5.5	3		10 mm
ISO 4762 A4 M 3X12 - Hexagon socket head cap screws	476243 12	1000	0,10 kg	3 mm	12 mm	5.5	3		12 mm
ISO 4762 A4 M 3X14 - Hexagon socket head cap screws	476243 14	1000	0,10 kg	3 mm	14 mm	5.5	3		14 mm
ISO 4762 A4 M 3X16 - Hexagon socket head cap screws	476243 16	1000	0,11 kg	3 mm	16 mm	5.5	3		16 mm
ISO 4762 A4 M 3X18 - Hexagon socket head cap screws	476243 18	1000	0,12 kg	3 mm	18 mm	5.5	3		18 mm
ISO 4762 A4 M 3X20 - Hexagon socket head cap screws	476243 20	1000	0,14 kg	3 mm	20 mm	5.5	3		20 mm
ISO 4762 A4 M 3X22 - Hexagon socket head cap screws	476243 22	1000	0,15 kg	3 mm	22 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X25 - Hexagon socket head cap screws	476243 25	1000	0,16 kg	3 mm	25 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X25/25 - Hexagon socket head cap sc..	476243 25/25	1000	0,16 kg	3 mm	25 mm	5.5	3		25 mm
ISO 4762 A4 M 3X3 - Hexagon socket head cap screws	476243 3	1000	0,06 kg	3 mm	3 mm	5.5	3		3 mm
ISO 4762 A4 M 3X30 - Hexagon socket head cap screws	476243 30	1000	0,19 kg	3 mm	30 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X30/30 - Hexagon socket head cap sc..	476243 30/30	1000	0,19 kg	3 mm	30 mm	5.5	3		30 mm
ISO 4762 A4 M 3X35 - Hexagon socket head cap screws	476243 35	500	0,21 kg	3 mm	35 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X35/35 - Hexagon socket head cap sc..	476243 35/35	500	0,21 kg	3 mm	35 mm	5.5	3		35 mm
ISO 4762 A4 M 3X4 - Hexagon socket head cap screws	476243 4	1000	0,06 kg	3 mm	4 mm	5.5	3		4 mm
ISO 4762 A4 M 3X40 - Hexagon socket head cap screws	476243 40	500	0,24 kg	3 mm	40 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X40/40 - Hexagon socket head cap sc..	476243 40/40	500	0,24 kg	3 mm	40 mm	5.5	3		40 mm
ISO 4762 A4 M 3X45 - Hexagon socket head cap screws	476243 45	500	0,26 kg	3 mm	45 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X5 - Hexagon socket head cap screws	476243 5	1000	0,07 kg	3 mm	5 mm	5.5	3		5 mm
ISO 4762 A4 M 3X50 - Hexagon socket head cap screws	476243 50	200	0,29 kg	3 mm	50 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X55 - Hexagon socket head cap screws	476243 55	200	0,30 kg	3 mm	55 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X6 - Hexagon socket head cap screws	476243 6	1000	0,07 kg	3 mm	6 mm	5.5	3		6 mm
ISO 4762 A4 M 3X60 - Hexagon socket head cap screws	476243 60	200	0,31 kg	3 mm	60 mm	5.5	3	0.51 mm	18 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4 M 3X65 - Hexagon socket head cap screws	476243 65	200	0,32 kg	3 mm	65 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X70 - Hexagon socket head cap screws	476243 70	200	0,34 kg	3 mm	70 mm	5.5	3	0.51 mm	18 mm
ISO 4762 A4 M 3X8 - Hexagon socket head cap screws	476243 8	1000	0,08 kg	3 mm	8 mm	5.5	3		8 mm
ISO 4762 A4 M 4X10 - Hexagon socket head cap screws	476244 10	1000	0,18 kg	4 mm	10 mm	7	4		10 mm
ISO 4762 A4 M 4X100 - Hexagon socket head cap screws	476244 100	100	1,07 kg	4 mm	100 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X12 - Hexagon socket head cap screws	476244 12	1000	0,20 kg	4 mm	12 mm	7	4		12 mm
ISO 4762 A4 M 4X14 - Hexagon socket head cap screws	476244 14	1000	0,21 kg	4 mm	14 mm	7	4		14 mm
ISO 4762 A4 M 4X16 - Hexagon socket head cap screws	476244 16	1000	0,23 kg	4 mm	16 mm	7	4		16 mm
ISO 4762 A4 M 4X18 - Hexagon socket head cap screws	476244 18	1000	0,25 kg	4 mm	18 mm	7	4		18 mm
ISO 4762 A4 M 4X20 - Hexagon socket head cap screws	476244 20	500	0,27 kg	4 mm	20 mm	7	4		20 mm
ISO 4762 A4 M 4X22 - Hexagon socket head cap screws	476244 22	500	0,29 kg	4 mm	22 mm	7	4		22 mm
ISO 4762 A4 M 4X25 - Hexagon socket head cap screws	476244 25	500	0,32 kg	4 mm	25 mm	7	4		25 mm
ISO 4762 A4 M 4X30 - Hexagon socket head cap screws	476244 30	500	0,37 kg	4 mm	30 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X30/30 - Hexagon socket head cap sc..	476244 30/30	500	0,37 kg	4 mm	30 mm	7	4		30 mm
ISO 4762 A4 M 4X35 - Hexagon socket head cap screws	476244 35	200	0,42 kg	4 mm	35 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X35/35 - Hexagon socket head cap sc..	476244 35/35	200	0,42 kg	4 mm	35 mm	7	4		35 mm
ISO 4762 A4 M 4X4 - Hexagon socket head cap screws	476244 4	1000	0,13 kg	4 mm	4 mm	7	4		4 mm
ISO 4762 A4 M 4X40 - Hexagon socket head cap screws	476244 40	200	0,47 kg	4 mm	40 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X40/40 - Hexagon socket head cap sc..	476244 40/40	200	0,47 kg	4 mm	40 mm	7	4		40 mm
ISO 4762 A4 M 4X45 - Hexagon socket head cap screws	476244 45	200	0,52 kg	4 mm	45 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X45/45 - Hexagon socket head cap sc..	476244 45/45	200	0,52 kg	4 mm	45 mm	7	4		45 mm
ISO 4762 A4 M 4X5 - Hexagon socket head cap screws	476244 5	1000	0,15 kg	4 mm	5 mm	7	4		5 mm
ISO 4762 A4 M 4X50 - Hexagon socket head cap screws	476244 50	200	0,57 kg	4 mm	50 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X50/50 - Hexagon socket head cap sc..	476244 50/50	200	0,57 kg	4 mm	50 mm	7	4		50 mm
ISO 4762 A4 M 4X55 - Hexagon socket head cap screws	476244 55	200	0,62 kg	4 mm	55 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X6 - Hexagon socket head cap screws	476244 6	1000	0,14 kg	4 mm	6 mm	7	4		6 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4 M 4X60 - Hexagon socket head cap screws	476244 60	100	0,67 kg	4 mm	60 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X65 - Hexagon socket head cap screws	476244 65	100	0,72 kg	4 mm	65 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X70 - Hexagon socket head cap screws	476244 70	100	0,77 kg	4 mm	70 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X75 - Hexagon socket head cap screws	476244 75	100	0,82 kg	4 mm	75 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X8 - Hexagon socket head cap screws	476244 8	1000	0,16 kg	4 mm	8 mm	7	4		8 mm
ISO 4762 A4 M 4X80 - Hexagon socket head cap screws	476244 80	100	0,87 kg	4 mm	80 mm	7	4	3.44 mm	20 mm
ISO 4762 A4 M 4X90 - Hexagon socket head cap screws	476244 90	100	0,97 kg	4 mm	90 mm	7	4	3.44 mm	20 mm
ISO 4762 A4-70 M 10X100 - Hexagon socket head cap ..	4762410 100	50	7,12 kg	10 mm	100 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X100/100 - Hexagon socket head ..	4762410 100/100	50	7,12 kg	10 mm	100 mm	16	10		100 mm
ISO 4762 A4-70 M 10X110 - Hexagon socket head cap ..	4762410 110	50	7,77 kg	10 mm	110 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X12 - Hexagon socket head cap s..	4762410 12	100	2,00 kg	10 mm	12 mm	16	10		12 mm
ISO 4762 A4-70 M 10X120 - Hexagon socket head cap ..	4762410 120	50	8,41 kg	10 mm	120 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X130 - Hexagon socket head cap ..	4762410 130	50	9,05 kg	10 mm	130 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X14 - Hexagon socket head cap s..	4762410 14	100	2,04 kg	10 mm	14 mm	16	10		14 mm
ISO 4762 A4-70 M 10X140 - Hexagon socket head cap ..	4762410 140	50	9,69 kg	10 mm	140 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X150 - Hexagon socket head cap ..	4762410 150	50	10,33 kg	10 mm	150 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X16 - Hexagon socket head cap s..	4762410 16	100	2,09 kg	10 mm	16 mm	16	10		16 mm
ISO 4762 A4-70 M 10X160 - Hexagon socket head cap ..	4762410 160	50	10,97 kg	10 mm	160 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X170 - Hexagon socket head cap ..	4762410 170	25	11,61 kg	10 mm	170 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X18 - Hexagon socket head cap s..	4762410 18	100	2,19 kg	10 mm	18 mm	16	10		18 mm
ISO 4762 A4-70 M 10X180 - Hexagon socket head cap ..	4762410 180	25	12,25 kg	10 mm	180 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X190 - Hexagon socket head cap ..	4762410 190	25	12,89 kg	10 mm	190 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X20 - Hexagon socket head cap s..	4762410 20	100	2,29 kg	10 mm	20 mm	16	10		20 mm
ISO 4762 A4-70 M 10X200 - Hexagon socket head cap ..	4762410 200	25	13,53 kg	10 mm	200 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X210 - Hexagon socket head cap ..	4762410 210	25	14,17 kg	10 mm	210 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X22 - Hexagon socket head cap s..	4762410 22	100	2,39 kg	10 mm	22 mm	16	10		22 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 10X220 - Hexagon socket head cap ..	4762410 220	25	14,81 kg	10 mm	220 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X230 - Hexagon socket head cap ..	4762410 230	25	15,45 kg	10 mm	230 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X240 - Hexagon socket head cap ..	4762410 240	25	16,09 kg	10 mm	240 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X25 - Hexagon socket head cap s..	4762410 25	100	2,54 kg	10 mm	25 mm	16	10		25 mm
ISO 4762 A4-70 M 10X250 - Hexagon socket head cap ..	4762410 250	25	16,73 kg	10 mm	250 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X260 - Hexagon socket head cap ..	4762410 260	25	17,37 kg	10 mm	260 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X270 - Hexagon socket head cap ..	4762410 270	25	18,01 kg	10 mm	270 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X280 - Hexagon socket head cap ..	4762410 280	25	18,65 kg	10 mm	280 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X290 - Hexagon socket head cap ..	4762410 290	25	19,29 kg	10 mm	290 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X30 - Hexagon socket head cap s..	4762410 30	100	2,79 kg	10 mm	30 mm	16	10		30 mm
ISO 4762 A4-70 M 10X300 - Hexagon socket head cap ..	4762410 300	25	19,93 kg	10 mm	300 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X35 - Hexagon socket head cap s..	4762410 35	100	3,04 kg	10 mm	35 mm	16	10		35 mm
ISO 4762 A4-70 M 10X40 - Hexagon socket head cap s..	4762410 40	100	3,29 kg	10 mm	40 mm	16	10		40 mm
ISO 4762 A4-70 M 10X45 - Hexagon socket head cap s..	4762410 45	100	3,61 kg	10 mm	45 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X45/45 - Hexagon socket head ca..	4762410 45/45	100	3,61 kg	10 mm	45 mm	16	10		45 mm
ISO 4762 A4-70 M 10X50 - Hexagon socket head cap s..	4762410 50	50	3,93 kg	10 mm	50 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X50/50 - Hexagon socket head ca..	4762410 50/50	50	3,93 kg	10 mm	50 mm	16	10		50 mm
ISO 4762 A4-70 M 10X55 - Hexagon socket head cap s..	4762410 55	50	4,25 kg	10 mm	55 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X55/55 - Hexagon socket head ca..	4762410 55/55	50	4,25 kg	10 mm	55 mm	16	10		55 mm
ISO 4762 A4-70 M 10X60 - Hexagon socket head cap s..	4762410 60	50	4,57 kg	10 mm	60 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X60/60 - Hexagon socket head ca..	4762410 60/60	50	4,57 kg	10 mm	60 mm	16	10		60 mm
ISO 4762 A4-70 M 10X65 - Hexagon socket head cap s..	4762410 65	50	4,89 kg	10 mm	65 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X70 - Hexagon socket head cap s..	4762410 70	50	5,21 kg	10 mm	70 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X70/70 - Hexagon socket head ca..	4762410 70/70	50	5,21 kg	10 mm	70 mm	16	10		70 mm
ISO 4762 A4-70 M 10X75 - Hexagon socket head cap s..	4762410 75	50	5,53 kg	10 mm	75 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X80 - Hexagon socket head cap s..	4762410 80	50	5,85 kg	10 mm	80 mm	16	10	9.15 mm	32 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 10X80/80 - Hexagon socket head ca..	4762410 80/80	50	5,85 kg	10 mm	80 mm	16	10		80 mm
ISO 4762 A4-70 M 10X85 - Hexagon socket head cap s..	4762410 85	50	6,17 kg	10 mm	85 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X90 - Hexagon socket head cap s..	4762410 90	50	6,49 kg	10 mm	90 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 10X90/90 - Hexagon socket head ca..	4762410 90/90	50	6,49 kg	10 mm	90 mm	16	10		90 mm
ISO 4762 A4-70 M 10X95 - Hexagon socket head cap s..	4762410 95	50	6,81 kg	10 mm	95 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-70 M 12X100 - Hexagon socket head cap ..	4762412 100	25	9,80 kg	12 mm	100 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X100/100 - Hexagon socket head ..	4762412 100/100	25	9,80 kg	12 mm	100 mm	18	12		100 mm
ISO 4762 A4-70 M 12X110 - Hexagon socket head cap ..	4762412 110	25	10,70 kg	12 mm	110 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X120 - Hexagon socket head cap ..	4762412 120	25	11,60 kg	12 mm	120 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X130 - Hexagon socket head cap ..	4762412 130	25	12,50 kg	12 mm	130 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X140 - Hexagon socket head cap ..	4762412 140	25	13,40 kg	12 mm	140 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X150 - Hexagon socket head cap ..	4762412 150	25	14,30 kg	12 mm	150 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X16 - Hexagon socket head cap s..	4762412 16	50	2,93 kg	12 mm	16 mm	18	12		16 mm
ISO 4762 A4-70 M 12X160 - Hexagon socket head cap ..	4762412 160	10	15,20 kg	12 mm	160 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X170 - Hexagon socket head cap ..	4762412 170	25	16,10 kg	12 mm	170 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X18 - Hexagon socket head cap s..	4762412 18	50	3,07 kg	12 mm	18 mm	18	12		18 mm
ISO 4762 A4-70 M 12X180 - Hexagon socket head cap ..	4762412 180	25	17,00 kg	12 mm	180 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X190 - Hexagon socket head cap ..	4762412 190	25	17,90 kg	12 mm	190 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X20 - Hexagon socket head cap s..	4762412 20	50	3,21 kg	12 mm	20 mm	18	12		20 mm
ISO 4762 A4-70 M 12X200 - Hexagon socket head cap ..	4762412 200	10	18,80 kg	12 mm	200 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X210 - Hexagon socket head cap ..	4762412 210	25	19,70 kg	12 mm	210 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X22 - Hexagon socket head cap s..	4762412 22	50	3,35 kg	12 mm	22 mm	18	12		22 mm
ISO 4762 A4-70 M 12X220 - Hexagon socket head cap ..	4762412 220	25	20,60 kg	12 mm	220 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X230 - Hexagon socket head cap ..	4762412 230	25	21,50 kg	12 mm	230 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X240 - Hexagon socket head cap ..	4762412 240	25	22,40 kg	12 mm	240 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X25 - Hexagon socket head cap s..	4762412 25	50	3,57 kg	12 mm	25 mm	18	12		25 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 12X250 - Hexagon socket head cap ..	4762412 250	25	23,30 kg	12 mm	250 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X260 - Hexagon socket head cap ..	4762412 260	25	24,20 kg	12 mm	260 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X270 - Hexagon socket head cap ..	4762412 270	25	25,10 kg	12 mm	270 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X280 - Hexagon socket head cap ..	4762412 280	25	26,00 kg	12 mm	280 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X290 - Hexagon socket head cap ..	4762412 290	25	26,99 kg	12 mm	290 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X30 - Hexagon socket head cap s..	4762412 30	50	3,93 kg	12 mm	30 mm	18	12		30 mm
ISO 4762 A4-70 M 12X300 - Hexagon socket head cap ..	4762412 300	25	27,90 kg	12 mm	300 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X35 - Hexagon socket head cap s..	4762412 35	50	4,29 kg	12 mm	35 mm	18	12		35 mm
ISO 4762 A4-70 M 12X40 - Hexagon socket head cap s..	4762412 40	50	4,65 kg	12 mm	40 mm	18	12		40 mm
ISO 4762 A4-70 M 12X45 - Hexagon socket head cap s..	4762412 45	50	5,01 kg	12 mm	45 mm	18	12		45 mm
ISO 4762 A4-70 M 12X50 - Hexagon socket head cap s..	4762412 50	50	5,45 kg	12 mm	50 mm	18	12		50 mm
ISO 4762 A4-70 M 12X55 - Hexagon socket head cap s..	4762412 55	50	5,89 kg	12 mm	55 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X55/55 - Hexagon socket head ca..	4762412 55/55	50	5,89 kg	12 mm	55 mm	18	12		55 mm
ISO 4762 A4-70 M 12X60 - Hexagon socket head cap s..	4762412 60	50	6,34 kg	12 mm	60 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X60/60 - Hexagon socket head ca..	4762412 60/60	50	6,34 kg	12 mm	60 mm	18	12		60 mm
ISO 4762 A4-70 M 12X65 - Hexagon socket head cap s..	4762412 65	50	6,78 kg	12 mm	65 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X70 - Hexagon socket head cap s..	4762412 70	50	7,13 kg	12 mm	70 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X70/70 - Hexagon socket head ca..	4762412 70/70	50	7,13 kg	12 mm	70 mm	18	12		70 mm
ISO 4762 A4-70 M 12X75 - Hexagon socket head cap s..	4762412 75	25	7,58 kg	12 mm	75 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X80 - Hexagon socket head cap s..	4762412 80	25	8,02 kg	12 mm	80 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X80/80 - Hexagon socket head ca..	4762412 80/80	25	8,02 kg	12 mm	80 mm	18	12		80 mm
ISO 4762 A4-70 M 12X85 - Hexagon socket head cap s..	4762412 85	25	8,47 kg	12 mm	85 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X90 - Hexagon socket head cap s..	4762412 90	25	8,91 kg	12 mm	90 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 12X90/90 - Hexagon socket head ca..	4762412 90/90	25	8,91 kg	12 mm	90 mm	18	12		90 mm
ISO 4762 A4-70 M 12X95 - Hexagon socket head cap s..	4762412 95	25	9,36 kg	12 mm	95 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-70 M 14X100 - Hexagon socket head cap ..	4762414 100	50	13,20 kg	14 mm	100 mm	21	14	13.72 mm	40 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 14X110 - Hexagon socket head cap ..	4762414 110	25	14,40 kg	14 mm	110 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X120 - Hexagon socket head cap ..	4762414 120	25	15,60 kg	14 mm	120 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X130 - Hexagon socket head cap ..	4762414 130	25	16,80 kg	14 mm	130 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X140 - Hexagon socket head cap ..	4762414 140	25	18,00 kg	14 mm	140 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X150 - Hexagon socket head cap ..	4762414 150	25	19,20 kg	14 mm	150 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X160 - Hexagon socket head cap ..	4762414 160	25	20,47 kg	14 mm	160 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X170 - Hexagon socket head cap ..	4762414 170	25	21,82 kg	14 mm	170 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X180 - Hexagon socket head cap ..	4762414 180	25	23,26 kg	14 mm	180 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X190 - Hexagon socket head cap ..	4762414 190	25	24,80 kg	14 mm	190 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X20 - Hexagon socket head cap s..	4762414 20	50	4,30 kg	14 mm	20 mm	21	14		20 mm
ISO 4762 A4-70 M 14X200 - Hexagon socket head cap ..	4762414 200	25	26,44 kg	14 mm	200 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X25 - Hexagon socket head cap s..	4762414 25	50	4,80 kg	14 mm	25 mm	21	14		25 mm
ISO 4762 A4-70 M 14X30 - Hexagon socket head cap s..	4762414 30	50	5,30 kg	14 mm	30 mm	21	14		30 mm
ISO 4762 A4-70 M 14X35 - Hexagon socket head cap s..	4762414 35	50	5,80 kg	14 mm	35 mm	21	14		35 mm
ISO 4762 A4-70 M 14X40 - Hexagon socket head cap s..	4762414 40	50	6,30 kg	14 mm	40 mm	21	14		40 mm
ISO 4762 A4-70 M 14X45 - Hexagon socket head cap s..	4762414 45	50	6,80 kg	14 mm	45 mm	21	14		45 mm
ISO 4762 A4-70 M 14X50 - Hexagon socket head cap s..	4762414 50	50	7,30 kg	14 mm	50 mm	21	14		50 mm
ISO 4762 A4-70 M 14X55 - Hexagon socket head cap s..	4762414 55	50	7,80 kg	14 mm	55 mm	21	14		55 mm
ISO 4762 A4-70 M 14X60 - Hexagon socket head cap s..	4762414 60	50	8,40 kg	14 mm	60 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X65 - Hexagon socket head cap s..	4762414 65	50	9,00 kg	14 mm	65 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X70 - Hexagon socket head cap s..	4762414 70	50	9,60 kg	14 mm	70 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X75 - Hexagon socket head cap s..	4762414 75	50	10,20 kg	14 mm	75 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X80 - Hexagon socket head cap s..	4762414 80	50	10,80 kg	14 mm	80 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X85 - Hexagon socket head cap s..	4762414 85	50	11,40 kg	14 mm	85 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X90 - Hexagon socket head cap s..	4762414 90	50	12,00 kg	14 mm	90 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-70 M 14X95 - Hexagon socket head cap s..	4762414 95	50	12,60 kg	14 mm	95 mm	21	14	13.72 mm	40 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 16X100 - Hexagon socket head cap ..	4762416 100	25	18,60 kg	16 mm	100 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X110 - Hexagon socket head cap ..	4762416 110	25	20,20 kg	16 mm	110 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X120 - Hexagon socket head cap ..	4762416 120	25	21,80 kg	16 mm	120 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X130 - Hexagon socket head cap ..	4762416 130	25	23,40 kg	16 mm	130 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X140 - Hexagon socket head cap ..	4762416 140	25	25,00 kg	16 mm	140 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X150 - Hexagon socket head cap ..	4762416 150	25	26,60 kg	16 mm	150 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X160 - Hexagon socket head cap ..	4762416 160	25	28,20 kg	16 mm	160 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X170 - Hexagon socket head cap ..	4762416 170	25	29,80 kg	16 mm	170 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X180 - Hexagon socket head cap ..	4762416 180	25	31,40 kg	16 mm	180 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X190 - Hexagon socket head cap ..	4762416 190	25	33,00 kg	16 mm	190 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X20 - Hexagon socket head cap s..	4762416 20	25	6,48 kg	16 mm	20 mm	24	16		20 mm
ISO 4762 A4-70 M 16X200 - Hexagon socket head cap ..	4762416 200	25	34,60 kg	16 mm	200 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X210 - Hexagon socket head cap ..	4762416 210	25	36,20 kg	16 mm	210 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X220 - Hexagon socket head cap ..	4762416 220	25	37,80 kg	16 mm	220 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X230 - Hexagon socket head cap ..	4762416 230	25	39,40 kg	16 mm	230 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X240 - Hexagon socket head cap ..	4762416 240	25	41,00 kg	16 mm	240 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X25 - Hexagon socket head cap s..	4762416 25	25	7,13 kg	16 mm	25 mm	24	16		25 mm
ISO 4762 A4-70 M 16X250 - Hexagon socket head cap ..	4762416 250	25	42,60 kg	16 mm	250 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X260 - Hexagon socket head cap ..	4762416 260	25	44,20 kg	16 mm	260 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X270 - Hexagon socket head cap ..	4762416 270	25	45,80 kg	16 mm	270 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X280 - Hexagon socket head cap ..	4762416 280	25	47,40 kg	16 mm	280 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X290 - Hexagon socket head cap ..	4762416 290	25	49,00 kg	16 mm	290 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X30 - Hexagon socket head cap s..	4762416 30	25	7,78 kg	16 mm	30 mm	24	16		30 mm
ISO 4762 A4-70 M 16X300 - Hexagon socket head cap ..	4762416 300	25	50,60 kg	16 mm	300 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X35 - Hexagon socket head cap s..	4762416 35	25	8,44 kg	16 mm	35 mm	24	16		35 mm
ISO 4762 A4-70 M 16X40 - Hexagon socket head cap s..	4762416 40	25	9,10 kg	16 mm	40 mm	24	16		40 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 16X45 - Hexagon socket head cap s..	4762416 45	25	9,76 kg	16 mm	45 mm	24	16		45 mm
ISO 4762 A4-70 M 16X50 - Hexagon socket head cap s..	4762416 50	25	10,60 kg	16 mm	50 mm	24	16		50 mm
ISO 4762 A4-70 M 16X55 - Hexagon socket head cap s..	4762416 55	25	11,40 kg	16 mm	55 mm	24	16		55 mm
ISO 4762 A4-70 M 16X60 - Hexagon socket head cap s..	4762416 60	25	12,20 kg	16 mm	60 mm	24	16		60 mm
ISO 4762 A4-70 M 16X65 - Hexagon socket head cap s..	4762416 65	25	13,00 kg	16 mm	65 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X70 - Hexagon socket head cap s..	4762416 70	25	13,80 kg	16 mm	70 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X75 - Hexagon socket head cap s..	4762416 75	25	14,60 kg	16 mm	75 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X80 - Hexagon socket head cap s..	4762416 80	25	15,40 kg	16 mm	80 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X85 - Hexagon socket head cap s..	4762416 85	25	16,20 kg	16 mm	85 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X90 - Hexagon socket head cap s..	4762416 90	25	17,00 kg	16 mm	90 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 16X95 - Hexagon socket head cap s..	4762416 95	25	17,80 kg	16 mm	95 mm	24	16	16 mm	44 mm
ISO 4762 A4-70 M 18X100 - Hexagon socket head cap ..	4762418 100	25	24,30 kg	18 mm	100 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X110 - Hexagon socket head cap ..	4762418 110	25	26,30 kg	18 mm	110 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X120 - Hexagon socket head cap ..	4762418 120	25	28,30 kg	18 mm	120 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X130 - Hexagon socket head cap ..	4762418 130	25	30,30 kg	18 mm	130 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X140 - Hexagon socket head cap ..	4762418 140	25	32,30 kg	18 mm	140 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X150 - Hexagon socket head cap ..	4762418 150	25	34,30 kg	18 mm	150 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X160 - Hexagon socket head cap ..	4762418 160	25	36,36 kg	18 mm	160 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X170 - Hexagon socket head cap ..	4762418 170	25	38,30 kg	18 mm	170 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X180 - Hexagon socket head cap ..	4762418 180	25	40,85 kg	18 mm	180 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X190 - Hexagon socket head cap ..	4762418 190	25	42,30 kg	18 mm	190 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X200 - Hexagon socket head cap ..	4762418 200	25	44,30 kg	18 mm	200 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X30 - Hexagon socket head cap s..	4762418 30	25	11,10 kg	18 mm	30 mm	27	18		30 mm
ISO 4762 A4-70 M 18X35 - Hexagon socket head cap s..	4762418 35	25	12,00 kg	18 mm	35 mm	27	18		35 mm
ISO 4762 A4-70 M 18X40 - Hexagon socket head cap s..	4762418 40	25	12,90 kg	18 mm	40 mm	27	18		40 mm
ISO 4762 A4-70 M 18X45 - Hexagon socket head cap s..	4762418 45	25	13,80 kg	18 mm	45 mm	27	18		45 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 18X50 - Hexagon socket head cap s..	4762418 50	25	14,70 kg	18 mm	50 mm	27	18		50 mm
ISO 4762 A4-70 M 18X55 - Hexagon socket head cap s..	4762418 55	25	15,60 kg	18 mm	55 mm	27	18		55 mm
ISO 4762 A4-70 M 18X60 - Hexagon socket head cap s..	4762418 60	25	16,50 kg	18 mm	60 mm	27	18		60 mm
ISO 4762 A4-70 M 18X65 - Hexagon socket head cap s..	4762418 65	25	17,40 kg	18 mm	65 mm	27	18		65 mm
ISO 4762 A4-70 M 18X70 - Hexagon socket head cap s..	4762418 70	25	18,30 kg	18 mm	70 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X75 - Hexagon socket head cap s..	4762418 75	25	19,30 kg	18 mm	75 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X80 - Hexagon socket head cap s..	4762418 80	25	20,30 kg	18 mm	80 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X85 - Hexagon socket head cap s..	4762418 85	25	21,30 kg	18 mm	85 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X90 - Hexagon socket head cap s..	4762418 90	25	22,30 kg	18 mm	90 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 18X95 - Hexagon socket head cap s..	4762418 95	25	23,30 kg	18 mm	95 mm	27	18	16 mm	48 mm
ISO 4762 A4-70 M 20X100 - Hexagon socket head cap ..	4762420 100	25	29,10 kg	20 mm	100 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X110 - Hexagon socket head cap ..	4762420 110	25	31,60 kg	20 mm	110 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X120 - Hexagon socket head cap ..	4762420 120	25	34,10 kg	20 mm	120 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X130 - Hexagon socket head cap ..	4762420 130	25	36,60 kg	20 mm	130 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X140 - Hexagon socket head cap ..	4762420 140	25	39,10 kg	20 mm	140 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X150 - Hexagon socket head cap ..	4762420 150	25	41,60 kg	20 mm	150 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X160 - Hexagon socket head cap ..	4762420 160	25	44,10 kg	20 mm	160 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X170 - Hexagon socket head cap ..	4762420 170	25	46,60 kg	20 mm	170 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X180 - Hexagon socket head cap ..	4762420 180	25	49,10 kg	20 mm	180 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X190 - Hexagon socket head cap ..	4762420 190	25	51,50 kg	20 mm	190 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X200 - Hexagon socket head cap ..	4762420 200	25	54,10 kg	20 mm	200 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X210 - Hexagon socket head cap ..	4762420 210	25	55,70 kg	20 mm	210 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X220 - Hexagon socket head cap ..	4762420 220	25	57,80 kg	20 mm	220 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X230 - Hexagon socket head cap ..	4762420 230	25	59,90 kg	20 mm	230 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X240 - Hexagon socket head cap ..	4762420 240	25	62,00 kg	20 mm	240 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X250 - Hexagon socket head cap ..	4762420 250	25	64,10 kg	20 mm	250 mm	30	20	19.44 mm	52 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 20X260 - Hexagon socket head cap ..	4762420 260	25	66,20 kg	20 mm	260 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X270 - Hexagon socket head cap ..	4762420 270	25	68,30 kg	20 mm	270 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X280 - Hexagon socket head cap ..	4762420 280	25	70,40 kg	20 mm	280 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X290 - Hexagon socket head cap ..	4762420 290	25	72,50 kg	20 mm	290 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X30 - Hexagon socket head cap s..	4762420 30	25	12,80 kg	20 mm	30 mm	30	20		30 mm
ISO 4762 A4-70 M 20X300 - Hexagon socket head cap ..	4762420 300	25	74,60 kg	20 mm	300 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X35 - Hexagon socket head cap s..	4762420 35	25	13,90 kg	20 mm	35 mm	30	20		35 mm
ISO 4762 A4-70 M 20X40 - Hexagon socket head cap s..	4762420 40	25	15,00 kg	20 mm	40 mm	30	20		40 mm
ISO 4762 A4-70 M 20X45 - Hexagon socket head cap s..	4762420 45	25	16,10 kg	20 mm	45 mm	30	20		45 mm
ISO 4762 A4-70 M 20X50 - Hexagon socket head cap s..	4762420 50	25	17,20 kg	20 mm	50 mm	30	20		50 mm
ISO 4762 A4-70 M 20X55 - Hexagon socket head cap s..	4762420 55	25	18,30 kg	20 mm	55 mm	30	20		55 mm
ISO 4762 A4-70 M 20X60 - Hexagon socket head cap s..	4762420 60	25	19,40 kg	20 mm	60 mm	30	20		60 mm
ISO 4762 A4-70 M 20X65 - Hexagon socket head cap s..	4762420 65	25	20,50 kg	20 mm	65 mm	30	20		65 mm
ISO 4762 A4-70 M 20X70 - Hexagon socket head cap s..	4762420 70	25	21,60 kg	20 mm	70 mm	30	20		70 mm
ISO 4762 A4-70 M 20X75 - Hexagon socket head cap s..	4762420 75	25	22,90 kg	20 mm	75 mm	30	20		75 mm
ISO 4762 A4-70 M 20X80 - Hexagon socket head cap s..	4762420 80	25	24,10 kg	20 mm	80 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X85 - Hexagon socket head cap s..	4762420 85	25	25,40 kg	20 mm	85 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X90 - Hexagon socket head cap s..	4762420 90	25	26,60 kg	20 mm	90 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 20X95 - Hexagon socket head cap s..	4762420 95	25	27,80 kg	20 mm	95 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-70 M 22X100 - Hexagon socket head cap ..	4762422 100	25	39,60 kg	22 mm	100 mm	33	22		56 mm
ISO 4762 A4-70 M 22X110 - Hexagon socket head cap ..	4762422 110	25	42,60 kg	22 mm	110 mm	33	22		56 mm
ISO 4762 A4-70 M 22X120 - Hexagon socket head cap ..	4762422 120	25	45,60 kg	22 mm	120 mm	33	22		56 mm
ISO 4762 A4-70 M 22X130 - Hexagon socket head cap ..	4762422 130	25	48,60 kg	22 mm	130 mm	33	22		56 mm
ISO 4762 A4-70 M 22X140 - Hexagon socket head cap ..	4762422 140	25	51,60 kg	22 mm	140 mm	33	22		56 mm
ISO 4762 A4-70 M 22X150 - Hexagon socket head cap ..	4762422 150	10	54,60 kg	22 mm	150 mm	33	22		56 mm
ISO 4762 A4-70 M 22X160 - Hexagon socket head cap ..	4762422 160	10	57,60 kg	22 mm	160 mm	33	22		56 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 22X170 - Hexagon socket head cap ..	4762422 170	10	60,60 kg	22 mm	170 mm	33	22		56 mm
ISO 4762 A4-70 M 22X180 - Hexagon socket head cap ..	4762422 180	10	63,60 kg	22 mm	180 mm	33	22		56 mm
ISO 4762 A4-70 M 22X190 - Hexagon socket head cap ..	4762422 190	10	66,60 kg	22 mm	190 mm	33	22		56 mm
ISO 4762 A4-70 M 22X200 - Hexagon socket head cap ..	4762422 200	10	69,60 kg	22 mm	200 mm	33	22		56 mm
ISO 4762 A4-70 M 22X40 - Hexagon socket head cap s..	4762422 40	25	22,40 kg	22 mm	40 mm	33	22	19.44 mm	40 mm
ISO 4762 A4-70 M 22X45 - Hexagon socket head cap s..	4762422 45	25	23,70 kg	22 mm	45 mm	33	22	19.44 mm	45 mm
ISO 4762 A4-70 M 22X50 - Hexagon socket head cap s..	4762422 50	25	25,00 kg	22 mm	50 mm	33	22	19.44 mm	50 mm
ISO 4762 A4-70 M 22X55 - Hexagon socket head cap s..	4762422 55	25	26,30 kg	22 mm	55 mm	33	22	19.44 mm	55 mm
ISO 4762 A4-70 M 22X60 - Hexagon socket head cap s..	4762422 60	25	27,60 kg	22 mm	60 mm	33	22	19.44 mm	60 mm
ISO 4762 A4-70 M 22X65 - Hexagon socket head cap s..	4762422 65	25	29,10 kg	22 mm	65 mm	33	22	19.44 mm	65 mm
ISO 4762 A4-70 M 22X70 - Hexagon socket head cap s..	4762422 70	25	30,60 kg	22 mm	70 mm	33	22	19.44 mm	70 mm
ISO 4762 A4-70 M 22X75 - Hexagon socket head cap s..	4762422 75	25	32,10 kg	22 mm	75 mm	33	22		56 mm
ISO 4762 A4-70 M 22X80 - Hexagon socket head cap s..	4762422 80	25	33,60 kg	22 mm	80 mm	33	22		56 mm
ISO 4762 A4-70 M 22X85 - Hexagon socket head cap s..	4762422 85	25	35,10 kg	22 mm	85 mm	33	22		56 mm
ISO 4762 A4-70 M 22X90 - Hexagon socket head cap s..	4762422 90	25	36,60 kg	22 mm	90 mm	33	22		56 mm
ISO 4762 A4-70 M 22X95 - Hexagon socket head cap s..	4762422 95	25	38,10 kg	22 mm	95 mm	33	22		56 mm
ISO 4762 A4-70 M 24X100 - Hexagon socket head cap ..	4762424 100	10	47,10 kg	24 mm	100 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X110 - Hexagon socket head cap ..	4762424 110	10	50,70 kg	24 mm	110 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X120 - Hexagon socket head cap ..	4762424 120	10	54,30 kg	24 mm	120 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X130 - Hexagon socket head cap ..	4762424 130	10	57,90 kg	24 mm	130 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X140 - Hexagon socket head cap ..	4762424 140	10	61,50 kg	24 mm	140 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X150 - Hexagon socket head cap ..	4762424 150	10	65,10 kg	24 mm	150 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X160 - Hexagon socket head cap ..	4762424 160	10	68,70 kg	24 mm	160 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X170 - Hexagon socket head cap ..	4762424 170	10	72,30 kg	24 mm	170 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X180 - Hexagon socket head cap ..	4762424 180	10	75,90 kg	24 mm	180 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X190 - Hexagon socket head cap ..	4762424 190	10	79,50 kg	24 mm	190 mm	36	24	21.73 mm	60 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 24X200 - Hexagon socket head cap ..	4762424 200	10	83,10 kg	24 mm	200 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X210 - Hexagon socket head cap ..	4762424 210	10	86,70 kg	24 mm	210 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X220 - Hexagon socket head cap ..	4762424 220	10	90,30 kg	24 mm	220 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X230 - Hexagon socket head cap ..	4762424 230	10	93,90 kg	24 mm	230 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X240 - Hexagon socket head cap ..	4762424 240	10	97,50 kg	24 mm	240 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X250 - Hexagon socket head cap ..	4762424 250	10	101,10 kg	24 mm	250 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X260 - Hexagon socket head cap ..	4762424 260	10	104,70 kg	24 mm	260 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X270 - Hexagon socket head cap ..	4762424 270	10	108,30 kg	24 mm	270 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X280 - Hexagon socket head cap ..	4762424 280	10	111,90 kg	24 mm	280 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X290 - Hexagon socket head cap ..	4762424 290	10	115,50 kg	24 mm	290 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X300 - Hexagon socket head cap ..	4762424 300	10	119,10 kg	24 mm	300 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X40 - Hexagon socket head cap s..	4762424 40	10	27,00 kg	24 mm	40 mm	36	24		40 mm
ISO 4762 A4-70 M 24X45 - Hexagon socket head cap s..	4762424 45	10	28,50 kg	24 mm	45 mm	36	24		45 mm
ISO 4762 A4-70 M 24X50 - Hexagon socket head cap s..	4762424 50	10	30,00 kg	24 mm	50 mm	36	24		50 mm
ISO 4762 A4-70 M 24X55 - Hexagon socket head cap s..	4762424 55	10	31,60 kg	24 mm	55 mm	36	24		55 mm
ISO 4762 A4-70 M 24X60 - Hexagon socket head cap s..	4762424 60	10	33,00 kg	24 mm	60 mm	36	24		60 mm
ISO 4762 A4-70 M 24X65 - Hexagon socket head cap s..	4762424 65	10	34,50 kg	24 mm	65 mm	36	24		65 mm
ISO 4762 A4-70 M 24X70 - Hexagon socket head cap s..	4762424 70	10	36,30 kg	24 mm	70 mm	36	24		70 mm
ISO 4762 A4-70 M 24X75 - Hexagon socket head cap s..	4762424 75	10	38,10 kg	24 mm	75 mm	36	24		75 mm
ISO 4762 A4-70 M 24X80 - Hexagon socket head cap s..	4762424 80	10	39,90 kg	24 mm	80 mm	36	24		80 mm
ISO 4762 A4-70 M 24X85 - Hexagon socket head cap s..	4762424 85	10	41,70 kg	24 mm	85 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X90 - Hexagon socket head cap s..	4762424 90	10	43,50 kg	24 mm	90 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 24X95 - Hexagon socket head cap s..	4762424 95	10	45,30 kg	24 mm	95 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-70 M 27X100 - Hexagon socket head cap ..	4762427 100	10	57,40 kg	27 mm	100 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X110 - Hexagon socket head cap ..	4762427 110	10	61,90 kg	27 mm	110 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X120 - Hexagon socket head cap ..	4762427 120	10	66,40 kg	27 mm	120 mm	40	27	21.73 mm	66 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 27X130 - Hexagon socket head cap ..	4762427 130	10	70,90 kg	27 mm	130 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X140 - Hexagon socket head cap ..	4762427 140	10	75,40 kg	27 mm	140 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X150 - Hexagon socket head cap ..	4762427 150	10	79,90 kg	27 mm	150 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X160 - Hexagon socket head cap ..	4762427 160	10	84,40 kg	27 mm	160 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X170 - Hexagon socket head cap ..	4762427 170	10	88,90 kg	27 mm	170 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X180 - Hexagon socket head cap ..	4762427 180	10	93,40 kg	27 mm	180 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X190 - Hexagon socket head cap ..	4762427 190	10	97,70 kg	27 mm	190 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X200 - Hexagon socket head cap ..	4762427 200	10	102,00 kg	27 mm	200 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X220 - Hexagon socket head cap ..	4762427 220	10	111,00 kg	27 mm	220 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X240 - Hexagon socket head cap ..	4762427 240	10	123,00 kg	27 mm	240 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X260 - Hexagon socket head cap ..	4762427 260	10	134,00 kg	27 mm	260 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X280 - Hexagon socket head cap ..	4762427 280	10	145,00 kg	27 mm	280 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X300 - Hexagon socket head cap ..	4762427 300	10	156,00 kg	27 mm	300 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 27X50 - Hexagon socket head cap s..	4762427 50	10	35,20 kg	27 mm	50 mm	40	27		50 mm
ISO 4762 A4-70 M 27X55 - Hexagon socket head cap s..	4762427 55	10	37,40 kg	27 mm	55 mm	40	27		55 mm
ISO 4762 A4-70 M 27X60 - Hexagon socket head cap s..	4762427 60	10	39,60 kg	27 mm	60 mm	40	27		60 mm
ISO 4762 A4-70 M 27X65 - Hexagon socket head cap s..	4762427 65	10	41,80 kg	27 mm	65 mm	40	27		65 mm
ISO 4762 A4-70 M 27X70 - Hexagon socket head cap s..	4762427 70	10	44,00 kg	27 mm	70 mm	40	27		70 mm
ISO 4762 A4-70 M 27X75 - Hexagon socket head cap s..	4762427 75	10	46,40 kg	27 mm	75 mm	40	27		75 mm
ISO 4762 A4-70 M 27X80 - Hexagon socket head cap s..	4762427 80	10	48,40 kg	27 mm	80 mm	40	27		80 mm
ISO 4762 A4-70 M 27X85 - Hexagon socket head cap s..	4762427 85	10	50,70 kg	27 mm	85 mm	40	27		85 mm
ISO 4762 A4-70 M 27X90 - Hexagon socket head cap s..	4762427 90	10	52,90 kg	27 mm	90 mm	40	27		90 mm
ISO 4762 A4-70 M 27X95 - Hexagon socket head cap s..	4762427 95	10	55,10 kg	27 mm	95 mm	40	27	21.73 mm	66 mm
ISO 4762 A4-70 M 30X100 - Hexagon socket head cap ..	4762430 100	10	80,00 kg	30 mm	100 mm	45	30		100 mm
ISO 4762 A4-70 M 30X110 - Hexagon socket head cap ..	4762430 110	10	85,50 kg	30 mm	110 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X120 - Hexagon socket head cap ..	4762430 120	10	91,00 kg	30 mm	120 mm	45	30	25.15 mm	72 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 30X130 - Hexagon socket head cap ..	4762430 130	10	96,50 kg	30 mm	130 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X140 - Hexagon socket head cap ..	4762430 140	10	102,00 kg	30 mm	140 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X150 - Hexagon socket head cap ..	4762430 150	10	108,00 kg	30 mm	150 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X160 - Hexagon socket head cap ..	4762430 160	10	113,00 kg	30 mm	160 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X170 - Hexagon socket head cap ..	4762430 170	10	119,00 kg	30 mm	170 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X180 - Hexagon socket head cap ..	4762430 180	10	124,00 kg	30 mm	180 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X190 - Hexagon socket head cap ..	4762430 190	10	131,00 kg	30 mm	190 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X200 - Hexagon socket head cap ..	4762430 200	10	135,00 kg	30 mm	200 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X220 - Hexagon socket head cap ..	4762430 220	10	146,00 kg	30 mm	220 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X240 - Hexagon socket head cap ..	4762430 240	10	157,00 kg	30 mm	240 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X260 - Hexagon socket head cap ..	4762430 260	10	168,00 kg	30 mm	260 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X280 - Hexagon socket head cap ..	4762430 280	10	179,00 kg	30 mm	280 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X300 - Hexagon socket head cap ..	4762430 300	10	190,00 kg	30 mm	300 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X320 - Hexagon socket head cap ..	4762430 320	10	195,00 kg	30 mm	320 mm	45	30	25.15 mm	72 mm
ISO 4762 A4-70 M 30X50 - Hexagon socket head cap s..	4762430 50	10	52,70 kg	30 mm	50 mm	45	30		50 mm
ISO 4762 A4-70 M 30X55 - Hexagon socket head cap s..	4762430 55	10	55,40 kg	30 mm	55 mm	45	30		55 mm
ISO 4762 A4-70 M 30X60 - Hexagon socket head cap s..	4762430 60	10	58,10 kg	30 mm	60 mm	45	30		60 mm
ISO 4762 A4-70 M 30X65 - Hexagon socket head cap s..	4762430 65	10	60,80 kg	30 mm	65 mm	45	30		65 mm
ISO 4762 A4-70 M 30X70 - Hexagon socket head cap s..	4762430 70	10	63,50 kg	30 mm	70 mm	45	30		70 mm
ISO 4762 A4-70 M 30X75 - Hexagon socket head cap s..	4762430 75	10	66,30 kg	30 mm	75 mm	45	30		75 mm
ISO 4762 A4-70 M 30X80 - Hexagon socket head cap s..	4762430 80	10	69,00 kg	30 mm	80 mm	45	30		80 mm
ISO 4762 A4-70 M 30X85 - Hexagon socket head cap s..	4762430 85	10	71,80 kg	30 mm	85 mm	45	30		85 mm
ISO 4762 A4-70 M 30X90 - Hexagon socket head cap s..	4762430 90	10	74,50 kg	30 mm	90 mm	45	30		90 mm
ISO 4762 A4-70 M 30X95 - Hexagon socket head cap s..	4762430 95	10	77,30 kg	30 mm	95 mm	45	30		95 mm
ISO 4762 A4-70 M 5X10 - Hexagon socket head cap sc..	476245 10	500	0,27 kg	5 mm	10 mm	8.5	5		10 mm
ISO 4762 A4-70 M 5X100 - Hexagon socket head cap s..	476245 100	100	1,56 kg	5 mm	100 mm	8.5	5	4.58 mm	22 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 5X110 - Hexagon socket head cap s..	476245 110	100	1,70 kg	5 mm	110 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X12 - Hexagon socket head cap sc..	476245 12	500	0,30 kg	5 mm	12 mm	8.5	5		12 mm
ISO 4762 A4-70 M 5X120 - Hexagon socket head cap s..	476245 120	100	1,84 kg	5 mm	120 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X130 - Hexagon socket head cap s..	476245 130	100	1,98 kg	5 mm	130 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X14 - Hexagon socket head cap sc..	476245 14	500	0,32 kg	5 mm	14 mm	8.5	5		14 mm
ISO 4762 A4-70 M 5X140 - Hexagon socket head cap s..	476245 140	100	2,12 kg	5 mm	140 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X16 - Hexagon socket head cap sc..	476245 16	500	0,34 kg	5 mm	16 mm	8.5	5		16 mm
ISO 4762 A4-70 M 5X18 - Hexagon socket head cap sc..	476245 18	500	0,37 kg	5 mm	18 mm	8.5	5		18 mm
ISO 4762 A4-70 M 5X20 - Hexagon socket head cap sc..	476245 20	500	0,40 kg	5 mm	20 mm	8.5	5		20 mm
ISO 4762 A4-70 M 5X22 - Hexagon socket head cap sc..	476245 22	500	0,43 kg	5 mm	22 mm	8.5	5		22 mm
ISO 4762 A4-70 M 5X25 - Hexagon socket head cap sc..	476245 25	200	0,48 kg	5 mm	25 mm	8.5	5		25 mm
ISO 4762 A4-70 M 5X30 - Hexagon socket head cap sc..	476245 30	200	0,56 kg	5 mm	30 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X30/30 - Hexagon socket head cap..	476245 30/30	200	0,56 kg	5 mm	30 mm	8.5	5		30 mm
ISO 4762 A4-70 M 5X35 - Hexagon socket head cap sc..	476245 35	200	0,63 kg	5 mm	35 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X35/35 - Hexagon socket head cap..	476245 35/35	200	0,63 kg	5 mm	35 mm	8.5	5		35 mm
ISO 4762 A4-70 M 5X40 - Hexagon socket head cap sc..	476245 40	200	0,70 kg	5 mm	40 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X40/40 - Hexagon socket head cap..	476245 40/40	200	0,70 kg	5 mm	40 mm	8.5	5		40 mm
ISO 4762 A4-70 M 5X45 - Hexagon socket head cap sc..	476245 45	200	0,79 kg	5 mm	45 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X45/45 - Hexagon socket head cap..	476245 45/45	200	0,79 kg	5 mm	45 mm	8.5	5		45 mm
ISO 4762 A4-70 M 5X5 - Hexagon socket head cap scr..	476245 5	500	0,19 kg	5 mm	5 mm	8.5	5		5 mm
ISO 4762 A4-70 M 5X50 - Hexagon socket head cap sc..	476245 50	200	0,86 kg	5 mm	50 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X50/50 - Hexagon socket head cap..	476245 50/50	200	0,86 kg	5 mm	50 mm	8.5	5		50 mm
ISO 4762 A4-70 M 5X55 - Hexagon socket head cap sc..	476245 55	200	0,93 kg	5 mm	55 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X6 - Hexagon socket head cap scr..	476245 6	500	0,21 kg	5 mm	6 mm	8.5	5		6 mm
ISO 4762 A4-70 M 5X60 - Hexagon socket head cap sc..	476245 60	100	1,00 kg	5 mm	60 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X60/60 - Hexagon socket head cap..	476245 60/60	100	1,00 kg	5 mm	60 mm	8.5	5		60 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 5X65 - Hexagon socket head cap sc..	476245 65	100	1,07 kg	5 mm	65 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X65/65 - Hexagon socket head cap..	476245 65/65	100	1,07 kg	5 mm	65 mm	8.5	5		65 mm
ISO 4762 A4-70 M 5X70 - Hexagon socket head cap sc..	476245 70	100	1,14 kg	5 mm	70 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X70/70 - Hexagon socket head cap..	476245 70/70	100	1,14 kg	5 mm	70 mm	8.5	5		70 mm
ISO 4762 A4-70 M 5X75 - Hexagon socket head cap sc..	476245 75	100	1,21 kg	5 mm	75 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X8 - Hexagon socket head cap scr..	476245 8	500	0,24 kg	5 mm	8 mm	8.5	5		8 mm
ISO 4762 A4-70 M 5X80 - Hexagon socket head cap sc..	476245 80	100	1,28 kg	5 mm	80 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X80/80 - Hexagon socket head cap..	476245 80/80	100	1,28 kg	5 mm	80 mm	8.5	5		80 mm
ISO 4762 A4-70 M 5X85 - Hexagon socket head cap sc..	476245 85	100	1,35 kg	5 mm	85 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X90 - Hexagon socket head cap sc..	476245 90	100	1,42 kg	5 mm	90 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 5X95 - Hexagon socket head cap sc..	476245 95	100	1,49 kg	5 mm	95 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-70 M 6X10 - Hexagon socket head cap sc..	476246 10	500	0,47 kg	6 mm	10 mm	10	6		10 mm
ISO 4762 A4-70 M 6X100 - Hexagon socket head cap s..	476246 100	100	2,42 kg	6 mm	100 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X100/100 - Hexagon socket head c..	476246 100/100	100	2,42 kg	6 mm	100 mm	10	6		100 mm
ISO 4762 A4-70 M 6X110 - Hexagon socket head cap s..	476246 110	100	2,64 kg	6 mm	110 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X12 - Hexagon socket head cap sc..	476246 12	500	0,50 kg	6 mm	12 mm	10	6		12 mm
ISO 4762 A4-70 M 6X120 - Hexagon socket head cap s..	476246 120	100	2,86 kg	6 mm	120 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X130 - Hexagon socket head cap s..	476246 130	100	3,08 kg	6 mm	130 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X14 - Hexagon socket head cap sc..	476246 14	200	0,54 kg	6 mm	14 mm	10	6		14 mm
ISO 4762 A4-70 M 6X140 - Hexagon socket head cap s..	476246 140	100	3,30 kg	6 mm	140 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X150 - Hexagon socket head cap s..	476246 150	100	3,52 kg	6 mm	150 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X16 - Hexagon socket head cap sc..	476246 16	200	0,57 kg	6 mm	16 mm	10	6		16 mm
ISO 4762 A4-70 M 6X160 - Hexagon socket head cap s..	476246 160	100	3,74 kg	6 mm	160 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X170 - Hexagon socket head cap s..	476246 170	100	3,96 kg	6 mm	170 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X18 - Hexagon socket head cap sc..	476246 18	200	0,61 kg	6 mm	18 mm	10	6		18 mm
ISO 4762 A4-70 M 6X180 - Hexagon socket head cap s..	476246 180	100	4,18 kg	6 mm	180 mm	10	6	5.72 mm	24 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 6X190 - Hexagon socket head cap s..	476246 190	100	4,40 kg	6 mm	190 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X20 - Hexagon socket head cap sc..	476246 20	200	0,65 kg	6 mm	20 mm	10	6		20 mm
ISO 4762 A4-70 M 6X200 - Hexagon socket head cap s..	476246 200	100	4,62 kg	6 mm	200 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X22 - Hexagon socket head cap sc..	476246 22	200	0,71 kg	6 mm	22 mm	10	6		22 mm
ISO 4762 A4-70 M 6X220 - Hexagon socket head cap s..	476246 220	100	5,06 kg	6 mm	220 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X25 - Hexagon socket head cap sc..	476246 25	200	0,76 kg	6 mm	25 mm	10	6		25 mm
ISO 4762 A4-70 M 6X30 - Hexagon socket head cap sc..	476246 30	200	0,87 kg	6 mm	30 mm	10	6		30 mm
ISO 4762 A4-70 M 6X35 - Hexagon socket head cap sc..	476246 35	200	0,99 kg	6 mm	35 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X35/35 - Hexagon socket head cap..	476246 35/35	200	0,99 kg	6 mm	35 mm	10	6		35 mm
ISO 4762 A4-70 M 6X40 - Hexagon socket head cap sc..	476246 40	200	1,10 kg	6 mm	40 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X40/40 - Hexagon socket head cap..	476246 40/40	200	1,10 kg	6 mm	40 mm	10	6		24 mm
ISO 4762 A4-70 M 6X45 - Hexagon socket head cap sc..	476246 45	100	1,21 kg	6 mm	45 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X45/45 - Hexagon socket head cap..	476246 45/45	100	1,21 kg	6 mm	45 mm	10	6		45 mm
ISO 4762 A4-70 M 6X50 - Hexagon socket head cap sc..	476246 50	100	1,32 kg	6 mm	50 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X50/50 - Hexagon socket head cap..	476246 50/50	100	1,32 kg	6 mm	50 mm	10	6		50 mm
ISO 4762 A4-70 M 6X55 - Hexagon socket head cap sc..	476246 55	100	1,43 kg	6 mm	55 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X55/55 - Hexagon socket head cap..	476246 55/55	100	1,43 kg	6 mm	55 mm	10	6		55 mm
ISO 4762 A4-70 M 6X6 - Hexagon socket head cap scr..	476246 6	500	0,41 kg	6 mm	6 mm	10	6		6 mm
ISO 4762 A4-70 M 6X60 - Hexagon socket head cap sc..	476246 60	100	1,54 kg	6 mm	60 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X60/60 - Hexagon socket head cap..	476246 60/60	100	1,54 kg	6 mm	60 mm	10	6		60 mm
ISO 4762 A4-70 M 6X65 - Hexagon socket head cap sc..	476246 65	100	1,65 kg	6 mm	65 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X70 - Hexagon socket head cap sc..	476246 70	100	1,76 kg	6 mm	70 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X70/70 - Hexagon socket head cap..	476246 70/70	100	1,76 kg	6 mm	70 mm	10	6		70 mm
ISO 4762 A4-70 M 6X75 - Hexagon socket head cap sc..	476246 75	100	1,87 kg	6 mm	75 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X8 - Hexagon socket head cap scr..	476246 8	500	0,44 kg	6 mm	8 mm	10	6		8 mm
ISO 4762 A4-70 M 6X80 - Hexagon socket head cap sc..	476246 80	100	1,98 kg	6 mm	80 mm	10	6	5.72 mm	24 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 6X80/80 - Hexagon socket head cap..	476246 80/80	100	1,98 kg	6 mm	80 mm	10	6		80 mm
ISO 4762 A4-70 M 6X85 - Hexagon socket head cap sc..	476246 85	100	2,09 kg	6 mm	85 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X90 - Hexagon socket head cap sc..	476246 90	100	2,20 kg	6 mm	90 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 6X90/90 - Hexagon socket head cap..	476246 90/90	100	2,20 kg	6 mm	90 mm	10	6		90 mm
ISO 4762 A4-70 M 6X95 - Hexagon socket head cap sc..	476246 95	100	2,31 kg	6 mm	95 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-70 M 8X10 - Hexagon socket head cap sc..	476248 10	500	1,03 kg	8 mm	10 mm	13	8		10 mm
ISO 4762 A4-70 M 8X100 - Hexagon socket head cap s..	476248 100	50	4,50 kg	8 mm	100 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X100/100 - Hexagon socket head c..	476248 100/100	50	4,51 kg	8 mm	100 mm	13	8		100 mm
ISO 4762 A4-70 M 8X110 - Hexagon socket head cap s..	476248 110	50	4,90 kg	8 mm	110 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X12 - Hexagon socket head cap sc..	476248 12	500	1,09 kg	8 mm	12 mm	13	8		12 mm
ISO 4762 A4-70 M 8X120 - Hexagon socket head cap s..	476248 120	50	5,30 kg	8 mm	120 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X120/120 - Hexagon socket head c..	476248 120/120	50	5,30 kg	8 mm	120 mm	13	8		120 mm
ISO 4762 A4-70 M 8X130 - Hexagon socket head cap s..	476248 130	50	5,70 kg	8 mm	130 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X14 - Hexagon socket head cap sc..	476248 14	200	1,15 kg	8 mm	14 mm	13	8		14 mm
ISO 4762 A4-70 M 8X140 - Hexagon socket head cap s..	476248 140	50	6,10 kg	8 mm	140 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X150 - Hexagon socket head cap s..	476248 150	50	6,50 kg	8 mm	150 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X16 - Hexagon socket head cap sc..	476248 16	200	1,21 kg	8 mm	16 mm	13	8		16 mm
ISO 4762 A4-70 M 8X160 - Hexagon socket head cap s..	476248 160	50	6,90 kg	8 mm	160 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X170 - Hexagon socket head cap s..	476248 170	25	7,30 kg	8 mm	170 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X18 - Hexagon socket head cap sc..	476248 18	200	1,28 kg	8 mm	18 mm	13	8		18 mm
ISO 4762 A4-70 M 8X180 - Hexagon socket head cap s..	476248 180	25	7,70 kg	8 mm	180 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X190 - Hexagon socket head cap s..	476248 190	25	8,10 kg	8 mm	190 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X20 - Hexagon socket head cap sc..	476248 20	200	1,34 kg	8 mm	20 mm	13	8		20 mm
ISO 4762 A4-70 M 8X200 - Hexagon socket head cap s..	476248 200	25	8,50 kg	8 mm	200 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X210 - Hexagon socket head cap s..	476248 210	25	8,90 kg	8 mm	210 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X22 - Hexagon socket head cap sc..	476248 22	200	1,42 kg	8 mm	22 mm	13	8		22 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 8X220 - Hexagon socket head cap s..	476248 220	25	9,30 kg	8 mm	220 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X230 - Hexagon socket head cap s..	476248 230	25	9,70 kg	8 mm	230 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X240 - Hexagon socket head cap s..	476248 240	25	10,10 kg	8 mm	240 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X25 - Hexagon socket head cap sc..	476248 25	100	1,50 kg	8 mm	25 mm	13	8		25 mm
ISO 4762 A4-70 M 8X250 - Hexagon socket head cap s..	476248 250	25	10,50 kg	8 mm	250 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X260 - Hexagon socket head cap s..	476248 260	25	10,90 kg	8 mm	260 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X270 - Hexagon socket head cap s..	476248 270	25	11,30 kg	8 mm	270 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X280 - Hexagon socket head cap s..	476248 280	25	11,70 kg	8 mm	280 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X290 - Hexagon socket head cap s..	476248 290	25	12,10 kg	8 mm	290 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X30 - Hexagon socket head cap sc..	476248 30	100	1,69 kg	8 mm	30 mm	13	8		30 mm
ISO 4762 A4-70 M 8X300 - Hexagon socket head cap s..	476248 300	25	12,50 kg	8 mm	300 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X35 - Hexagon socket head cap sc..	476248 35	100	1,89 kg	8 mm	35 mm	13	8		35 mm
ISO 4762 A4-70 M 8X40 - Hexagon socket head cap sc..	476248 40	100	2,09 kg	8 mm	40 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X40/40 - Hexagon socket head cap..	476248 40/40	100	2,09 kg	8 mm	40 mm	13	8		40 mm
ISO 4762 A4-70 M 8X45 - Hexagon socket head cap sc..	476248 45	100	2,29 kg	8 mm	45 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X45/45 - Hexagon socket head cap..	476248 45/45	100	2,29 kg	8 mm	45 mm	13	8		45 mm
ISO 4762 A4-70 M 8X50 - Hexagon socket head cap sc..	476248 50	100	2,49 kg	8 mm	50 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X50/50 - Hexagon socket head cap..	476248 50/50	100	2,49 kg	8 mm	50 mm	13	8		50 mm
ISO 4762 A4-70 M 8X55 - Hexagon socket head cap sc..	476248 55	100	2,69 kg	8 mm	55 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X55/55 - Hexagon socket head cap..	476248 55/55	100	2,69 kg	8 mm	55 mm	13	8		55 mm
ISO 4762 A4-70 M 8X60 - Hexagon socket head cap sc..	476248 60	100	2,89 kg	8 mm	60 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X60/60 - Hexagon socket head cap..	476248 60/60	100	2,89 kg	8 mm	60 mm	13	8		60 mm
ISO 4762 A4-70 M 8X65 - Hexagon socket head cap sc..	476248 65	100	3,10 kg	8 mm	65 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X70 - Hexagon socket head cap sc..	476248 70	50	3,30 kg	8 mm	70 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X70/70 - Hexagon socket head cap..	476248 70/70	100	3,30 kg	8 mm	70 mm	13	8		70 mm
ISO 4762 A4-70 M 8X75 - Hexagon socket head cap sc..	476248 75	100	3,50 kg	8 mm	75 mm	13	8	6.86 mm	28 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-70 M 8X8 - Hexagon socket head cap scr..	476248 8	500	0,97 kg	8 mm	8 mm	13	8		8 mm
ISO 4762 A4-70 M 8X80 - Hexagon socket head cap sc..	476248 80	100	3,70 kg	8 mm	80 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X80/80 - Hexagon socket head cap..	476248 80/80	100	3,70 kg	8 mm	80 mm	13	8		80 mm
ISO 4762 A4-70 M 8X85 - Hexagon socket head cap sc..	476248 85	100	3,90 kg	8 mm	85 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X90 - Hexagon socket head cap sc..	476248 90	50	4,10 kg	8 mm	90 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-70 M 8X90/90 - Hexagon socket head cap..	476248 90/90	100	4,10 kg	8 mm	90 mm	13	8		90 mm
ISO 4762 A4-70 M 8X95 - Hexagon socket head cap sc..	476248 95	100	4,30 kg	8 mm	95 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 10X100 - Hexagon socket head cap ..	476248010 100	50	7,12 kg	10 mm	100 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X110 - Hexagon socket head cap ..	476248010 110	50	7,77 kg	10 mm	110 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X12 - Hexagon socket head cap s..	476248010 12	100	2,00 kg	10 mm	12 mm	16	10		12 mm
ISO 4762 A4-80 M 10X120 - Hexagon socket head cap ..	476248010 120	50	8,41 kg	10 mm	120 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X130 - Hexagon socket head cap ..	476248010 130	50	9,05 kg	10 mm	130 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X14 - Hexagon socket head cap s..	476248010 14	100	2,04 kg	10 mm	14 mm	16	10		14 mm
ISO 4762 A4-80 M 10X140 - Hexagon socket head cap ..	476248010 140	50	9,69 kg	10 mm	140 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X150 - Hexagon socket head cap ..	476248010 150	50	10,33 kg	10 mm	150 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X16 - Hexagon socket head cap s..	476248010 16	100	2,09 kg	10 mm	16 mm	16	10		16 mm
ISO 4762 A4-80 M 10X160 - Hexagon socket head cap ..	476248010 160	50	10,97 kg	10 mm	160 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X170 - Hexagon socket head cap ..	476248010 170	25	11,61 kg	10 mm	170 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X18 - Hexagon socket head cap s..	476248010 18	100	2,19 kg	10 mm	18 mm	16	10		18 mm
ISO 4762 A4-80 M 10X180 - Hexagon socket head cap ..	476248010 180	25	12,25 kg	10 mm	180 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X190 - Hexagon socket head cap ..	476248010 190	25	12,89 kg	10 mm	190 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X20 - Hexagon socket head cap s..	476248010 20	100	2,29 kg	10 mm	20 mm	16	10		20 mm
ISO 4762 A4-80 M 10X200 - Hexagon socket head cap ..	476248010 200	25	13,53 kg	10 mm	200 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X22 - Hexagon socket head cap s..	476248010 22	100	2,39 kg	10 mm	22 mm	16	10		22 mm
ISO 4762 A4-80 M 10X25 - Hexagon socket head cap s..	476248010 25	100	2,54 kg	10 mm	25 mm	16	10		25 mm
ISO 4762 A4-80 M 10X30 - Hexagon socket head cap s..	476248010 30	100	2,79 kg	10 mm	30 mm	16	10		30 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-80 M 10X35 - Hexagon socket head cap s..	476248010 35	100	3,04 kg	10 mm	35 mm	16	10		35 mm
ISO 4762 A4-80 M 10X40 - Hexagon socket head cap s..	476248010 40	100	3,29 kg	10 mm	40 mm	16	10		40 mm
ISO 4762 A4-80 M 10X45 - Hexagon socket head cap s..	476248010 45	100	3,61 kg	10 mm	45 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X50 - Hexagon socket head cap s..	476248010 50	50	3,93 kg	10 mm	50 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X55 - Hexagon socket head cap s..	476248010 55	50	4,25 kg	10 mm	55 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X60 - Hexagon socket head cap s..	476248010 60	50	4,57 kg	10 mm	60 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X65 - Hexagon socket head cap s..	476248010 65	50	4,89 kg	10 mm	65 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X70 - Hexagon socket head cap s..	476248010 70	50	5,21 kg	10 mm	70 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X75 - Hexagon socket head cap s..	476248010 75	50	5,53 kg	10 mm	75 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X80 - Hexagon socket head cap s..	476248010 80	50	5,85 kg	10 mm	80 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 10X90 - Hexagon socket head cap s..	476248010 90	50	6,49 kg	10 mm	90 mm	16	10	9.15 mm	32 mm
ISO 4762 A4-80 M 12X100 - Hexagon socket head cap ..	476248012 100	25	9,80 kg	12 mm	100 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X110 - Hexagon socket head cap ..	476248012 110	25	10,70 kg	12 mm	110 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X120 - Hexagon socket head cap ..	476248012 120	25	11,60 kg	12 mm	120 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X130 - Hexagon socket head cap ..	476248012 130	25	12,50 kg	12 mm	130 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X140 - Hexagon socket head cap ..	476248012 140	25	13,40 kg	12 mm	140 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X150 - Hexagon socket head cap ..	476248012 150	25	14,30 kg	12 mm	150 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X16 - Hexagon socket head cap s..	476248012 16	50	2,93 kg	12 mm	16 mm	18	12		16 mm
ISO 4762 A4-80 M 12X160 - Hexagon socket head cap ..	476248012 160	25	15,20 kg	12 mm	160 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X170 - Hexagon socket head cap ..	476248012 170	25	16,10 kg	12 mm	170 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X18 - Hexagon socket head cap s..	476248012 18	50	3,07 kg	12 mm	18 mm	18	12		18 mm
ISO 4762 A4-80 M 12X180 - Hexagon socket head cap ..	476248012 180	25	17,00 kg	12 mm	180 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X190 - Hexagon socket head cap ..	476248012 190	25	17,90 kg	12 mm	190 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X20 - Hexagon socket head cap s..	476248012 20	50	3,21 kg	12 mm	20 mm	18	12		20 mm
ISO 4762 A4-80 M 12X200 - Hexagon socket head cap ..	476248012 200	25	18,80 kg	12 mm	200 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X22 - Hexagon socket head cap s..	476248012 22	50	3,35 kg	12 mm	22 mm	18	12		22 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-80 M 12X25 - Hexagon socket head cap s..	476248012 25	50	3,57 kg	12 mm	25 mm	18	12		25 mm
ISO 4762 A4-80 M 12X30 - Hexagon socket head cap s..	476248012 30	50	3,93 kg	12 mm	30 mm	18	12		30 mm
ISO 4762 A4-80 M 12X35 - Hexagon socket head cap s..	476248012 35	50	4,29 kg	12 mm	35 mm	18	12		35 mm
ISO 4762 A4-80 M 12X40 - Hexagon socket head cap s..	476248012 40	50	4,65 kg	12 mm	40 mm	18	12		40 mm
ISO 4762 A4-80 M 12X45 - Hexagon socket head cap s..	476248012 45	50	5,01 kg	12 mm	45 mm	18	12		45 mm
ISO 4762 A4-80 M 12X50 - Hexagon socket head cap s..	476248012 50	50	5,45 kg	12 mm	50 mm	18	12		50 mm
ISO 4762 A4-80 M 12X55 - Hexagon socket head cap s..	476248012 55	50	5,89 kg	12 mm	55 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X60 - Hexagon socket head cap s..	476248012 60	50	6,34 kg	12 mm	60 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X65 - Hexagon socket head cap s..	476248012 65	50	6,78 kg	12 mm	65 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X70 - Hexagon socket head cap s..	476248012 70	50	7,13 kg	12 mm	70 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X75 - Hexagon socket head cap s..	476248012 75	25	7,58 kg	12 mm	75 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X80 - Hexagon socket head cap s..	476248012 80	25	8,02 kg	12 mm	80 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 12X90 - Hexagon socket head cap s..	476248012 90	25	8,91 kg	12 mm	90 mm	18	12	11.43 mm	36 mm
ISO 4762 A4-80 M 14X100 - Hexagon socket head cap ..	476248014 100	50	13,20 kg	14 mm	100 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X110 - Hexagon socket head cap ..	476248014 110	25	14,40 kg	14 mm	110 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X120 - Hexagon socket head cap ..	476248014 120	25	15,60 kg	14 mm	120 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X130 - Hexagon socket head cap ..	476248014 130	25	16,80 kg	14 mm	130 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X140 - Hexagon socket head cap ..	476248014 140	25	18,00 kg	14 mm	140 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X150 - Hexagon socket head cap ..	476248014 150	25	19,20 kg	14 mm	150 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X20 - Hexagon socket head cap s..	476248014 20	50	4,30 kg	14 mm	20 mm	21	14		20 mm
ISO 4762 A4-80 M 14X25 - Hexagon socket head cap s..	476248014 25	50	4,80 kg	14 mm	25 mm	21	14		25 mm
ISO 4762 A4-80 M 14X30 - Hexagon socket head cap s..	476248014 30	50	5,30 kg	14 mm	30 mm	21	14		30 mm
ISO 4762 A4-80 M 14X35 - Hexagon socket head cap s..	476248014 35	50	5,80 kg	14 mm	35 mm	21	14		35 mm
ISO 4762 A4-80 M 14X40 - Hexagon socket head cap s..	476248014 40	50	6,30 kg	14 mm	40 mm	21	14		40 mm
ISO 4762 A4-80 M 14X45 - Hexagon socket head cap s..	476248014 45	50	6,80 kg	14 mm	45 mm	21	14		45 mm
ISO 4762 A4-80 M 14X50 - Hexagon socket head cap s..	476248014 50	50	7,30 kg	14 mm	50 mm	21	14		50 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-80 M 14X55 - Hexagon socket head cap s..	476248014 55	50	7,80 kg	14 mm	55 mm	21	14		55 mm
ISO 4762 A4-80 M 14X60 - Hexagon socket head cap s..	476248014 60	50	8,40 kg	14 mm	60 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X65 - Hexagon socket head cap s..	476248014 65	50	9,00 kg	14 mm	65 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X70 - Hexagon socket head cap s..	476248014 70	50	9,60 kg	14 mm	70 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X75 - Hexagon socket head cap s..	476248014 75	50	10,20 kg	14 mm	75 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X80 - Hexagon socket head cap s..	476248014 80	50	10,80 kg	14 mm	80 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 14X90 - Hexagon socket head cap s..	476248014 90	50	12,00 kg	14 mm	90 mm	21	14	13.72 mm	40 mm
ISO 4762 A4-80 M 16X100 - Hexagon socket head cap ..	476248016 100	25	18,60 kg	16 mm	100 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 16X110 - Hexagon socket head cap ..	476248016 110	25	20,20 kg	16 mm	110 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 16X120 - Hexagon socket head cap ..	476248016 120	25	21,80 kg	16 mm	120 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 16X130 - Hexagon socket head cap ..	476248016 130	25	23,40 kg	16 mm	130 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 16X140 - Hexagon socket head cap ..	476248016 140	25	25,00 kg	16 mm	140 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 16X150 - Hexagon socket head cap ..	476248016 150	25	26,60 kg	16 mm	150 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 16X20 - Hexagon socket head cap s..	476248016 20	25	6,48 kg	16 mm	20 mm	24	16		20 mm
ISO 4762 A4-80 M 16X25 - Hexagon socket head cap s..	476248016 25	25	7,13 kg	16 mm	25 mm	24	16		25 mm
ISO 4762 A4-80 M 16X30 - Hexagon socket head cap s..	476248016 30	25	7,78 kg	16 mm	30 mm	24	16		30 mm
ISO 4762 A4-80 M 16X35 - Hexagon socket head cap s..	476248016 35	25	8,44 kg	16 mm	35 mm	24	16		35 mm
ISO 4762 A4-80 M 16X40 - Hexagon socket head cap s..	476248016 40	25	9,10 kg	16 mm	40 mm	24	16		40 mm
ISO 4762 A4-80 M 16X45 - Hexagon socket head cap s..	476248016 45	25	9,76 kg	16 mm	45 mm	24	16		45 mm
ISO 4762 A4-80 M 16X50 - Hexagon socket head cap s..	476248016 50	25	10,60 kg	16 mm	50 mm	24	16		50 mm
ISO 4762 A4-80 M 16X55 - Hexagon socket head cap s..	476248016 55	25	11,40 kg	16 mm	55 mm	24	16		55 mm
ISO 4762 A4-80 M 16X60 - Hexagon socket head cap s..	476248016 60	25	12,20 kg	16 mm	60 mm	24	16		60 mm
ISO 4762 A4-80 M 16X65 - Hexagon socket head cap s..	476248016 65	25	13,00 kg	16 mm	65 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 16X70 - Hexagon socket head cap s..	476248016 70	25	13,80 kg	16 mm	70 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 16X75 - Hexagon socket head cap s..	476248016 75	25	14,60 kg	16 mm	75 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 16X80 - Hexagon socket head cap s..	476248016 80	25	15,40 kg	16 mm	80 mm	24	16	16 mm	44 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-80 M 16X90 - Hexagon socket head cap s..	476248016 90	25	17,00 kg	16 mm	90 mm	24	16	16 mm	44 mm
ISO 4762 A4-80 M 20X100 - Hexagon socket head cap ..	476248020 100	25	29,10 kg	20 mm	100 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-80 M 20X110 - Hexagon socket head cap ..	476248020 110	25	31,60 kg	20 mm	110 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-80 M 20X120 - Hexagon socket head cap ..	476248020 120	25	34,10 kg	20 mm	120 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-80 M 20X130 - Hexagon socket head cap ..	476248020 130	25	36,60 kg	20 mm	130 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-80 M 20X140 - Hexagon socket head cap ..	476248020 140	25	39,10 kg	20 mm	140 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-80 M 20X150 - Hexagon socket head cap ..	476248020 150	25	41,60 kg	20 mm	150 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-80 M 20X30 - Hexagon socket head cap s..	476248020 30	25	12,80 kg	20 mm	30 mm	30	20		30 mm
ISO 4762 A4-80 M 20X35 - Hexagon socket head cap s..	476248020 35	25	13,90 kg	20 mm	35 mm	30	20		35 mm
ISO 4762 A4-80 M 20X40 - Hexagon socket head cap s..	476248020 40	25	15,00 kg	20 mm	40 mm	30	20		40 mm
ISO 4762 A4-80 M 20X45 - Hexagon socket head cap s..	476248020 45	25	16,10 kg	20 mm	45 mm	30	20		45 mm
ISO 4762 A4-80 M 20X50 - Hexagon socket head cap s..	476248020 50	25	17,20 kg	20 mm	50 mm	30	20		50 mm
ISO 4762 A4-80 M 20X55 - Hexagon socket head cap s..	476248020 55	25	18,30 kg	20 mm	55 mm	30	20		55 mm
ISO 4762 A4-80 M 20X60 - Hexagon socket head cap s..	476248020 60	25	19,40 kg	20 mm	60 mm	30	20		60 mm
ISO 4762 A4-80 M 20X65 - Hexagon socket head cap s..	476248020 65	25	20,50 kg	20 mm	65 mm	30	20		65 mm
ISO 4762 A4-80 M 20X70 - Hexagon socket head cap s..	476248020 70	25	21,60 kg	20 mm	70 mm	30	20		70 mm
ISO 4762 A4-80 M 20X75 - Hexagon socket head cap s..	476248020 75	25	22,90 kg	20 mm	75 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-80 M 20X80 - Hexagon socket head cap s..	476248020 80	25	24,10 kg	20 mm	80 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-80 M 20X90 - Hexagon socket head cap s..	476248020 90	25	26,60 kg	20 mm	90 mm	30	20	19.44 mm	52 mm
ISO 4762 A4-80 M 24X100 - Hexagon socket head cap ..	476248024 100	10	47,10 kg	24 mm	100 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-80 M 24X110 - Hexagon socket head cap ..	476248024 110	10	50,70 kg	24 mm	110 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-80 M 24X120 - Hexagon socket head cap ..	476248024 120	10	54,30 kg	24 mm	120 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-80 M 24X130 - Hexagon socket head cap ..	476248024 130	10	57,90 kg	24 mm	130 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-80 M 24X140 - Hexagon socket head cap ..	476248024 140	10	61,50 kg	24 mm	140 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-80 M 24X150 - Hexagon socket head cap ..	476248024 150	10	65,10 kg	24 mm	150 mm	36	24	21.73 mm	60 mm
ISO 4762 A4-80 M 24X40 - Hexagon socket head cap s..	476248024 40	10	27,00 kg	24 mm	40 mm	36	24		40 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-80 M 24X45 - Hexagon socket head cap s..	476248024 45	10	28,50 kg	24 mm	45 mm	36	24		45 mm
ISO 4762 A4-80 M 24X50 - Hexagon socket head cap s..	476248024 50	10	30,00 kg	24 mm	50 mm	36	24		50 mm
ISO 4762 A4-80 M 24X55 - Hexagon socket head cap s..	476248024 55	10	31,60 kg	24 mm	55 mm	36	24		55 mm
ISO 4762 A4-80 M 24X60 - Hexagon socket head cap s..	476248024 60	10	33,00 kg	24 mm	60 mm	36	24		60 mm
ISO 4762 A4-80 M 24X65 - Hexagon socket head cap s..	476248024 65	10	34,50 kg	24 mm	65 mm	36	24		65 mm
ISO 4762 A4-80 M 24X70 - Hexagon socket head cap s..	476248024 70	10	36,30 kg	24 mm	70 mm	36	24		70 mm
ISO 4762 A4-80 M 24X75 - Hexagon socket head cap s..	476248024 75	10	38,10 kg	24 mm	75 mm	36	24		75 mm
ISO 4762 A4-80 M 24X80 - Hexagon socket head cap s..	476248024 80	10	39,90 kg	24 mm	80 mm	36	24		80 mm
ISO 4762 A4-80 M 24X90 - Hexagon socket head cap s..	476248024 90	10	43,50 kg	24 mm	90 mm	36	24		60 mm
ISO 4762 A4-80 M 4X10 - Hexagon socket head cap sc..	47624804 10	1000	0,18 kg	4 mm	10 mm	7	4		10 mm
ISO 4762 A4-80 M 4X12 - Hexagon socket head cap sc..	47624804 12	1000	0,20 kg	4 mm	12 mm	7	4		12 mm
ISO 4762 A4-80 M 4X14 - Hexagon socket head cap sc..	47624804 14	1000	0,21 kg	4 mm	14 mm	7	4		14 mm
ISO 4762 A4-80 M 4X16 - Hexagon socket head cap sc..	47624804 16	1000	0,23 kg	4 mm	16 mm	7	4		16 mm
ISO 4762 A4-80 M 4X18 - Hexagon socket head cap sc..	47624804 18	1000	0,25 kg	4 mm	18 mm	7	4		18 mm
ISO 4762 A4-80 M 4X20 - Hexagon socket head cap sc..	47624804 20	500	0,27 kg	4 mm	20 mm	7	4		20 mm
ISO 4762 A4-80 M 4X22 - Hexagon socket head cap sc..	47624804 22	500	0,29 kg	4 mm	22 mm	7	4		22 mm
ISO 4762 A4-80 M 4X25 - Hexagon socket head cap sc..	47624804 25	500	0,32 kg	4 mm	25 mm	7	4		25 mm
ISO 4762 A4-80 M 4X30 - Hexagon socket head cap sc..	47624804 30	500	0,37 kg	4 mm	30 mm	7	4	3.44 mm	20 mm
ISO 4762 A4-80 M 4X35 - Hexagon socket head cap sc..	47624804 35	200	0,42 kg	4 mm	35 mm	7	4	3.44 mm	20 mm
ISO 4762 A4-80 M 4X4 - Hexagon socket head cap scr..	47624804 4	1000	0,13 kg	4 mm	4 mm	7	4		4 mm
ISO 4762 A4-80 M 4X40 - Hexagon socket head cap sc..	47624804 40	200	0,47 kg	4 mm	40 mm	7	4	3.44 mm	20 mm
ISO 4762 A4-80 M 4X45 - Hexagon socket head cap sc..	47624804 45	200	0,52 kg	4 mm	45 mm	7	4	3.44 mm	20 mm
ISO 4762 A4-80 M 4X5 - Hexagon socket head cap scr..	47624804 5	1000	0,15 kg	4 mm	5 mm	7	4		5 mm
ISO 4762 A4-80 M 4X50 - Hexagon socket head cap sc..	47624804 50	200	0,57 kg	4 mm	50 mm	7	4	3.44 mm	20 mm
ISO 4762 A4-80 M 4X55 - Hexagon socket head cap sc..	47624804 55	200	0,62 kg	4 mm	55 mm	7	4	3.44 mm	20 mm
ISO 4762 A4-80 M 4X6 - Hexagon socket head cap scr..	47624804 6	1000	0,14 kg	4 mm	6 mm	7	4		6 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-80 M 4X60 - Hexagon socket head cap sc..	47624804 60	100	0,67 kg	4 mm	60 mm	7	4	3.44 mm	20 mm
ISO 4762 A4-80 M 4X8 - Hexagon socket head cap scr..	47624804 8	1000	0,16 kg	4 mm	8 mm	7	4		8 mm
ISO 4762 A4-80 M 5X10 - Hexagon socket head cap sc..	47624805 10	500	0,27 kg	5 mm	10 mm	8.5	5		10 mm
ISO 4762 A4-80 M 5X12 - Hexagon socket head cap sc..	47624805 12	500	0,30 kg	5 mm	12 mm	8.5	5		12 mm
ISO 4762 A4-80 M 5X14 - Hexagon socket head cap sc..	47624805 14	500	0,32 kg	5 mm	14 mm	8.5	5		14 mm
ISO 4762 A4-80 M 5X16 - Hexagon socket head cap sc..	47624805 16	500	0,34 kg	5 mm	16 mm	8.5	5		16 mm
ISO 4762 A4-80 M 5X18 - Hexagon socket head cap sc..	47624805 18	500	0,37 kg	5 mm	18 mm	8.5	5		18 mm
ISO 4762 A4-80 M 5X20 - Hexagon socket head cap sc..	47624805 20	500	0,40 kg	5 mm	20 mm	8.5	5		20 mm
ISO 4762 A4-80 M 5X22 - Hexagon socket head cap sc..	47624805 22	500	0,43 kg	5 mm	22 mm	8.5	5		22 mm
ISO 4762 A4-80 M 5X25 - Hexagon socket head cap sc..	47624805 25	200	0,48 kg	5 mm	25 mm	8.5	5		25 mm
ISO 4762 A4-80 M 5X30 - Hexagon socket head cap sc..	47624805 30	200	0,56 kg	5 mm	30 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X35 - Hexagon socket head cap sc..	47624805 35	200	0,63 kg	5 mm	35 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X40 - Hexagon socket head cap sc..	47624805 40	200	0,70 kg	5 mm	40 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X45 - Hexagon socket head cap sc..	47624805 45	200	0,79 kg	5 mm	45 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X5 - Hexagon socket head cap scr..	47624805 5	500	0,19 kg	5 mm	5 mm	8.5	5		5 mm
ISO 4762 A4-80 M 5X50 - Hexagon socket head cap sc..	47624805 50	200	0,86 kg	5 mm	50 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X55 - Hexagon socket head cap sc..	47624805 55	200	0,93 kg	5 mm	55 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X6 - Hexagon socket head cap scr..	47624805 6	500	0,21 kg	5 mm	6 mm	8.5	5		6 mm
ISO 4762 A4-80 M 5X60 - Hexagon socket head cap sc..	47624805 60	100	1,00 kg	5 mm	60 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X65 - Hexagon socket head cap sc..	47624805 65	100	1,07 kg	5 mm	65 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X70 - Hexagon socket head cap sc..	47624805 70	100	1,14 kg	5 mm	70 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X75 - Hexagon socket head cap sc..	47624805 75	100	1,21 kg	5 mm	75 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 5X8 - Hexagon socket head cap scr..	47624805 8	500	0,24 kg	5 mm	8 mm	8.5	5		8 mm
ISO 4762 A4-80 M 5X80 - Hexagon socket head cap sc..	47624805 80	100	1,28 kg	5 mm	80 mm	8.5	5	4.58 mm	22 mm
ISO 4762 A4-80 M 6X10 - Hexagon socket head cap sc..	47624806 10	500	0,47 kg	6 mm	10 mm	10	6		10 mm
ISO 4762 A4-80 M 6X100 - Hexagon socket head cap s..	47624806 100	100	2,42 kg	6 mm	100 mm	10	6	5.72 mm	24 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-80 M 6X110 - Hexagon socket head cap s..	47624806 110	100	2,64 kg	6 mm	110 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X12 - Hexagon socket head cap sc..	47624806 12	500	0,50 kg	6 mm	12 mm	10	6		12 mm
ISO 4762 A4-80 M 6X120 - Hexagon socket head cap s..	47624806 120	100	2,86 kg	6 mm	120 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X130 - Hexagon socket head cap s..	47624806 130	100	3,08 kg	6 mm	130 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X14 - Hexagon socket head cap sc..	47624806 14	200	0,54 kg	6 mm	14 mm	10	6		14 mm
ISO 4762 A4-80 M 6X140 - Hexagon socket head cap s..	47624806 140	100	3,30 kg	6 mm	140 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X150 - Hexagon socket head cap s..	47624806 150	100	3,52 kg	6 mm	150 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X16 - Hexagon socket head cap sc..	47624806 16	200	0,57 kg	6 mm	16 mm	10	6		16 mm
ISO 4762 A4-80 M 6X18 - Hexagon socket head cap sc..	47624806 18	200	0,61 kg	6 mm	18 mm	10	6		18 mm
ISO 4762 A4-80 M 6X20 - Hexagon socket head cap sc..	47624806 20	200	0,65 kg	6 mm	20 mm	10	6		20 mm
ISO 4762 A4-80 M 6X22 - Hexagon socket head cap sc..	47624806 22	200	0,71 kg	6 mm	22 mm	10	6		22 mm
ISO 4762 A4-80 M 6X25 - Hexagon socket head cap sc..	47624806 25	200	0,76 kg	6 mm	25 mm	10	6		25 mm
ISO 4762 A4-80 M 6X30 - Hexagon socket head cap sc..	47624806 30	200	0,87 kg	6 mm	30 mm	10	6		30 mm
ISO 4762 A4-80 M 6X35 - Hexagon socket head cap sc..	47624806 35	200	0,99 kg	6 mm	35 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X40 - Hexagon socket head cap sc..	47624806 40	200	1,10 kg	6 mm	40 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X45 - Hexagon socket head cap sc..	47624806 45	100	1,21 kg	6 mm	45 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X50 - Hexagon socket head cap sc..	47624806 50	100	1,32 kg	6 mm	50 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X55 - Hexagon socket head cap sc..	47624806 55	100	1,43 kg	6 mm	55 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X6 - Hexagon socket head cap scr..	47624806 6	500	0,41 kg	6 mm	6 mm	10	6		6 mm
ISO 4762 A4-80 M 6X60 - Hexagon socket head cap sc..	47624806 60	100	1,54 kg	6 mm	60 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X65 - Hexagon socket head cap sc..	47624806 65	100	1,65 kg	6 mm	65 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X70 - Hexagon socket head cap sc..	47624806 70	100	1,76 kg	6 mm	70 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X75 - Hexagon socket head cap sc..	47624806 75	100	1,87 kg	6 mm	75 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X8 - Hexagon socket head cap scr..	47624806 8	500	0,44 kg	6 mm	8 mm	10	6		8 mm
ISO 4762 A4-80 M 6X80 - Hexagon socket head cap sc..	47624806 80	100	1,98 kg	6 mm	80 mm	10	6	5.72 mm	24 mm
ISO 4762 A4-80 M 6X90 - Hexagon socket head cap sc..	47624806 90	100	2,20 kg	6 mm	90 mm	10	6	5.72 mm	24 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-80 M 8X10 - Hexagon socket head cap sc..	47624808 10	500	1,03 kg	8 mm	10 mm	13	8		10 mm
ISO 4762 A4-80 M 8X100 - Hexagon socket head cap s..	47624808 100	50	4,50 kg	8 mm	100 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X110 - Hexagon socket head cap s..	47624808 110	50	4,90 kg	8 mm	110 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X12 - Hexagon socket head cap sc..	47624808 12	500	1,09 kg	8 mm	12 mm	13	8		12 mm
ISO 4762 A4-80 M 8X120 - Hexagon socket head cap s..	47624808 120	50	5,30 kg	8 mm	120 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X130 - Hexagon socket head cap s..	47624808 130	50	5,70 kg	8 mm	130 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X14 - Hexagon socket head cap sc..	47624808 14	200	1,15 kg	8 mm	14 mm	13	8		14 mm
ISO 4762 A4-80 M 8X140 - Hexagon socket head cap s..	47624808 140	50	6,10 kg	8 mm	140 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X150 - Hexagon socket head cap s..	47624808 150	50	6,50 kg	8 mm	150 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X16 - Hexagon socket head cap sc..	47624808 16	200	1,21 kg	8 mm	16 mm	13	8		16 mm
ISO 4762 A4-80 M 8X160 - Hexagon socket head cap s..	47624808 160	50	6,90 kg	8 mm	160 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X170 - Hexagon socket head cap s..	47624808 170	25	7,30 kg	8 mm	170 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X18 - Hexagon socket head cap sc..	47624808 18	200	1,28 kg	8 mm	18 mm	13	8		18 mm
ISO 4762 A4-80 M 8X180 - Hexagon socket head cap s..	47624808 180	25	7,70 kg	8 mm	180 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X190 - Hexagon socket head cap s..	47624808 190	25	8,10 kg	8 mm	190 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X20 - Hexagon socket head cap sc..	47624808 20	200	1,34 kg	8 mm	20 mm	13	8		20 mm
ISO 4762 A4-80 M 8X200 - Hexagon socket head cap s..	47624808 200	25	8,50 kg	8 mm	200 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X22 - Hexagon socket head cap sc..	47624808 22	200	1,42 kg	8 mm	22 mm	13	8		22 mm
ISO 4762 A4-80 M 8X25 - Hexagon socket head cap sc..	47624808 25	100	1,50 kg	8 mm	25 mm	13	8		25 mm
ISO 4762 A4-80 M 8X30 - Hexagon socket head cap sc..	47624808 30	100	1,69 kg	8 mm	30 mm	13	8		30 mm
ISO 4762 A4-80 M 8X35 - Hexagon socket head cap sc..	47624808 35	100	1,89 kg	8 mm	35 mm	13	8		35 mm
ISO 4762 A4-80 M 8X40 - Hexagon socket head cap sc..	47624808 40	100	2,09 kg	8 mm	40 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X45 - Hexagon socket head cap sc..	47624808 45	100	2,29 kg	8 mm	45 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X50 - Hexagon socket head cap sc..	47624808 50	100	2,49 kg	8 mm	50 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X55 - Hexagon socket head cap sc..	47624808 55	100	2,69 kg	8 mm	55 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X60 - Hexagon socket head cap sc..	47624808 60	100	2,89 kg	8 mm	60 mm	13	8	6.86 mm	28 mm

Description	Item No	Unit**	Weight p.	Diame.	Lengt.	Diameter .	Height o.	Corner mea.	Thread .
ISO 4762 A4-80 M 8X65 - Hexagon socket head cap sc..	47624808 65	100	3,10 kg	8 mm	65 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X70 - Hexagon socket head cap sc..	47624808 70	100	3,30 kg	8 mm	70 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X75 - Hexagon socket head cap sc..	47624808 75	100	3,50 kg	8 mm	75 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X8 - Hexagon socket head cap scr..	47624808 8	500	0,97 kg	8 mm	8 mm	13	8		8 mm
ISO 4762 A4-80 M 8X80 - Hexagon socket head cap sc..	47624808 80	50	3,70 kg	8 mm	80 mm	13	8	6.86 mm	28 mm
ISO 4762 A4-80 M 8X90 - Hexagon socket head cap sc..	47624808 90	50	4,10 kg	8 mm	90 mm	13	8	6.86 mm	28 mm