



DIN 6912-İNCE KAFA İMBUS CIVATA

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A2 M 10X12 - İnce başlı imbus	6912210 12	100	1,31 KG	12 mm	16	10 mm	6.5	9.15 mm	4 mm
DIN 6912 A2 M 10X14 - İnce başlı imbus	6912210 14	100	1,43 KG	14 mm	16	10 mm	6.5	9.15 mm	6 mm
DIN 6912 A2 M 10X16 - İnce başlı imbus	6912210 16	100	1,55 KG	16 mm	16	10 mm	6.5	9.15 mm	8 mm
DIN 6912 A2 M 10X18 - İnce başlı imbus	6912210 18	100	1,67 KG	18 mm	16	10 mm	6.5	9.15 mm	10 mm
DIN 6912 A2 M 10X20 - İnce başlı imbus	6912210 20	100	1,79 KG	20 mm	16	10 mm	6.5	9.15 mm	12 mm
DIN 6912 A2 M 10X22 - İnce başlı imbus	6912210 22	100	1,87 KG	22 mm	16	10 mm	6.5	9.15 mm	14 mm
DIN 6912 A2 M 10X25 - İnce başlı imbus	6912210 25	100	2,02 KG	25 mm	16	10 mm	6.5	9.15 mm	17 mm
DIN 6912 A2 M 10X30 - İnce başlı imbus	6912210 30	100	2,20 KG	30 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2 M 10X35 - İnce başlı imbus	6912210 35	100	2,55 KG	35 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2 M 12X16 - İnce başlı imbus	6912212 16	50	2,23 KG	16 mm	18	12 mm	7.5	11.43 mm	6.5 mm
DIN 6912 A2 M 12X18 - İnce başlı imbus	6912212 18	50	2,39 KG	18 mm	18	12 mm	7.5	11.43 mm	8.5 mm
DIN 6912 A2 M 12X20 - İnce başlı imbus	6912212 20	50	2,55 KG	20 mm	18	12 mm	7.5	11.43 mm	10.5 mm
DIN 6912 A2 M 12X22 - İnce başlı imbus	6912212 22	50	2,71 KG	22 mm	18	12 mm	7.5	11.43 mm	12.5 mm
DIN 6912 A2 M 12X25 - İnce başlı imbus	6912212 25	50	2,95 KG	25 mm	18	12 mm	7.5	11.43 mm	15.5 mm
DIN 6912 A2 M 12X30 - İnce başlı imbus	6912212 30	50	3,25 KG	30 mm	18	12 mm	7.5	11.43 mm	20.5 mm
DIN 6912 A2 M 12X35 - İnce başlı imbus	6912212 35	50	3,65 KG	35 mm	18	12 mm	7.5	11.43 mm	25.5 mm
DIN 6912 A2 M 12X40 - İnce başlı imbus	6912212 40	50	4,00 KG	40 mm	18	12 mm	7.5	11.43 mm	30 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A2 M 16X20 - Ince basli imbus	6912216 20	25	5,25 KG	20 mm	24	16 mm	10	16 mm	9 mm
DIN 6912 A2 M 16X25 - Ince basli imbus	6912216 25	25	5,65 KG	25 mm	24	16 mm	10	16 mm	14 mm
DIN 6912 A2 M 16X30 - Ince basli imbus	6912216 30	25	6,30 KG	30 mm	24	16 mm	10	16 mm	19 mm
DIN 6912 A2 M 16X35 - Ince basli imbus	6912216 35	25	6,97 KG	35 mm	24	16 mm	10	16 mm	24 mm
DIN 6912 A2 M 16X40 - Ince basli imbus	6912216 40	25	7,87 KG	40 mm	24	16 mm	10	16 mm	29 mm
DIN 6912 A2 M 16X45 - Ince basli imbus	6912216 45	25	8,50 KG	45 mm	24	16 mm	10	16 mm	34 mm
DIN 6912 A2 M 16X50 - Ince basli imbus	6912216 50	25	9,15 KG	50 mm	24	16 mm	10	16 mm	39 mm
DIN 6912 A2 M 20X30 - Ince basli imbus	6912220 30	25	10,80 KG	30 mm	30	20 mm	12	19.44 mm	16 mm
DIN 6912 A2 M 20X35 - Ince basli imbus	6912220 35	25	11,80 KG	35 mm	30	20 mm	12	19.44 mm	21 mm
DIN 6912 A2 M 20X40 - Ince basli imbus	6912220 40	25	12,80 KG	40 mm	30	20 mm	12	19.44 mm	26 mm
DIN 6912 A2 M 20X45 - Ince basli imbus	6912220 45	25	13,90 KG	45 mm	30	20 mm	12	19.44 mm	31 mm
DIN 6912 A2 M 20X50 - Ince basli imbus	6912220 50	25	15,00 KG	50 mm	30	20 mm	12	19.44 mm	36 mm
DIN 6912 A2 M 20X55 - Ince basli imbus	6912220 55	25	16,10 KG	55 mm	30	20 mm	12	19.44 mm	41 mm
DIN 6912 A2 M 20X60 - Ince basli imbus	6912220 60	25	17,20 KG	60 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A2 M 24X40 - Ince basli imbus	6912224 40	10	19,30 KG	40 mm	36	24 mm	14	21.73 mm	24 mm
DIN 6912 A2 M 24X45 - Ince basli imbus	6912224 45	10	21,00 KG	45 mm	36	24 mm	14	21.73 mm	29 mm
DIN 6912 A2 M 24X50 - Ince basli imbus	6912224 50	10	22,80 KG	50 mm	36	24 mm	14	21.73 mm	35 mm
DIN 6912 A2 M 24X55 - Ince basli imbus	6912224 55	10	24,50 KG	55 mm	36	24 mm	14	21.73 mm	41 mm
DIN 6912 A2 M 24X60 - Ince basli imbus	6912224 60	10	26,30 KG	60 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A2 M 24X65 - Ince basli imbus	6912224 65	10	28,05 KG	65 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A2 M 24X70 - Ince basli imbus	6912224 70	10	29,80 KG	70 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A2 M 24X75 - Ince basli imbus	6912224 75	10	31,55 KG	75 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A2 M 24X80 - Ince basli imbus	6912224 80	10	33,30 KG	80 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A2 M 3X10 - Ince basli imbus	691223 10	1000	0,07 KG	10 mm	5.5	3 mm	2	2.3 mm	10 mm
DIN 6912 A2 M 3X12 - Ince basli imbus	691223 12	1000	0,08 KG	12 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X14 - Ince basli imbus	691223 14	1000	0,09 KG	14 mm	5.5	3 mm	2	2.3 mm	12 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A2 M 3X16 - Ince basli imbus	691223 16	1000	0,10 KG	16 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X18 - Ince basli imbus	691223 18	1000	0,11 KG	18 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X20 - Ince basli imbus	691223 20	1000	0,12 KG	20 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X22 - Ince basli imbus	691223 22	1000	0,13 KG	22 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X25 - Ince basli imbus	691223 25	1000	0,15 KG	25 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X30 - Ince basli imbus	691223 30	1000	0,17 KG	30 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X35 - Ince basli imbus	691223 35	500	0,20 KG	35 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X4 - Ince basli imbus	691223 4	1000	0,05 KG	4 mm	5.5	3 mm	2	2.3 mm	4 mm
DIN 6912 A2 M 3X40 - Ince basli imbus	691223 40	500	0,22 KG	40 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X45 - Ince basli imbus	691223 45	500	0,25 KG	45 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X5 - Ince basli imbus	691223 5	1000	0,05 KG	5 mm	5.5	3 mm	2	2.3 mm	5 mm
DIN 6912 A2 M 3X50 - Ince basli imbus	691223 50	200	0,27 KG	50 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A2 M 3X6 - Ince basli imbus	691223 6	1000	0,05 KG	6 mm	5.5	3 mm	2	2.3 mm	6 mm
DIN 6912 A2 M 3X8 - Ince basli imbus	691223 8	1000	0,06 KG	8 mm	5.5	3 mm	2	2.3 mm	8 mm
DIN 6912 A2 M 4X10 - Ince basli imbus	691224 10	1000	0,13 KG	10 mm	7	4 mm	2.8	3.44 mm	6.5 mm
DIN 6912 A2 M 4X12 - Ince basli imbus	691224 12	1000	0,15 KG	12 mm	7	4 mm	2.8	3.44 mm	8.5 mm
DIN 6912 A2 M 4X14 - Ince basli imbus	691224 14	1000	0,17 KG	14 mm	7	4 mm	2.8	3.44 mm	10.5 mm
DIN 6912 A2 M 4X16 - Ince basli imbus	691224 16	1000	0,19 KG	16 mm	7	4 mm	2.8	3.44 mm	12.5 mm
DIN 6912 A2 M 4X18 - Ince basli imbus	691224 18	1000	0,21 KG	18 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X20 - Ince basli imbus	691224 20	500	0,23 KG	20 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X22 - Ince basli imbus	691224 22	500	0,25 KG	22 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X25 - Ince basli imbus	691224 25	500	0,27 KG	25 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X30 - Ince basli imbus	691224 30	500	0,32 KG	30 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X35 - Ince basli imbus	691224 35	200	0,34 KG	35 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X40 - Ince basli imbus	691224 40	200	0,42 KG	40 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X45 - Ince basli imbus	691224 45	200	0,47 KG	45 mm	7	4 mm	2.8	3.44 mm	14 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A2 M 4X5 - Ince basli imbus	691224 5	1000	0,08 KG	5 mm	7	4 mm	2.8	3.44 mm	5 mm
DIN 6912 A2 M 4X50 - Ince basli imbus	691224 50	200	0,52 KG	50 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X55 - Ince basli imbus	691224 55	200	0,57 KG	55 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X6 - Ince basli imbus	691224 6	1000	0,09 KG	6 mm	7	4 mm	2.8	3.44 mm	6 mm
DIN 6912 A2 M 4X60 - Ince basli imbus	691224 60	100	0,62 KG	60 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A2 M 4X8 - Ince basli imbus	691224 8	1000	0,11 KG	8 mm	7	4 mm	2.8	3.44 mm	8 mm
DIN 6912 A2 M 5X10 - Ince basli imbus	691225 10	500	0,22 KG	10 mm	8.5	5 mm	3.5	4.58 mm	5.8 mm
DIN 6912 A2 M 5X12 - Ince basli imbus	691225 12	500	0,25 KG	12 mm	8.5	5 mm	3.5	4.58 mm	7.8 mm
DIN 6912 A2 M 5X14 - Ince basli imbus	691225 14	500	0,28 KG	14 mm	8.5	5 mm	3.5	4.58 mm	9.8 mm
DIN 6912 A2 M 5X16 - Ince basli imbus	691225 16	500	0,31 KG	16 mm	8.5	5 mm	3.5	4.58 mm	11.8 mm
DIN 6912 A2 M 5X18 - Ince basli imbus	691225 18	500	0,34 KG	18 mm	8.5	5 mm	3.5	4.58 mm	13.8 mm
DIN 6912 A2 M 5X20 - Ince basli imbus	691225 20	500	0,37 KG	20 mm	8.5	5 mm	3.5	4.58 mm	15.8 mm
DIN 6912 A2 M 5X22 - Ince basli imbus	691225 22	500	0,40 KG	22 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2 M 5X6 - Ince basli imbus	691225 6	500	0,16 KG	6 mm	8.5	5 mm	3.5	4.58 mm	6 mm
DIN 6912 A2 M 5X8 - Ince basli imbus	691225 8	500	0,19 KG	8 mm	8.5	5 mm	3.5	4.58 mm	8 mm
DIN 6912 A2 M 6X10 - Ince basli imbus	691226 10	500	0,36 KG	10 mm	10	6 mm	4	5.72 mm	4.5 mm
DIN 6912 A2 M 6X12 - Ince basli imbus	691226 12	500	0,39 KG	12 mm	10	6 mm	4	5.72 mm	6.5 mm
DIN 6912 A2 M 6X14 - Ince basli imbus	691226 14	200	0,42 KG	14 mm	10	6 mm	4	5.72 mm	8.5 mm
DIN 6912 A2 M 6X16 - Ince basli imbus	691226 16	200	0,45 KG	16 mm	10	6 mm	4	5.72 mm	10.5 mm
DIN 6912 A2 M 6X18 - Ince basli imbus	691226 18	200	0,49 KG	18 mm	10	6 mm	4	5.72 mm	12.5 mm
DIN 6912 A2 M 6X20 - Ince basli imbus	691226 20	200	0,52 KG	20 mm	10	6 mm	4	5.72 mm	14.5 mm
DIN 6912 A2 M 6X22 - Ince basli imbus	691226 22	200	0,56 KG	22 mm	10	6 mm	4	5.72 mm	16.5 mm
DIN 6912 A2 M 6X25 - Ince basli imbus	691226 25	200	0,62 KG	25 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2 M 6X8 - Ince basli imbus	691226 8	500	0,33 KG	8 mm	10	6 mm	4	5.72 mm	8 mm
DIN 6912 A2 M 8X10 - Ince basli imbus	691228 10	500	0,66 KG	10 mm	13	8 mm	5	6.86 mm	10 mm
DIN 6912 A2 M 8X12 - Ince basli imbus	691228 12	500	0,77 KG	12 mm	13	8 mm	5	6.86 mm	5 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A2 M 8X14 - Ince basli imbus	691228 14	200	0,83 KG	14 mm	13	8 mm	5	6.86 mm	7 mm
DIN 6912 A2 M 8X16 - Ince basli imbus	691228 16	200	0,88 KG	16 mm	13	8 mm	5	6.86 mm	9 mm
DIN 6912 A2 M 8X18 - Ince basli imbus	691228 18	200	0,95 KG	18 mm	13	8 mm	5	6.86 mm	11 mm
DIN 6912 A2 M 8X20 - Ince basli imbus	691228 20	200	1,02 KG	20 mm	13	8 mm	5	6.86 mm	13 mm
DIN 6912 A2 M 8X22 - Ince basli imbus	691228 22	200	1,12 KG	22 mm	13	8 mm	5	6.86 mm	15 mm
DIN 6912 A2 M 8X25 - Ince basli imbus	691228 25	100	1,25 KG	25 mm	13	8 mm	5	6.86 mm	18 mm
DIN 6912 A2 M 8X30 - Ince basli imbus	691228 30	100	1,40 KG	30 mm	13	8 mm	5	6.86 mm	23 mm
DIN 6912 A2-070 M 10X100 - Ince basli imbus	6912210 100	50	6,31 KG	100 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X110 - Ince basli imbus	6912210 110	50	6,84 KG	110 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X120 - Ince basli imbus	6912210 120	50	7,37 KG	120 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X40 - Ince basli imbus	6912210 40	100	2,85 KG	40 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X45 - Ince basli imbus	6912210 45	100	3,17 KG	45 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X50 - Ince basli imbus	6912210 50	50	3,48 KG	50 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X55 - Ince basli imbus	6912210 55	50	3,76 KG	55 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X60 - Ince basli imbus	6912210 60	50	4,03 KG	60 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X65 - Ince basli imbus	6912210 65	50	4,32 KG	65 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X70 - Ince basli imbus	6912210 70	50	4,60 KG	70 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X75 - Ince basli imbus	6912210 75	50	4,93 KG	75 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X80 - Ince basli imbus	6912210 80	50	5,25 KG	80 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 10X90 - Ince basli imbus	6912210 90	50	5,78 KG	90 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A2-070 M 12X100 - Ince basli imbus	6912212 100	25	8,80 KG	100 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X110 - Ince basli imbus	6912212 110	25	9,60 KG	110 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X120 - Ince basli imbus	6912212 120	25	10,40 KG	120 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X45 - Ince basli imbus	6912212 45	50	4,40 KG	45 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X50 - Ince basli imbus	6912212 50	50	4,80 KG	50 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X55 - Ince basli imbus	6912212 55	50	5,25 KG	55 mm	18	12 mm	7.5	11.43 mm	30 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A2-070 M 12X60 - Ince basli imbus	6912212 60	50	5,70 KG	60 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X65 - Ince basli imbus	6912212 65	50	6,10 KG	65 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X70 - Ince basli imbus	6912212 70	50	6,50 KG	70 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X75 - Ince basli imbus	6912212 75	25	6,85 KG	75 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X80 - Ince basli imbus	6912212 80	25	7,20 KG	80 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 12X90 - Ince basli imbus	6912212 90	25	8,00 KG	90 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A2-070 M 16X100 - Ince basli imbus	6912216 100	25	16,90 KG	100 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 16X110 - Ince basli imbus	6912216 110	25	18,30 KG	110 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 16X120 - Ince basli imbus	6912216 120	25	19,80 KG	120 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 16X130 - Ince basli imbus	6912216 130	25	21,20 KG	130 mm	24	16 mm	10	16 mm	44 mm
DIN 6912 A2-070 M 16X140 - Ince basli imbus	6912216 140	25	22,60 KG	140 mm	24	16 mm	10	16 mm	44 mm
DIN 6912 A2-070 M 16X150 - Ince basli imbus	6912216 150	25	24,00 KG	150 mm	24	16 mm	10	16 mm	44 mm
DIN 6912 A2-070 M 16X55 - Ince basli imbus	6912216 55	25	9,93 KG	55 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 16X60 - Ince basli imbus	6912216 60	25	10,70 KG	60 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 16X65 - Ince basli imbus	6912216 65	25	11,45 KG	65 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 16X70 - Ince basli imbus	6912216 70	25	12,20 KG	70 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 16X75 - Ince basli imbus	6912216 75	25	13,10 KG	75 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 16X80 - Ince basli imbus	6912216 80	25	14,00 KG	80 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 16X90 - Ince basli imbus	6912216 90	25	15,40 KG	90 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A2-070 M 20X100 - Ince basli imbus	6912220 100	25	26,90 KG	100 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A2-070 M 20X110 - Ince basli imbus	6912220 110	25	29,20 KG	110 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A2-070 M 20X120 - Ince basli imbus	6912220 120	25	31,60 KG	120 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A2-070 M 20X130 - Ince basli imbus	6912220 130	25	34,20 KG	130 mm	30	20 mm	12	19.44 mm	52 mm
DIN 6912 A2-070 M 20X140 - Ince basli imbus	6912220 140	25	36,80 KG	140 mm	30	20 mm	12	19.44 mm	52 mm
DIN 6912 A2-070 M 20X150 - Ince basli imbus	6912220 150	25	39,40 KG	150 mm	30	20 mm	12	19.44 mm	52 mm
DIN 6912 A2-070 M 20X65 - Ince basli imbus	6912220 65	25	18,40 KG	65 mm	30	20 mm	12	19.44 mm	46 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A2-070 M 20X70 - Ince basli imbus	6912220 70	25	19,60 KG	70 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A2-070 M 20X75 - Ince basli imbus	6912220 75	25	20,90 KG	75 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A2-070 M 20X80 - Ince basli imbus	6912220 80	25	22,20 KG	80 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A2-070 M 20X90 - Ince basli imbus	6912220 90	25	24,50 KG	90 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A2-070 M 24X100 - Ince basli imbus	6912224 100	10	40,70 KG	100 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A2-070 M 24X110 - Ince basli imbus	6912224 110	10	43,90 KG	110 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A2-070 M 24X120 - Ince basli imbus	6912224 120	10	47,40 KG	120 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A2-070 M 24X130 - Ince basli imbus	6912224 130	10	51,00 KG	130 mm	36	24 mm	14	21.73 mm	60 mm
DIN 6912 A2-070 M 24X140 - Ince basli imbus	6912224 140	10	54,50 KG	140 mm	36	24 mm	14	21.73 mm	60 mm
DIN 6912 A2-070 M 24X150 - Ince basli imbus	6912224 150	10	58,00 KG	150 mm	36	24 mm	14	21.73 mm	60 mm
DIN 6912 A2-070 M 24X90 - Ince basli imbus	6912224 90	10	36,90 KG	90 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A2-070 M 5X25 - Ince basli imbus	6912225 25	200	0,44 KG	25 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X30 - Ince basli imbus	6912225 30	200	0,51 KG	30 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X35 - Ince basli imbus	6912225 35	200	0,58 KG	35 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X40 - Ince basli imbus	6912225 40	200	0,66 KG	40 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X45 - Ince basli imbus	6912225 45	200	0,70 KG	45 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X50 - Ince basli imbus	6912225 50	200	0,73 KG	50 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X55 - Ince basli imbus	6912225 55	200	0,82 KG	55 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X60 - Ince basli imbus	6912225 60	100	0,90 KG	60 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X65 - Ince basli imbus	6912225 65	100	0,98 KG	65 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X70 - Ince basli imbus	6912225 70	100	1,06 KG	70 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X75 - Ince basli imbus	6912225 75	100	1,14 KG	75 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 5X80 - Ince basli imbus	6912225 80	100	1,22 KG	80 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A2-070 M 6X100 - Ince basli imbus	6912226 100	100	2,20 KG	100 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X120 - Ince basli imbus	6912226 120	100	2,62 KG	120 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X30 - Ince basli imbus	6912226 30	200	0,73 KG	30 mm	10	6 mm	4	5.72 mm	18 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A2-070 M 6X35 - Ince basli imbus	691226 35	200	0,83 KG	35 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X40 - Ince basli imbus	691226 40	200	0,95 KG	40 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X45 - Ince basli imbus	691226 45	100	1,05 KG	45 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X50 - Ince basli imbus	691226 50	100	1,15 KG	50 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X55 - Ince basli imbus	691226 55	100	1,26 KG	55 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X60 - Ince basli imbus	691226 60	100	1,36 KG	60 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X65 - Ince basli imbus	691226 65	100	1,47 KG	65 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X70 - Ince basli imbus	691226 70	100	1,57 KG	70 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X75 - Ince basli imbus	691226 75	100	1,68 KG	75 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X80 - Ince basli imbus	691226 80	100	1,78 KG	80 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 6X90 - Ince basli imbus	691226 90	100	1,99 KG	90 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A2-070 M 8X100 - Ince basli imbus	691228 100	50	4,02 KG	100 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X110 - Ince basli imbus	691228 110	50	4,39 KG	110 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X120 - Ince basli imbus	691228 120	50	4,76 KG	120 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X35 - Ince basli imbus	691228 35	100	1,57 KG	35 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X40 - Ince basli imbus	691228 40	100	1,75 KG	40 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X45 - Ince basli imbus	691228 45	100	1,95 KG	45 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X50 - Ince basli imbus	691228 50	100	2,15 KG	50 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X55 - Ince basli imbus	691228 55	100	2,34 KG	55 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X60 - Ince basli imbus	691228 60	100	2,53 KG	60 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X65 - Ince basli imbus	691228 65	100	2,72 KG	65 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X70 - Ince basli imbus	691228 70	100	2,91 KG	70 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X75 - Ince basli imbus	691228 75	100	3,10 KG	75 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X80 - Ince basli imbus	691228 80	100	3,28 KG	80 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X85 - Ince basli imbus	691228 85	100	3,47 KG	85 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A2-070 M 8X90 - Ince basli imbus	691228 90	100	3,65 KG	90 mm	13	8 mm	5	6.86 mm	22 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A4 M 10X12 - Ince basli imbus	6912410 12	100	1,31 KG	12 mm	16	10 mm	6.5	9.15 mm	4 mm
DIN 6912 A4 M 10X14 - Ince basli imbus	6912410 14	100	1,43 KG	14 mm	16	10 mm	6.5	9.15 mm	6 mm
DIN 6912 A4 M 10X16 - Ince basli imbus	6912410 16	100	1,55 KG	16 mm	16	10 mm	6.5	9.15 mm	8 mm
DIN 6912 A4 M 10X18 - Ince basli imbus	6912410 18	100	1,67 KG	18 mm	16	10 mm	6.5	9.15 mm	10 mm
DIN 6912 A4 M 10X20 - Ince basli imbus	6912410 20	100	1,79 KG	20 mm	16	10 mm	6.5	9.15 mm	12 mm
DIN 6912 A4 M 10X22 - Ince basli imbus	6912410 22	100	1,87 KG	22 mm	16	10 mm	6.5	9.15 mm	14 mm
DIN 6912 A4 M 10X25 - Ince basli imbus	6912410 25	100	2,02 KG	25 mm	16	10 mm	6.5	9.15 mm	17 mm
DIN 6912 A4 M 10X30 - Ince basli imbus	6912410 30	100	2,20 KG	30 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4 M 10X35 - Ince basli imbus	6912410 35	100	2,55 KG	35 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4 M 12X16 - Ince basli imbus	6912412 16	50	2,23 KG	16 mm	18	12 mm	7.5	11.43 mm	6.5 mm
DIN 6912 A4 M 12X18 - Ince basli imbus	6912412 18	50	2,39 KG	18 mm	18	12 mm	7.5	11.43 mm	8.5 mm
DIN 6912 A4 M 12X20 - Ince basli imbus	6912412 20	50	2,55 KG	20 mm	18	12 mm	7.5	11.43 mm	10.5 mm
DIN 6912 A4 M 12X22 - Ince basli imbus	6912412 22	50	2,71 KG	22 mm	18	12 mm	7.5	11.43 mm	12.5 mm
DIN 6912 A4 M 12X25 - Ince basli imbus	6912412 25	50	2,95 KG	25 mm	18	12 mm	7.5	11.43 mm	15.5 mm
DIN 6912 A4 M 12X30 - Ince basli imbus	6912412 30	50	3,25 KG	30 mm	18	12 mm	7.5	11.43 mm	20.5 mm
DIN 6912 A4 M 12X35 - Ince basli imbus	6912412 35	50	3,65 KG	35 mm	18	12 mm	7.5	11.43 mm	25.5 mm
DIN 6912 A4 M 12X40 - Ince basli imbus	6912412 40	50	4,00 KG	40 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4 M 16X20 - Ince basli imbus	6912416 20	25	5,25 KG	20 mm	24	16 mm	10	16 mm	11 mm
DIN 6912 A4 M 16X25 - Ince basli imbus	6912416 25	25	5,65 KG	25 mm	24	16 mm	10	16 mm	14 mm
DIN 6912 A4 M 16X30 - Ince basli imbus	6912416 30	25	6,30 KG	30 mm	24	16 mm	10	16 mm	19 mm
DIN 6912 A4 M 16X35 - Ince basli imbus	6912416 35	25	6,97 KG	35 mm	24	16 mm	10	16 mm	24 mm
DIN 6912 A4 M 16X40 - Ince basli imbus	6912416 40	25	7,87 KG	40 mm	24	16 mm	10	16 mm	29 mm
DIN 6912 A4 M 16X45 - Ince basli imbus	6912416 45	25	8,50 KG	45 mm	24	16 mm	10	16 mm	34 mm
DIN 6912 A4 M 16X50 - Ince basli imbus	6912416 50	25	9,15 KG	50 mm	24	16 mm	10	16 mm	39 mm
DIN 6912 A4 M 20X30 - Ince basli imbus	6912420 30	25	10,80 KG	30 mm	30	20 mm	12	19.44 mm	16 mm
DIN 6912 A4 M 20X35 - Ince basli imbus	6912420 35	25	11,80 KG	35 mm	30	20 mm	12	19.44 mm	21 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A4 M 20X40 - Ince basli imbus	6912420 40	25	12,80 KG	40 mm	30	20 mm	12	19.44 mm	26 mm
DIN 6912 A4 M 20X45 - Ince basli imbus	6912420 45	25	13,90 KG	45 mm	30	20 mm	12	19.44 mm	31 mm
DIN 6912 A4 M 20X50 - Ince basli imbus	6912420 50	25	15,00 KG	50 mm	30	20 mm	12	19.44 mm	36 mm
DIN 6912 A4 M 20X55 - Ince basli imbus	6912420 55	25	16,10 KG	55 mm	30	20 mm	12	19.44 mm	41 mm
DIN 6912 A4 M 20X60 - Ince basli imbus	6912420 60	25	17,20 KG	60 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A4 M 24X40 - Ince basli imbus	6912424 40	10	19,30 KG	40 mm	36	24 mm	14	21.73 mm	24 mm
DIN 6912 A4 M 24X45 - Ince basli imbus	6912424 45	10	21,00 KG	45 mm	36	24 mm	14	21.73 mm	29 mm
DIN 6912 A4 M 24X50 - Ince basli imbus	6912424 50	10	22,80 KG	50 mm	36	24 mm	14	21.73 mm	35 mm
DIN 6912 A4 M 24X55 - Ince basli imbus	6912424 55	10	24,50 KG	55 mm	36	24 mm	14	21.73 mm	41 mm
DIN 6912 A4 M 24X60 - Ince basli imbus	6912424 60	10	26,30 KG	60 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A4 M 24X65 - Ince basli imbus	6912424 65	10	28,05 KG	65 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A4 M 24X70 - Ince basli imbus	6912424 70	10	29,80 KG	70 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A4 M 24X75 - Ince basli imbus	6912424 75	10	31,55 KG	75 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A4 M 24X80 - Ince basli imbus	6912424 80	10	33,30 KG	80 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A4 M 3X10 - Ince basli imbus	691243 10	1000	0,08 KG	10 mm	5.5	3 mm	2	2.3 mm	10 mm
DIN 6912 A4 M 3X12 - Ince basli imbus	691243 12	1000	0,09 KG	12 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X14 - Ince basli imbus	691243 14	1000	0,10 KG	14 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X16 - Ince basli imbus	691243 16	1000	0,11 KG	16 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X18 - Ince basli imbus	691243 18	1000	0,12 KG	18 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X20 - Ince basli imbus	691243 20	1000	0,14 KG	20 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X22 - Ince basli imbus	691243 22	1000	0,15 KG	22 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X25 - Ince basli imbus	691243 25	1000	0,17 KG	25 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X30 - Ince basli imbus	691243 30	1000	0,20 KG	30 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X35 - Ince basli imbus	691243 35	500	0,23 KG	35 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X4 - Ince basli imbus	691243 4	1000	0,04 KG	4 mm	5.5	3 mm	2	2.3 mm	4 mm
DIN 6912 A4 M 3X40 - Ince basli imbus	691243 40	500	0,26 KG	40 mm	5.5	3 mm	2	2.3 mm	12 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A4 M 3X45 - Ince basli imbus	691243 45	500	0,29 KG	45 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X5 - Ince basli imbus	691243 5	1000	0,05 KG	5 mm	5.5	3 mm	2	2.3 mm	5 mm
DIN 6912 A4 M 3X50 - Ince basli imbus	691243 50	200	0,32 KG	50 mm	5.5	3 mm	2	2.3 mm	12 mm
DIN 6912 A4 M 3X6 - Ince basli imbus	691243 6	1000	0,05 KG	6 mm	5.5	3 mm	2	2.3 mm	6 mm
DIN 6912 A4 M 3X8 - Ince basli imbus	691243 8	1000	0,06 KG	8 mm	5.5	3 mm	2	2.3 mm	8 mm
DIN 6912 A4 M 4X10 - Ince basli imbus	691244 10	1000	0,13 KG	10 mm	7	4 mm	2.8	3.44 mm	6.5 mm
DIN 6912 A4 M 4X12 - Ince basli imbus	691244 12	1000	0,15 KG	12 mm	7	4 mm	2.8	3.44 mm	8.5 mm
DIN 6912 A4 M 4X14 - Ince basli imbus	691244 14	1000	0,17 KG	14 mm	7	4 mm	2.8	3.44 mm	10.5 mm
DIN 6912 A4 M 4X16 - Ince basli imbus	691244 16	1000	0,19 KG	16 mm	7	4 mm	2.8	3.44 mm	12.5 mm
DIN 6912 A4 M 4X18 - Ince basli imbus	691244 18	1000	0,21 KG	18 mm	7	4 mm	2.8	3.44 mm	14.5 mm
DIN 6912 A4 M 4X20 - Ince basli imbus	691244 20	500	0,23 KG	20 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X22 - Ince basli imbus	691244 22	500	0,25 KG	22 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X25 - Ince basli imbus	691244 25	500	0,27 KG	25 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X30 - Ince basli imbus	691244 30	500	0,32 KG	30 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X35 - Ince basli imbus	691244 35	200	0,34 KG	35 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X40 - Ince basli imbus	691244 40	200	0,42 KG	40 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X45 - Ince basli imbus	691244 45	200	0,47 KG	45 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X5 - Ince basli imbus	691244 5	1000	0,08 KG	5 mm	7	4 mm	2.8	3.44 mm	5 mm
DIN 6912 A4 M 4X50 - Ince basli imbus	691244 50	200	0,52 KG	50 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X55 - Ince basli imbus	691244 55	200	0,57 KG	55 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X6 - Ince basli imbus	691244 6	1000	0,09 KG	6 mm	7	4 mm	2.8	3.44 mm	6 mm
DIN 6912 A4 M 4X60 - Ince basli imbus	691244 60	100	0,62 KG	60 mm	7	4 mm	2.8	3.44 mm	14 mm
DIN 6912 A4 M 4X8 - Ince basli imbus	691244 8	1000	0,11 KG	8 mm	7	4 mm	2.8	3.44 mm	8 mm
DIN 6912 A4 M 5X10 - Ince basli imbus	691245 10	500	0,22 KG	10 mm	8.5	5 mm	3.5	4.58 mm	5.8 mm
DIN 6912 A4 M 5X12 - Ince basli imbus	691245 12	500	0,25 KG	12 mm	8.5	5 mm	3.5	4.58 mm	7.8 mm
DIN 6912 A4 M 5X14 - Ince basli imbus	691245 14	500	0,28 KG	14 mm	8.5	5 mm	3.5	4.58 mm	9.8 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A4 M 5X16 - Ince basli imbus	691245 16	500	0,31 KG	16 mm	8.5	5 mm	3.5	4.58 mm	11.8 mm
DIN 6912 A4 M 5X18 - Ince basli imbus	691245 18	500	0,34 KG	18 mm	8.5	5 mm	3.5	4.58 mm	13.8 mm
DIN 6912 A4 M 5X20 - Ince basli imbus	691245 20	500	0,37 KG	20 mm	8.5	5 mm	3.5	4.58 mm	15.8 mm
DIN 6912 A4 M 5X22 - Ince basli imbus	691245 22	500	0,40 KG	22 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4 M 5X6 - Ince basli imbus	691245 6	500	0,16 KG	6 mm	8.5	5 mm	3.5	4.58 mm	6 mm
DIN 6912 A4 M 5X8 - Ince basli imbus	691245 8	500	0,19 KG	8 mm	8.5	5 mm	3.5	4.58 mm	8 mm
DIN 6912 A4 M 6X10 - Ince basli imbus	691246 10	500	0,36 KG	10 mm	10	6 mm	4	5.72 mm	4.5 mm
DIN 6912 A4 M 6X12 - Ince basli imbus	691246 12	500	0,39 KG	12 mm	10	6 mm	4	5.72 mm	6.5 mm
DIN 6912 A4 M 6X14 - Ince basli imbus	691246 14	200	0,42 KG	14 mm	10	6 mm	4	5.72 mm	8.5 mm
DIN 6912 A4 M 6X16 - Ince basli imbus	691246 16	200	0,45 KG	16 mm	10	6 mm	4	5.72 mm	10.5 mm
DIN 6912 A4 M 6X18 - Ince basli imbus	691246 18	200	0,49 KG	18 mm	10	6 mm	4	5.72 mm	12.5 mm
DIN 6912 A4 M 6X20 - Ince basli imbus	691246 20	200	0,52 KG	20 mm	10	6 mm	4	5.72 mm	14.5 mm
DIN 6912 A4 M 6X22 - Ince basli imbus	691246 22	200	0,56 KG	22 mm	10	6 mm	4	5.72 mm	16.5 mm
DIN 6912 A4 M 6X25 - Ince basli imbus	691246 25	200	0,62 KG	25 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4 M 6X8 - Ince basli imbus	691246 8	500	0,33 KG	8 mm	10	6 mm	4	5.72 mm	8 mm
DIN 6912 A4 M 8X10 - Ince basli imbus	691248 10	500	0,66 KG	10 mm	13	8 mm	5	6.86 mm	3 mm
DIN 6912 A4 M 8X12 - Ince basli imbus	691248 12	500	0,77 KG	12 mm	13	8 mm	5	6.86 mm	5 mm
DIN 6912 A4 M 8X14 - Ince basli imbus	691248 14	200	0,83 KG	14 mm	13	8 mm	5	6.86 mm	7 mm
DIN 6912 A4 M 8X16 - Ince basli imbus	691248 16	200	0,88 KG	16 mm	13	8 mm	5	6.86 mm	9 mm
DIN 6912 A4 M 8X18 - Ince basli imbus	691248 18	200	0,95 KG	18 mm	13	8 mm	5	6.86 mm	11 mm
DIN 6912 A4 M 8X20 - Ince basli imbus	691248 20	200	1,02 KG	20 mm	13	8 mm	5	6.86 mm	13 mm
DIN 6912 A4 M 8X22 - Ince basli imbus	691248 22	200	1,12 KG	22 mm	13	8 mm	5	6.86 mm	15 mm
DIN 6912 A4 M 8X25 - Ince basli imbus	691248 25	100	1,25 KG	25 mm	13	8 mm	5	6.86 mm	18 mm
DIN 6912 A4 M 8X30 - Ince basli imbus	691248 30	100	1,40 KG	30 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 10X100 - Ince basli imbus	6912410 100	50	6,31 KG	100 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X110 - Ince basli imbus	6912410 110	50	6,84 KG	110 mm	16	10 mm	6.5	9.15 mm	26 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A4-070 M 10X120 - Ince basli imbus	6912410 120	50	7,37 KG	120 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X40 - Ince basli imbus	6912410 40	100	2,85 KG	40 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X45 - Ince basli imbus	6912410 45	100	3,17 KG	45 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X50 - Ince basli imbus	6912410 50	50	3,48 KG	50 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X55 - Ince basli imbus	6912410 55	50	3,76 KG	55 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X60 - Ince basli imbus	6912410 60	50	4,03 KG	60 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X65 - Ince basli imbus	6912410 65	50	4,32 KG	65 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X70 - Ince basli imbus	6912410 70	50	4,60 KG	70 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X75 - Ince basli imbus	6912410 75	50	4,93 KG	75 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X80 - Ince basli imbus	6912410 80	50	5,25 KG	80 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 10X90 - Ince basli imbus	6912410 90	50	5,78 KG	90 mm	16	10 mm	6.5	9.15 mm	26 mm
DIN 6912 A4-070 M 12X100 - Ince basli imbus	6912412 100	25	8,80 KG	100 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X110 - Ince basli imbus	6912412 110	25	9,60 KG	110 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X120 - Ince basli imbus	6912412 120	25	10,40 KG	120 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X45 - Ince basli imbus	6912412 45	50	4,40 KG	45 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X50 - Ince basli imbus	6912412 50	50	4,80 KG	50 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X55 - Ince basli imbus	6912412 55	50	5,25 KG	55 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X60 - Ince basli imbus	6912412 60	50	5,70 KG	60 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X65 - Ince basli imbus	6912412 65	50	6,10 KG	65 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X70 - Ince basli imbus	6912412 70	50	6,50 KG	70 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X75 - Ince basli imbus	6912412 75	25	6,85 KG	75 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X80 - Ince basli imbus	6912412 80	25	7,20 KG	80 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 12X90 - Ince basli imbus	6912412 90	25	8,00 KG	90 mm	18	12 mm	7.5	11.43 mm	30 mm
DIN 6912 A4-070 M 16X100 - Ince basli imbus	6912416 100	25	16,90 KG	100 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A4-070 M 16X110 - Ince basli imbus	6912416 110	25	18,30 KG	110 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A4-070 M 16X120 - Ince basli imbus	6912416 120	25	19,80 KG	120 mm	24	16 mm	10	16 mm	38 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A4-070 M 16X130 - Ince basli imbus	6912416 130	25	21,20 KG	130 mm	24	16 mm	10	16 mm	44 mm
DIN 6912 A4-070 M 16X140 - Ince basli imbus	6912416 140	25	22,60 KG	140 mm	24	16 mm	10	16 mm	44 mm
DIN 6912 A4-070 M 16X150 - Ince basli imbus	6912416 150	25	24,00 KG	150 mm	24	16 mm	10	16 mm	44 mm
DIN 6912 A4-070 M 16X55 - Ince basli imbus	6912416 55	25	9,93 KG	55 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A4-070 M 16X60 - Ince basli imbus	6912416 60	25	10,70 KG	60 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A4-070 M 16X65 - Ince basli imbus	6912416 65	25	11,45 KG	65 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A4-070 M 16X70 - Ince basli imbus	6912416 70	25	12,20 KG	70 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A4-070 M 16X75 - Ince basli imbus	6912416 75	25	13,10 KG	75 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A4-070 M 16X80 - Ince basli imbus	6912416 80	25	14,00 KG	80 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A4-070 M 16X90 - Ince basli imbus	6912416 90	25	15,40 KG	90 mm	24	16 mm	10	16 mm	38 mm
DIN 6912 A4-070 M 20X100 - Ince basli imbus	6912420 100	25	26,90 KG	100 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A4-070 M 20X110 - Ince basli imbus	6912420 110	25	29,20 KG	110 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A4-070 M 20X120 - Ince basli imbus	6912420 120	25	31,60 KG	120 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A4-070 M 20X130 - Ince basli imbus	6912420 130	25	34,20 KG	130 mm	30	20 mm	12	19.44 mm	52 mm
DIN 6912 A4-070 M 20X140 - Ince basli imbus	6912420 140	25	36,80 KG	140 mm	30	20 mm	12	19.44 mm	52 mm
DIN 6912 A4-070 M 20X150 - Ince basli imbus	6912420 150	25	39,40 KG	150 mm	30	20 mm	12	19.44 mm	52 mm
DIN 6912 A4-070 M 20X65 - Ince basli imbus	6912420 65	25	18,40 KG	65 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A4-070 M 20X70 - Ince basli imbus	6912420 70	25	19,60 KG	70 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A4-070 M 20X75 - Ince basli imbus	6912420 75	25	20,90 KG	75 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A4-070 M 20X80 - Ince basli imbus	6912420 80	25	22,20 KG	80 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A4-070 M 20X90 - Ince basli imbus	6912420 90	25	24,50 KG	90 mm	30	20 mm	12	19.44 mm	46 mm
DIN 6912 A4-070 M 24X100 - Ince basli imbus	6912424 100	10	40,70 KG	100 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A4-070 M 24X110 - Ince basli imbus	6912424 110	10	43,90 KG	110 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A4-070 M 24X120 - Ince basli imbus	6912424 120	10	47,40 KG	120 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A4-070 M 24X130 - Ince basli imbus	6912424 130	10	51,00 KG	130 mm	36	24 mm	14	21.73 mm	60 mm
DIN 6912 A4-070 M 24X140 - Ince basli imbus	6912424 140	10	54,50 KG	140 mm	36	24 mm	14	21.73 mm	60 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A4-070 M 24X150 - Ince basli imbus	6912424 150	10	58,00 KG	150 mm	36	24 mm	14	21.73 mm	60 mm
DIN 6912 A4-070 M 24X90 - Ince basli imbus	6912424 90	10	36,90 KG	90 mm	36	24 mm	14	21.73 mm	54 mm
DIN 6912 A4-070 M 5X25 - Ince basli imbus	691245 25	200	0,44 KG	25 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X30 - Ince basli imbus	691245 30	200	0,51 KG	30 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X35 - Ince basli imbus	691245 35	200	0,58 KG	35 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X40 - Ince basli imbus	691245 40	200	0,66 KG	40 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X45 - Ince basli imbus	691245 45	200	0,70 KG	45 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X50 - Ince basli imbus	691245 50	200	0,73 KG	50 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X55 - Ince basli imbus	691245 55	200	0,82 KG	55 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X60 - Ince basli imbus	691245 60	100	0,90 KG	60 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X65 - Ince basli imbus	691245 65	100	0,98 KG	65 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X70 - Ince basli imbus	691245 70	100	1,06 KG	70 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X75 - Ince basli imbus	691245 75	100	1,14 KG	75 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 5X80 - Ince basli imbus	691245 80	100	1,22 KG	80 mm	8.5	5 mm	3.5	4.58 mm	16 mm
DIN 6912 A4-070 M 6X100 - Ince basli imbus	691246 100	100	2,20 KG	100 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X120 - Ince basli imbus	691246 120	100	2,62 KG	120 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X30 - Ince basli imbus	691246 30	200	0,73 KG	30 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X35 - Ince basli imbus	691246 35	200	0,83 KG	35 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X40 - Ince basli imbus	691246 40	200	0,95 KG	40 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X45 - Ince basli imbus	691246 45	100	1,05 KG	45 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X50 - Ince basli imbus	691246 50	100	1,15 KG	50 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X55 - Ince basli imbus	691246 55	100	1,26 KG	55 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X60 - Ince basli imbus	691246 60	100	1,36 KG	60 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X65 - Ince basli imbus	691246 65	100	1,47 KG	65 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X70 - Ince basli imbus	691246 70	100	1,57 KG	70 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X75 - Ince basli imbus	691246 75	100	1,68 KG	75 mm	10	6 mm	4	5.72 mm	18 mm

Description	Item No	Unit**	Ağırlık, baş.	Uzunl.	kafa ç.	Çap (.	baş yüks.	kose gen.	iplik uz.
DIN 6912 A4-070 M 6X80 - Ince basli imbus	691246 80	100	1,78 KG	80 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 6X90 - Ince basli imbus	691246 90	100	1,99 KG	90 mm	10	6 mm	4	5.72 mm	18 mm
DIN 6912 A4-070 M 8X100 - Ince basli imbus	691248 100	50	4,02 KG	100 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X110 - Ince basli imbus	691248 110	50	4,39 KG	110 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X120 - Ince basli imbus	691248 120	50	4,76 KG	120 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X35 - Ince basli imbus	691248 35	100	1,57 KG	35 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X40 - Ince basli imbus	691248 40	100	1,75 KG	40 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X45 - Ince basli imbus	691248 45	100	1,95 KG	45 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X50 - Ince basli imbus	691248 50	100	2,15 KG	50 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X55 - Ince basli imbus	691248 55	100	2,34 KG	55 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X60 - Ince basli imbus	691248 60	100	2,53 KG	60 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X65 - Ince basli imbus	691248 65	100	2,72 KG	65 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X70 - Ince basli imbus	691248 70	100	2,91 KG	70 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X75 - Ince basli imbus	691248 75	100	3,10 KG	75 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X80 - Ince basli imbus	691248 80	100	3,28 KG	80 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X85 - Ince basli imbus	691248 85	100	3,47 KG	85 mm	13	8 mm	5	6.86 mm	22 mm
DIN 6912 A4-070 M 8X90 - Ince basli imbus	691248 90	100	3,65 KG	90 mm	13	8 mm	5	6.86 mm	22 mm