



ISO 14581-TORXS HAVŞA BAŞLI VİDA

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A2 M 1,6X10 TX5 - Havsa basli torks vida	14581216 10	1000	0,01 KG	10 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X12 TX5 - Havsa basli torks vida	14581216 12	1000	0,02 KG	12 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X14 TX5 - Havsa basli torks vida	14581216 14	1000	0,02 KG	14 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X16 TX5 - Havsa basli torks vida	14581216 16	1000	0,02 KG	16 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X18 TX5 - Havsa basli torks vida	14581216 18	1000	0,02 KG	18 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X2 TX5 - Havsa basli torks vida	14581216 2	1000	0,01 KG	2 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X20 TX5 - Havsa basli torks vida	14581216 20	1000	0,02 KG	20 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X3 TX5 - Havsa basli torks vida	14581216 3	1000	0,01 KG	3 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X4 TX5 - Havsa basli torks vida	14581216 4	1000	0,01 KG	4 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X5 TX5 - Havsa basli torks vida	14581216 5	1000	0,01 KG	5 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X6 TX5 - Havsa basli torks vida	14581216 6	1000	0,01 KG	6 mm	3	1.6 mm	0.96
ISO 14581 A2 M 1,6X8 TX5 - Havsa basli torks vida	14581216 8	1000	0,01 KG	8 mm	3	1.6 mm	0.96
ISO 14581 A2 M 10X16 TX50 - Havsa basli torks vida	14581210 16	100	1,16 KG	16 mm	18.3	10 mm	5
ISO 14581 A2 M 10X20 TX50 - Havsa basli torks vida	14581210 20	100	1,36 KG	20 mm	18.3	10 mm	5
ISO 14581 A2 M 10X25 TX50 - Havsa basli torks vida	14581210 25	100	1,61 KG	25 mm	18.3	10 mm	5
ISO 14581 A2 M 2,5X10 TX8 - Havsa basli torks vida	14581225 10	1000	0,04 KG	10 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X12 TX8 - Havsa basli torks vida	14581225 12	1000	0,05 KG	12 mm	4.7	2.5 mm	1.5

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A2 M 2,5X14 TX8 - Havsa basli torks vida	14581225 14	1000	0,05 KG	14 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X16 TX8 - Havsa basli torks vida	14581225 16	1000	0,06 KG	16 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X18 TX8 - Havsa basli torks vida	14581225 18	1000	0,06 KG	18 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X20 TX8 - Havsa basli torks vida	14581225 20	1000	0,07 KG	20 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X22 TX8 - Havsa basli torks vida	14581225 22	1000	0,08 KG	22 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X25 TX8 - Havsa basli torks vida	14581225 25	1000	0,08 KG	25 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X3 TX8 - Havsa basli torks vida	14581225 3	1000	0,02 KG	3 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X30 TX8 - Havsa basli torks vida	14581225 30	1000	0,10 KG	30 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X4 TX8 - Havsa basli torks vida	14581225 4	1000	0,02 KG	4 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X5 TX8 - Havsa basli torks vida	14581225 5	1000	0,02 KG	5 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X6 TX8 - Havsa basli torks vida	14581225 6	1000	0,03 KG	6 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2,5X8 TX8 - Havsa basli torks vida	14581225 8	1000	0,03 KG	8 mm	4.7	2.5 mm	1.5
ISO 14581 A2 M 2X10 TX6 - Havsa basli torks vida	1458122 10	1000	0,02 KG	10 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X12 TX6 - Havsa basli torks vida	1458122 12	1000	0,03 KG	12 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X14 TX6 - Havsa basli torks vida	1458122 14	1000	0,03 KG	14 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X16 TX6 - Havsa basli torks vida	1458122 16	1000	0,03 KG	16 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X18 TX6 - Havsa basli torks vida	1458122 18	1000	0,04 KG	18 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X20 TX6 - Havsa basli torks vida	1458122 20	1000	0,04 KG	20 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X3 TX6 - Havsa basli torks vida	1458122 3	1000	0,01 KG	3 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X4 TX6 - Havsa basli torks vida	1458122 4	1000	0,01 KG	4 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X5 TX6 - Havsa basli torks vida	1458122 5	1000	0,01 KG	5 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X6 TX6 - Havsa basli torks vida	1458122 6	1000	0,02 KG	6 mm	3.8	2 mm	1.2
ISO 14581 A2 M 2X8 TX6 - Havsa basli torks vida	1458122 8	1000	0,02 KG	8 mm	3.8	2 mm	1.2
ISO 14581 A2 M 3X10 TX10 - Havsa basli torks vida	1458123 10	500	0,06 KG	10 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X12 TX10 - Havsa basli torks vida	1458123 12	500	0,06 KG	12 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X14 TX10 - Havsa basli torks vida	1458123 14	500	0,07 KG	14 mm	5.5	3 mm	1.65

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A2 M 3X16 TX10 - Havsa basli torks vida	1458123 16	500	0,08 KG	16 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X18 TX10 - Havsa basli torks vida	1458123 18	500	0,09 KG	18 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X20 TX10 - Havsa basli torks vida	1458123 20	500	0,10 KG	20 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X22 TX10 - Havsa basli torks vida	1458123 22	500	0,11 KG	22 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X25 TX10 - Havsa basli torks vida	1458123 25	500	0,12 KG	25 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X30 TX10 - Havsa basli torks vida	1458123 30	500	0,14 KG	30 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X35/35 TX10 - Havsa basli torks vida	1458123 35	500	0,17 KG	35 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X4 TX10 - Havsa basli torks vida	1458123 4	500	0,03 KG	4 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X40/40 TX10 - Havsa basli torks vida	1458123 40	500	0,19 KG	40 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X45/45 TX10 - Havsa basli torks vida	1458123 45	500	0,21 KG	45 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X5 TX10 - Havsa basli torks vida	1458123 5	500	0,03 KG	5 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X50/50 TX10 - Havsa basli torks vida	1458123 50	500	0,23 KG	50 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X55/55 TX10 - Havsa basli torks vida	1458123 55	500	0,25 KG	55 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X6 TX10 - Havsa basli torks vida	1458123 6	500	0,04 KG	6 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X60/60 TX10 - Havsa basli torks vida	1458123 60	500	0,28 KG	60 mm	5.5	3 mm	1.65
ISO 14581 A2 M 3X8 TX10 - Havsa basli torks vida	1458123 8	500	0,05 KG	8 mm	5.5	3 mm	1.65
ISO 14581 A2 M 4X10 TX20 - Havsa basli torks vida	1458124 10	500	0,11 KG	10 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X100/100 TX20 - Havsa basli torks ..	1458124 100	200	0,79 KG	100 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X12 TX20 - Havsa basli torks vida	1458124 12	500	0,12 KG	12 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X14 TX20 - Havsa basli torks vida	1458124 14	500	0,14 KG	14 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X16 TX20 - Havsa basli torks vida	1458124 16	500	0,15 KG	16 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X18 TX20 - Havsa basli torks vida	1458124 18	500	0,17 KG	18 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X20 TX20 - Havsa basli torks vida	1458124 20	500	0,18 KG	20 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X22 TX20 - Havsa basli torks vida	1458124 22	500	0,20 KG	22 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X25 TX20 - Havsa basli torks vida	1458124 25	500	0,22 KG	25 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X30 TX20 - Havsa basli torks vida	1458124 30	500	0,26 KG	30 mm	8.4	4 mm	2.7

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A2 M 4X35 TX20 - Havsa basli torks vida	1458124 35	500	0,30 KG	35 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X40 TX20 - Havsa basli torks vida	1458124 40	500	0,34 KG	40 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X45 TX20 - Havsa basli torks vida	1458124 45	500	0,38 KG	45 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X5 TX20 - Havsa basli torks vida	1458124 5	500	0,07 KG	5 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X50/50 TX20 - Havsa basli torks vida	1458124 50	500	0,41 KG	50 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X55/55 TX20 - Havsa basli torks vida	1458124 55	500	0,45 KG	55 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X6 TX20 - Havsa basli torks vida	1458124 6	500	0,08 KG	6 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X60/60 TX20 - Havsa basli torks vida	1458124 60	500	0,49 KG	60 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X65/65 TX20 - Havsa basli torks vida	1458124 65	200	0,53 KG	65 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X70/70 TX20 - Havsa basli torks vida	1458124 70	200	0,57 KG	70 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X75/75 TX20 - Havsa basli torks vida	1458124 75	200	0,60 KG	75 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X8 TX20 - Havsa basli torks vida	1458124 8	500	0,09 KG	8 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X80/80 TX20 - Havsa basli torks vida	1458124 80	200	0,64 KG	80 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X85/85 TX20 - Havsa basli torks vida	1458124 85	200	0,68 KG	85 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X90/90 TX20 - Havsa basli torks vida	1458124 90	200	0,72 KG	90 mm	8.4	4 mm	2.7
ISO 14581 A2 M 4X95/95 TX20 - Havsa basli torks vida	1458124 95	200	0,76 KG	95 mm	8.4	4 mm	2.7
ISO 14581 A2 M 5X10 TX25 - Havsa basli torks vida	1458125 10	500	0,17 KG	10 mm	9.3	5 mm	2.7
ISO 14581 A2 M 5X12 TX25 - Havsa basli torks vida	1458125 12	500	0,20 KG	12 mm	9.3	5 mm	2.7
ISO 14581 A2 M 5X14 TX25 - Havsa basli torks vida	1458125 14	500	0,22 KG	14 mm	9.3	5 mm	2.7
ISO 14581 A2 M 5X6 TX25 - Havsa basli torks vida	1458125 6	500	0,12 KG	6 mm	9.3	5 mm	2.7
ISO 14581 A2 M 5X8 TX25 - Havsa basli torks vida	1458125 8	500	0,15 KG	8 mm	9.3	5 mm	2.7
ISO 14581 A2 M 6X10 TX30 - Havsa basli torks vida	1458126 10	500	0,25 KG	10 mm	11.3	6 mm	3.3
ISO 14581 A2 M 6X12 TX30 - Havsa basli torks vida	1458126 12	500	0,29 KG	12 mm	11.3	6 mm	3.3
ISO 14581 A2 M 6X14 TX30 - Havsa basli torks vida	1458126 14	500	0,32 KG	14 mm	11.3	6 mm	3.3
ISO 14581 A2 M 6X16 TX30 - Havsa basli torks vida	1458126 16	500	0,36 KG	16 mm	11.3	6 mm	3.3
ISO 14581 A2 M 6X8 TX30 - Havsa basli torks vida	1458126 8	500	0,22 KG	8 mm	11.3	6 mm	3.3

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A2 M 8X10 TX45 - Havsa basli torks vida	1458128 10	200	0,50 KG	10 mm	15.8	8 mm	4.65
ISO 14581 A2 M 8X12 TX45 - Havsa basli torks vida	1458128 12	200	0,57 KG	12 mm	15.8	8 mm	4.65
ISO 14581 A2 M 8X16 TX45 - Havsa basli torks vida	1458128 16	200	0,69 KG	16 mm	15.8	8 mm	4.65
ISO 14581 A2 M 8X20 TX45 - Havsa basli torks vida	1458128 20	200	0,82 KG	20 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 10X100/100 TX50 - Havsa basli t..	14581210 100	50	5,41 KG	100 mm	18.3	10 mm	5
ISO 14581 A2-070 M 10X30 TX50 - Havsa basli torks ..	14581210 30	100	1,86 KG	30 mm	18.3	10 mm	5
ISO 14581 A2-070 M 10X35 TX50 - Havsa basli torks ..	14581210 35	100	2,11 KG	35 mm	18.3	10 mm	5
ISO 14581 A2-070 M 10X40 TX50 - Havsa basli torks ..	14581210 40	100	2,36 KG	40 mm	18.3	10 mm	5
ISO 14581 A2-070 M 10X45 TX50 - Havsa basli torks ..	14581210 45	100	2,61 KG	45 mm	18.3	10 mm	5
ISO 14581 A2-070 M 10X50/50 TX50 - Havsa basli tor..	14581210 50	100	2,86 KG	50 mm	18.3	10 mm	5
ISO 14581 A2-070 M 10X60/60 TX50 - Havsa basli tor..	14581210 60	100	3,37 KG	60 mm	18.3	10 mm	5
ISO 14581 A2-070 M 10X70/70 TX50 - Havsa basli tor..	14581210 70	50	3,88 KG	70 mm	18.3	10 mm	5
ISO 14581 A2-070 M 10X80/80 TX50 - Havsa basli tor..	14581210 80	50	4,39 KG	80 mm	18.3	10 mm	5
ISO 14581 A2-070 M 10X90/90 TX50 - Havsa basli tor..	14581210 90	50	4,90 KG	90 mm	18.3	10 mm	5
ISO 14581 A2-070 M 5X100/100 TX25 - Havsa basli to..	1458125 100	200	1,28 KG	100 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X16 TX25 - Havsa basli torks v..	1458125 16	500	0,24 KG	16 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X18 TX25 - Havsa basli torks v..	1458125 18	500	0,27 KG	18 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X20 TX25 - Havsa basli torks v..	1458125 20	500	0,29 KG	20 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X22 TX25 - Havsa basli torks v..	1458125 22	500	0,32 KG	22 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X25 TX25 - Havsa basli torks v..	1458125 25	500	0,36 KG	25 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X28 TX25 - Havsa basli torks v..	1458125 28	500	0,39 KG	28 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X30 TX25 - Havsa basli torks v..	1458125 30	500	0,42 KG	30 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X35 TX25 - Havsa basli torks v..	1458125 35	500	0,48 KG	35 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X40 TX25 - Havsa basli torks v..	1458125 40	500	0,54 KG	40 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X45 TX25 - Havsa basli torks v..	1458125 45	200	0,60 KG	45 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X50/50 TX25 - Havsa basli tork..	1458125 50	200	0,66 KG	50 mm	9.3	5 mm	2.7

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A2-070 M 5X55/55 TX25 - Havsa basli tork..	1458125 55	200	0,73 KG	55 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X60/60 TX25 - Havsa basli tork..	1458125 60	200	0,79 KG	60 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X65/65 TX25 - Havsa basli tork..	1458125 65	200	0,85 KG	65 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X70/70 TX25 - Havsa basli tork..	1458125 70	200	0,91 KG	70 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X75/75 TX25 - Havsa basli tork..	1458125 75	200	0,97 KG	75 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X80/80 TX25 - Havsa basli tork..	1458125 80	200	1,04 KG	80 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X85/85 TX25 - Havsa basli tork..	1458125 85	200	1,10 KG	85 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X90/90 TX25 - Havsa basli tork..	1458125 90	200	1,16 KG	90 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 5X95/95 TX25 - Havsa basli tork..	1458125 95	200	1,22 KG	95 mm	9.3	5 mm	2.7
ISO 14581 A2-070 M 6X100/100 TX30 - Havsa basli to..	1458126 100	200	1,84 KG	100 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X110/110 TX30 - Havsa basli to..	1458126 110	200	2,02 KG	110 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X120/120 TX30 - Havsa basli to..	1458126 120	200	2,19 KG	120 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X130/130 TX30 - Havsa basli to..	1458126 130	200	2,37 KG	130 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X140/140 TX30 - Havsa basli to..	1458126 140	200	2,55 KG	140 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X18 TX30 - Havsa basli torks v..	1458126 18	500	0,40 KG	18 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X20 TX30 - Havsa basli torks v..	1458126 20	500	0,43 KG	20 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X22 TX30 - Havsa basli torks v..	1458126 22	500	0,47 KG	22 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X25 TX30 - Havsa basli torks v..	1458126 25	200	0,52 KG	25 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X30 TX30 - Havsa basli torks v..	1458126 30	200	0,61 KG	30 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X35 TX30 - Havsa basli torks v..	1458126 35	200	0,70 KG	35 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X40 TX30 - Havsa basli torks v..	1458126 40	200	0,78 KG	40 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X45 TX30 - Havsa basli torks v..	1458126 45	200	0,87 KG	45 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X50/50 TX30 - Havsa basli tork..	1458126 50	200	0,96 KG	50 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X55/55 TX30 - Havsa basli tork..	1458126 55	200	1,05 KG	55 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X60/60 TX30 - Havsa basli tork..	1458126 60	200	1,14 KG	60 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X65/65 TX30 - Havsa basli tork..	1458126 65	200	1,23 KG	65 mm	11.3	6 mm	3.3

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A2-070 M 6X70/70 TX30 - Havsa basli tork..	1458126 70	200	1,31 KG	70 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X75/75 TX30 - Havsa basli tork..	1458126 75	200	1,40 KG	75 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X80/80 TX30 - Havsa basli tork..	1458126 80	200	1,49 KG	80 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X85/85 TX30 - Havsa basli tork..	1458126 85	200	1,58 KG	85 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X90/90 TX30 - Havsa basli tork..	1458126 90	200	1,67 KG	90 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 6X95/95 TX30 - Havsa basli tork..	1458126 95	200	1,75 KG	95 mm	11.3	6 mm	3.3
ISO 14581 A2-070 M 8X100/100 TX45 - Havsa basli to..	1458128 100	100	3,38 KG	100 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X110/110 TX45 - Havsa basli to..	1458128 110	100	3,70 KG	110 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X120/120 TX45 - Havsa basli to..	1458128 120	100	4,02 KG	120 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X130/130 TX45 - Havsa basli to..	1458128 130	100	4,34 KG	130 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X140/140 TX45 - Havsa basli to..	1458128 140	100	4,66 KG	140 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X150/150 TX45 - Havsa basli to..	1458128 150	100	4,98 KG	150 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X25 TX45 - Havsa basli torks v..	1458128 25	200	0,98 KG	25 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X30 TX45 - Havsa basli torks v..	1458128 30	200	1,17 KG	30 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X35 TX45 - Havsa basli torks v..	1458128 35	200	1,30 KG	35 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X40 TX45 - Havsa basli torks v..	1458128 40	200	1,46 KG	40 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X45 TX45 - Havsa basli torks v..	1458128 45	200	1,62 KG	45 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X50/50 TX45 - Havsa basli tork..	1458128 50	200	1,78 KG	50 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X60/60 TX45 - Havsa basli tork..	1458128 60	200	2,10 KG	60 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X70/70 TX45 - Havsa basli tork..	1458128 70	200	2,21 KG	70 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X80/80 TX45 - Havsa basli tork..	1458128 80	200	2,74 KG	80 mm	15.8	8 mm	4.65
ISO 14581 A2-070 M 8X90/90 TX45 - Havsa basli tork..	1458128 90	200	3,06 KG		15.8	8 mm	4.65
ISO 14581 A4 M 1,6X10 TX5 - Havsa basli torks vida	14581416 10	1000	0,01 KG	10 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X12 TX5 - Havsa basli torks vida	14581416 12	1000	0,02 KG	12 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X14 TX5 - Havsa basli torks vida	14581416 14	1000	0,02 KG	14 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X16 TX5 - Havsa basli torks vida	14581416 16	1000	0,02 KG	16 mm	3	1.6 mm	0.96

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A4 M 1,6X18 TX5 - Havsa basli torqs vida	14581416 18	1000	0,02 KG	18 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X2 TX5 - Havsa basli torqs vida	14581416 2	1000	0,01 KG	2 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X20 TX5 - Havsa basli torqs vida	14581416 20	1000	0,02 KG	20 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X3 TX5 - Havsa basli torqs vida	14581416 3	1000	0,01 KG	3 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X4 TX5 - Havsa basli torqs vida	14581416 4	1000	0,01 KG	4 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X5 TX5 - Havsa basli torqs vida	14581416 5	1000	0,01 KG	5 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X6 TX5 - Havsa basli torqs vida	14581416 6	1000	0,01 KG	6 mm	3	1.6 mm	0.96
ISO 14581 A4 M 1,6X8 TX5 - Havsa basli torqs vida	14581416 8	1000	0,01 KG	8 mm	3	1.6 mm	0.96
ISO 14581 A4 M 10X16 TX50 - Havsa basli torqs vida	14581410 16	100	1,16 KG	16 mm	18.3	10 mm	5
ISO 14581 A4 M 10X20 TX50 - Havsa basli torqs vida	14581410 20	100	1,36 KG	20 mm	18.3	10 mm	5
ISO 14581 A4 M 10X25 TX50 - Havsa basli torqs vida	14581410 25	100	1,61 KG	25 mm	18.3	10 mm	5
ISO 14581 A4 M 2,5X10 TX8 - Havsa basli torqs vida	14581425 10	1000	0,04 KG	10 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X12 TX8 - Havsa basli torqs vida	14581425 12	1000	0,05 KG	12 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X14 TX8 - Havsa basli torqs vida	14581425 14	1000	0,05 KG	14 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X16 TX8 - Havsa basli torqs vida	14581425 16	1000	0,06 KG	16 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X18 TX8 - Havsa basli torqs vida	14581425 18	1000	0,06 KG	18 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X20 TX8 - Havsa basli torqs vida	14581425 20	1000	0,07 KG	20 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X22 TX8 - Havsa basli torqs vida	14581425 22	1000	0,08 KG	22 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X25 TX8 - Havsa basli torqs vida	14581425 25	1000	0,08 KG	25 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X3 TX8 - Havsa basli torqs vida	14581425 3	1000	0,02 KG	3 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X30 TX8 - Havsa basli torqs vida	14581425 30	1000	0,10 KG	30 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X4 TX8 - Havsa basli torqs vida	14581425 4	1000	0,02 KG	4 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X5 TX8 - Havsa basli torqs vida	14581425 5	1000	0,02 KG	5 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X6 TX8 - Havsa basli torqs vida	14581425 6	1000	0,03 KG	6 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2,5X8 TX8 - Havsa basli torqs vida	14581425 8	1000	0,03 KG	8 mm	4.7	2.5 mm	1.5
ISO 14581 A4 M 2X10 TX6 - Havsa basli torqs vida	1458142 10	1000	0,02 KG	10 mm	3.8	2 mm	1.2

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A4 M 2X12 TX6 - Havsa basli torks vida	1458142 12	1000	0,03 KG	12 mm	3.8	2 mm	1.2
ISO 14581 A4 M 2X14 TX6 - Havsa basli torks vida	1458142 14	1000	0,03 KG	14 mm	3.8	2 mm	1.2
ISO 14581 A4 M 2X16 TX6 - Havsa basli torks vida	1458142 16	1000	0,03 KG	16 mm	3.8	2 mm	1.2
ISO 14581 A4 M 2X18 TX6 - Havsa basli torks vida	1458142 18	1000	0,04 KG	18 mm	3.8	2 mm	1.2
ISO 14581 A4 M 2X20 TX6 - Havsa basli torks vida	1458142 20	1000	0,04 KG	20 mm	3.8	2 mm	1.2
ISO 14581 A4 M 2X3 TX6 - Havsa basli torks vida	1458142 3	1000	0,01 KG	3 mm	3.8	2 mm	1.2
ISO 14581 A4 M 2X4 TX6 - Havsa basli torks vida	1458142 4	1000	0,01 KG	4 mm	3.8	2 mm	1.2
ISO 14581 A4 M 2X5 TX6 - Havsa basli torks vida	1458142 5	1000	0,01 KG	5 mm	3.8	2 mm	1.2
ISO 14581 A4 M 2X6 TX6 - Havsa basli torks vida	1458142 6	1000	0,02 KG	6 mm	3.8	2 mm	1.2
ISO 14581 A4 M 2X8 TX6 - Havsa basli torks vida	1458142 8	1000	0,02 KG	8 mm	3.8	2 mm	1.2
ISO 14581 A4 M 3X10 TX10 - Havsa basli torks vida	1458143 10	500	0,06 KG	10 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X12 TX10 - Havsa basli torks vida	1458143 12	500	0,06 KG	12 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X14 TX10 - Havsa basli torks vida	1458143 14	500	0,07 KG	14 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X16 TX10 - Havsa basli torks vida	1458143 16	500	0,08 KG	16 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X18 TX10 - Havsa basli torks vida	1458143 18	500	0,09 KG	18 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X20 TX10 - Havsa basli torks vida	1458143 20	500	0,10 KG	20 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X22 TX10 - Havsa basli torks vida	1458143 22	500	0,11 KG	22 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X25 TX10 - Havsa basli torks vida	1458143 25	500	0,12 KG	25 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X30 TX10 - Havsa basli torks vida	1458143 30	500	0,14 KG	30 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X35/35 TX10 - Havsa basli torks vida	1458143 35	500	0,17 KG	35 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X4 TX10 - Havsa basli torks vida	1458143 4	500	0,03 KG	4 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X40/40 TX10 - Havsa basli torks vida	1458143 40	500	0,19 KG	40 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X45/45 TX10 - Havsa basli torks vida	1458143 45	500	0,21 KG	45 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X5 TX10 - Havsa basli torks vida	1458143 5	500	0,03 KG	5 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X50/50 TX10 - Havsa basli torks vida	1458143 50	500	0,23 KG	50 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X55/55 TX10 - Havsa basli torks vida	1458143 55	500	0,25 KG	55 mm	5.5	3 mm	1.65

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A4 M 3X6 TX10 - Havsa basli torks vida	1458143 6	500	0,04 KG	6 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X60/60 TX10 - Havsa basli torks vida	1458143 60	500	0,28 KG	60 mm	5.5	3 mm	1.65
ISO 14581 A4 M 3X8 TX10 - Havsa basli torks vida	1458143 8	500	0,05 KG	8 mm	5.5	3 mm	1.65
ISO 14581 A4 M 4X10 TX20 - Havsa basli torks vida	1458144 10	500	0,11 KG	10 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X100/100 TX20 - Havsa basli torks ..	1458144 100	200	0,79 KG	100 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X12 TX20 - Havsa basli torks vida	1458144 12	500	0,12 KG	12 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X14 TX20 - Havsa basli torks vida	1458144 14	500	0,14 KG	14 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X16 TX20 - Havsa basli torks vida	1458144 16	500	0,15 KG	16 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X18 TX20 - Havsa basli torks vida	1458144 18	500	0,17 KG	18 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X20 TX20 - Havsa basli torks vida	1458144 20	500	0,18 KG	20 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X22 TX20 - Havsa basli torks vida	1458144 22	500	0,20 KG	22 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X25 TX20 - Havsa basli torks vida	1458144 25	500	0,22 KG	25 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X30 TX20 - Havsa basli torks vida	1458144 30	500	0,26 KG	30 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X35 TX20 - Havsa basli torks vida	1458144 35	500	0,30 KG	35 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X40 TX20 - Havsa basli torks vida	1458144 40	500	0,34 KG	40 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X45 TX20 - Havsa basli torks vida	1458144 45	500	0,38 KG	45 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X5 TX20 - Havsa basli torks vida	1458144 5	500	0,07 KG	5 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X50/50 TX20 - Havsa basli torks vida	1458144 50	500	0,41 KG	50 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X55/55 TX20 - Havsa basli torks vida	1458144 55	500	0,45 KG	55 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X6 TX20 - Havsa basli torks vida	1458144 6	500	0,08 KG	6 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X60/60 TX20 - Havsa basli torks vida	1458144 60	500	0,49 KG	60 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X65/65 TX20 - Havsa basli torks vida	1458144 65	200	0,53 KG	65 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X70/70 TX20 - Havsa basli torks vida	1458144 70	200	0,57 KG	70 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X75/75 TX20 - Havsa basli torks vida	1458144 75	200	0,60 KG	75 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X8 TX20 - Havsa basli torks vida	1458144 8	500	0,09 KG	8 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X80/80 TX20 - Havsa basli torks vida	1458144 80	200	0,64 KG	80 mm	8.4	4 mm	2.7

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A4 M 4X85/85 TX20 - Havsa basli torks vida	1458144 85	200	0,68 KG	85 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X90/90 TX20 - Havsa basli torks vida	1458144 90	200	0,72 KG	90 mm	8.4	4 mm	2.7
ISO 14581 A4 M 4X95/95 TX20 - Havsa basli torks vida	1458144 95	200	0,76 KG	95 mm	8.4	4 mm	2.7
ISO 14581 A4 M 5X10 TX25 - Havsa basli torks vida	1458145 10	500	0,17 KG	10 mm	9.3	5 mm	2.7
ISO 14581 A4 M 5X12 TX25 - Havsa basli torks vida	1458145 12	500	0,20 KG	12 mm	9.3	5 mm	2.7
ISO 14581 A4 M 5X14 TX25 - Havsa basli torks vida	1458145 14	500	0,22 KG	14 mm	9.3	5 mm	2.7
ISO 14581 A4 M 5X6 TX25 - Havsa basli torks vida	1458145 6	500	0,12 KG	6 mm	9.3	5 mm	2.7
ISO 14581 A4 M 5X8 TX25 - Havsa basli torks vida	1458145 8	500	0,15 KG	8 mm	9.3	5 mm	2.7
ISO 14581 A4 M 6X10 TX30 - Havsa basli torks vida	1458146 10	500	0,25 KG	10 mm	11.3	6 mm	3.3
ISO 14581 A4 M 6X12 TX30 - Havsa basli torks vida	1458146 12	500	0,29 KG	12 mm	11.3	6 mm	3.3
ISO 14581 A4 M 6X14 TX30 - Havsa basli torks vida	1458146 14	500	0,32 KG	14 mm	11.3	6 mm	3.3
ISO 14581 A4 M 6X16 TX30 - Havsa basli torks vida	1458146 16	500	0,36 KG	16 mm	11.3	6 mm	3.3
ISO 14581 A4 M 6X8 TX30 - Havsa basli torks vida	1458146 8	500	0,22 KG	8 mm	11.3	6 mm	3.3
ISO 14581 A4 M 8X10 TX45 - Havsa basli torks vida	1458148 10	200	0,50 KG	10 mm	15.8	8 mm	4.65
ISO 14581 A4 M 8X12 TX45 - Havsa basli torks vida	1458148 12	200	0,57 KG	12 mm	15.8	8 mm	4.65
ISO 14581 A4 M 8X16 TX45 - Havsa basli torks vida	1458148 16	200	0,69 KG	16 mm	15.8	8 mm	4.65
ISO 14581 A4 M 8X20 TX45 - Havsa basli torks vida	1458148 20	200	0,82 KG	20 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 10X100/100 TX50 - Havsa basli t..	14581410 100	50	5,41 KG	100 mm	18.3	10 mm	5
ISO 14581 A4-070 M 10X30 TX50 - Havsa basli torks ..	14581410 30	100	1,86 KG	30 mm	18.3	10 mm	5
ISO 14581 A4-070 M 10X35 TX50 - Havsa basli torks ..	14581410 35	100	2,11 KG	35 mm	18.3	10 mm	5
ISO 14581 A4-070 M 10X40 TX50 - Havsa basli torks ..	14581410 40	100	2,36 KG	40 mm	18.3	10 mm	5
ISO 14581 A4-070 M 10X45 TX50 - Havsa basli torks ..	14581410 45	100	2,61 KG	45 mm	18.3	10 mm	5
ISO 14581 A4-070 M 10X50/50 TX50 - Havsa basli tor..	14581410 50	100	2,86 KG	50 mm	18.3	10 mm	5
ISO 14581 A4-070 M 10X60/60 TX50 - Havsa basli tor..	14581410 60	100	3,37 KG	60 mm	18.3	10 mm	5
ISO 14581 A4-070 M 10X70/70 TX50 - Havsa basli tor..	14581410 70	100	3,88 KG	70 mm	18.3	10 mm	5
ISO 14581 A4-070 M 10X80/80 TX50 - Havsa basli tor..	14581410 80	100	4,39 KG	80 mm	18.3	10 mm	5

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A4-070 M 10X90/90 TX50 - Havsa basli tor..	14581410 90	50	4,90 KG	90 mm	18.3	10 mm	5
ISO 14581 A4-070 M 5X100/100 TX25 - Havsa basli to..	1458145 100	200	1,28 KG	100 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X16 TX25 - Havsa basli torks v..	1458145 16	500	0,24 KG	16 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X18 TX25 - Havsa basli torks v..	1458145 18	500	0,27 KG	18 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X20 TX25 - Havsa basli torks v..	1458145 20	500	0,29 KG	20 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X22 TX25 - Havsa basli torks v..	1458145 22	500	0,32 KG	22 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X25 TX25 - Havsa basli torks v..	1458145 25	500	0,36 KG	25 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X28 TX25 - Havsa basli torks v..	1458145 28	500	0,39 KG	28 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X30 TX25 - Havsa basli torks v..	1458145 30	500	0,42 KG	30 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X35 TX25 - Havsa basli torks v..	1458145 35	500	0,48 KG	35 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X40 TX25 - Havsa basli torks v..	1458145 40	500	0,54 KG	40 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X45 TX25 - Havsa basli torks v..	1458145 45	200	0,60 KG	45 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X50/50 TX25 - Havsa basli tork..	1458145 50	200	0,66 KG	50 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X55/55 TX25 - Havsa basli tork..	1458145 55	200	0,73 KG	55 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X60/60 TX25 - Havsa basli tork..	1458145 60	200	0,79 KG	60 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X65/65 TX25 - Havsa basli tork..	1458145 65	200	0,85 KG	65 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X70/70 TX25 - Havsa basli tork..	1458145 70	200	0,91 KG	70 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X75/75 TX25 - Havsa basli tork..	1458145 75	200	0,97 KG	75 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X80/80 TX25 - Havsa basli tork..	1458145 80	200	1,04 KG	80 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X85/85 TX25 - Havsa basli tork..	1458145 85	200	1,10 KG	85 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X90/90 TX25 - Havsa basli tork..	1458145 90	200	1,16 KG	90 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 5X95/95 TX25 - Havsa basli tork..	1458145 95	200	1,22 KG	95 mm	9.3	5 mm	2.7
ISO 14581 A4-070 M 6X100/100 TX30 - Havsa basli to..	1458146 100	200	1,84 KG	100 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X110/110 TX30 - Havsa basli to..	1458146 110	200	2,02 KG	110 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X120/120 TX30 - Havsa basli to..	1458146 120	200	2,19 KG	120 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X130/130 TX30 - Havsa basli to..	1458146 130	200	2,37 KG	130 mm	11.3	6 mm	3.3

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A4-070 M 6X140/140 TX30 - Havsa basli to..	1458146 140	200	2,55 KG	140 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X18 TX30 - Havsa basli torks v..	1458146 18	500	0,40 KG	18 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X20 TX30 - Havsa basli torks v..	1458146 20	500	0,43 KG	20 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X22 TX30 - Havsa basli torks v..	1458146 22	500	0,47 KG	22 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X25 TX30 - Havsa basli torks v..	1458146 25	200	0,52 KG	25 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X30 TX30 - Havsa basli torks v..	1458146 30	200	0,61 KG	30 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X35 TX30 - Havsa basli torks v..	1458146 35	200	0,70 KG	35 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X40 TX30 - Havsa basli torks v..	1458146 40	200	0,78 KG	40 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X45 TX30 - Havsa basli torks v..	1458146 45	200	0,87 KG	45 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X50/50 TX30 - Havsa basli tork..	1458146 50	200	0,96 KG	50 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X55/55 TX30 - Havsa basli tork..	1458146 55	200	1,05 KG	55 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X60/60 TX30 - Havsa basli tork..	1458146 60	200	1,14 KG	60 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X65/65 TX30 - Havsa basli tork..	1458146 65	200	1,23 KG	65 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X70/70 TX30 - Havsa basli tork..	1458146 70	200	1,31 KG	70 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X75/75 TX30 - Havsa basli tork..	1458146 75	200	1,40 KG	75 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X80/80 TX30 - Havsa basli tork..	1458146 80	200	1,49 KG	80 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X85/85 TX30 - Havsa basli tork..	1458146 85	200	1,58 KG	85 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X90/90 TX30 - Havsa basli tork..	1458146 90	200	1,67 KG	90 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 6X95/95 TX30 - Havsa basli tork..	1458146 95	200	1,75 KG	95 mm	11.3	6 mm	3.3
ISO 14581 A4-070 M 8X100/100 TX45 - Havsa basli to..	1458148 100	100	3,38 KG	100 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X110/110 TX45 - Havsa basli to..	1458148 110	100	3,70 KG	110 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X120/120 TX45 - Havsa basli to..	1458148 120	100	4,02 KG	120 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X130/130 TX45 - Havsa basli to..	1458148 130	100	4,34 KG	130 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X140/140 TX45 - Havsa basli to..	1458148 140	100	4,66 KG	140 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X150/150 TX45 - Havsa basli to..	1458148 150	100	4,98 KG	150 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X25 TX45 - Havsa basli torks v..	1458148 25	200	0,98 KG	25 mm	15.8	8 mm	4.65

Description	Item No	Unit**	Ağırlık, başına 100.	Uzunluk .	kafa çapı .	Çap (.	baş yüksekliği.
ISO 14581 A4-070 M 8X30 TX45 - Havsa basli torks v..	1458148 30	200	1,17 KG	30 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X35 TX45 - Havsa basli torks v..	1458148 35	200	1,30 KG	35 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X40 TX45 - Havsa basli torks v..	1458148 40	200	1,46 KG	40 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X45 TX45 - Havsa basli torks v..	1458148 45	200	1,62 KG	45 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X50/50 TX45 - Havsa basli tork..	1458148 50	200	1,78 KG	50 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X60/60 TX45 - Havsa basli tork..	1458148 60	200	2,10 KG	60 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X70/70 TX45 - Havsa basli tork..	1458148 70	200	2,42 KG	70 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X80/80 TX45 - Havsa basli tork..	1458148 80	200	2,74 KG	80 mm	15.8	8 mm	4.65
ISO 14581 A4-070 M 8X90/90 TX45 - Havsa basli tork..	1458148 90	200	3,06 KG	90 mm	15.8	8 mm	4.65